AFGL-TR-80-0163
ENVIRONMENTAL RESEARCH PAPERS, NO. 701



Interlevel Correlations of Temperature and Density, Surface to 60 km

ALLEN E. COLE ARTHUR J. KANTOR EUGENE A. BERTONI

14 May 1980



Approved for public release; distribution unlimited.

METEOROLOGY DIVISION PROJECT 6670

AIR FORCE GEOPHYSICS LABORATORY

HANSCOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF



NE FILE COPY

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

Chief Scientist

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

Unclassified AFGL-EXP-701

SECURITY CLASSIFICATION OF THIS PAGE (When De	nia Knierad)		
REPORT DOCUMENTATIO	N PAGÉ	HEAD INSTRUCTIONS HEFORE COMPLETING FORM	
AFGL-TR-85-51639	AD-AO	1. PECIPIENT'S GATALOG NUMBER	
4. TITLE (and Sublifie)	110-710	S. TYPE OF REPORT & PERIOD COVERE	
6) INTERLEVEL CORRELATIONS	OF	Scientific, Interim.	
TEMPERATURE AND DENSITY SURFACE TO 60 KM.	• /	4. PERFORMING ONG, REPORT NUMBER	
		ERP No. 701	
Allen E. Cole		S. CONTRACT OR GRANT NUMBER(s)	
Arthur d./Kantor		}	
Eugene A. Bertoni	11	10. PROGRAM ELEMENT, PROJECT, 1 ASH AREA & WORK UNIT NUMBERS	<del></del>
Air Force Geophysics Laborator	ry (LY)	32101F (7)	5-17
Hanscom Al'B Massachusetts 01731	(16	80700907	
11. CONTROLLING OFFICE NAME AND ADDRESS		IN REPORT DATE	
Air Force Geophysics Laborator	ry (LY)	14 May 1980	
Massachusetts 01731	_	126	
14. MONITORING AGENCY NAME & ADDRESSIL dille	rent from Controlling Office)	18. SECURITY CLASS, (of this report)	
	(12)	Unclassified	<b></b>
1	(12)	SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)			_
12-DISTRIBUTION STATEMENT (OF The abstract onlor		M. Reports and an and and and and and and and and	123
18. SUPPLEMENTARY NOTES			_
19 KEY WORDS (Continue on reverse side if necessary		)	
Stratospheric/mesospheric dens Stratospheric/mesospheric temp			
Vertical density gradients	Grature		
Reentry vehicle trajectories			ĺ
20. ABSTRACT (Continue on reverse side if necessary	and identity by block number)		
Statistical techniques have to the effect of density and temperator altitudes between the surface standard deviations of density are to 60 km, together with interleven	ocen developed whature on the traject and 60 km. Arradd temperature at	ich can be used to determin ctories of reentry vehicles ays of monthly means and 2-km intervals of altitude	
density and temperature with ter	nperature, are pi	covided for the mid-season	dog.
months (January, April, July, C and 64 N. These data are in a f	ormat that can be	ctions between latitudes 8°S easily used to estimate the	
DD 1 JAN 73 1473	Unc	LASSIFIED	
<i>V J</i>		The second of the second secon	<b>-</b> /

	SEC	URITY	CLASSIFICAT	ION OF THIS PA	GE(When Date I	Entered)				
		20.	(Cont)							
`	1	dist of d	ributions ay <b>-to-d</b> ay	of vertica y density v	al density variations	and temp on the tr	erature g ajectories	radients a s of reent	and the ef ry vehicl	fects es.

Unclassified

,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们是一个人,我们


Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

1889. . A with the control of the co

# Preface

ni kan misinta antan malik intersalais mina intersamentenden intersalaini ihan histori sake as derikan tam

The authors wish to take this opportunity to thank Mr. Karekin Agazarian who developed the computer programs for the computation of the statistical arrays and prepared them in "camera-ready" format. We also extend our thanks to Mrs. Helen Connell who typed several drafts of the text and tables.



## **Contents** 11 INT RODUCTION 13 DATA SOURCES AND ACCURACY 15 3. TEMPERATURE 18 DENSITY 22 INTERLEVEL CORRELATION 40 VERTICAL DENSITY GRADIENTS REFERENCES 43 Interlevel Coefficients of Correlation of Temperature for Altitudes up to 60 km APPENDIX A: 45 Interlevel Coefficients of Correlation of Density for Altitudes up to $60\ km$ APPENDIX B: 83 Sample Calculation for Estimating the Effect of APPENDIX C: 123 Density on a Reentry Vehicle APPENDIX D: Sample Calculation for Estimating an Extreme 125 Vertical Density Gradient

# Illustrations

Majawi mananingka manandaha manandan manandaha kadi minandaha mananda mananda mananda mananda mananda mananda m

1.	Latitudinal Changes in the Temperature-Altitude Profiles for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill	10
2.	Seasonal Differences in the Temperature-Altitude Profiles at Ascension Island, Wallops Island, and Churchill	1'
3.	Day-to-Day Variability Around Mean Monthly Temperature for January and July at Ascension Island, Wallops Island, and Churchill	1:
4.	Latitudinal Changes in the Density-Altitude Profiles for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill	1:
5.	Seasonal Differences in the Density-Altitude Profiles at Ascension Island, Wallops Island, and Churchill	2
6.	Day-to-Day Variability Around Mean Monthly Density for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill	2
7.	Vertical Profiles of Interlevel Coefficients of Correlation of Surface Density With Density at Other Altitudes up to 60 km for the Mid-Season Months at Kwajalein, Wallops Island, and Churchill	2:
8.	Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Fort Sherman, and Kwajalein	24
9.	Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	34
10.	Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Primrose Lake, Churchill, and Poker Flats	25
11.	Vertical Profiles of Interlevel Coefficients of Correlation of Surface Temperature With Temperature at Other Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Kwajalein, Wallops Island, and Churchill	26
12.	Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Fort Sherman, and Kwajalein	28
13.	Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island	28
14.	Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Primrose Lake,	20
	Churchill, and Poker Flats	29

# Illustrations

15.	Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in the Tropics	36
16.	Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in Middle Latitudes	36
17.	Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in High Latitudes	37
18.	Interlevel Coefficients of Correlations of Temperature at 26 km With Temperature at Higher Altitudes for the Mid-Season Months in the Tropics	37
19.	Interlevel Coefficients of Correlations of Temperature at 26 km With Temperature at Higher Altitudes for the Mid-Season Months in Middle Latitudes	38
20.	Interlevel Coefficients of Correlations of Temperature at 26 km With Temperature at Higher Altitudes for the Mid-Season Months in High Latitudes	38
		Tables
1.	Observational Sites	14
2a.	Average January Interlevel Correlations of Temperature for the Tropics	30
2b.	Average April Interlevel Correlations of Temperature for the Tropics	30
2c.	Average July Interlevel Correlations of Temperature for the Tropics	30
2d.	Average October Interlevel Correlations of Temperature for the Tropics	30
3a.	Average January Inter'evel Correlations of Density for the Tropics	31
3b.	Average April Interlevel Correlations of Density for the Tropics	31
3c.	Average July Interlevel Correlations of Density for the Tropics	31
3d.	Average October Interlevel Correlations of Density for the Tropics	31
4a.	Average January Interlevel Correlations of Temperature for Middle Latitudes	32
4b.	Average April Interlevel Correlations of Temperature for Middle Latitudes	32
4c.	Average July Interlevel Correlations of Temperature for Middle Latitudes	32

		Tables
4d.	Average October Interlevel Correlations of Temperature for Middle Latitudes	32
5a.	Average January Interlevel Correlations of Density for Middle Latitudes	33
5b.	Average April Interlevel Correlations of Density for Middle Latitudes	33
5c.	Average July Interlevel Correlations of Density for Middle Latitudes	33
5d.	Average October Interlevel Correlations of Density for Middle Latitudes	33
6a.	Average January Interlevel Correlations of Temperature for High Latitudes	34
6b.	Average April Interlevel Correlations of Temperature for High Latitudes	34
6c.	Average July Interlevel Correlations of Temperature for High Latitudes	34
6d.	Average October Interlevel Correlations of Temperature for High Latitudes	34
7a.	Average January Interlevel Correlations of Density for High Latitudes	35
7b.	Average April Interlevel Correlations of Density for High Latitudes	35
7c.	Average July Interlevel Correlations of Density for High Latitudes	35
7d.	Average October Interlevel Correlations of Density for High Latitudes	35
8.	Seasonal and Latitudinal Changes in "a" (used for defining correlation decay)	39
A 1.	Ascension Island — Correlation of Temperatures (°K) From Surface to 60 km	46-48
A2.	Kwajalein — Correlation of Temperatures (°K) From Surface to 60 km	49-52
A3.	Wallops Island — Correlation of Temperatures (°K) From Surface to 60 km	53-56
A4.	Churchill — Correlation of Temperatures (°K) From Surface to 60 km	57-60
A5.	Ft. Sherman — Correlation of Temperatures (°K) From 26 km to 60 km	61-64
A6.	Barking Sands — Correlation of Temperatures (°K) From 26 km to 60 km	65-68
A7.	Cape Kennedy — Correlation of Temperatures (°K) From 26 km to 60 km	69-72
A8.	White Sands — Correlation of Temperatures (°K) From 26 km to 60 km	73-76

A WASTER STATES OF THE PROPERTY OF THE PROPERT

		lables
A9.	Primrose Lake — Correlation of Temperatures (°K) From 26 km to 60 km	77-79
A 10.	Poker Flats - Correlation of Temperature (°K) From 26 km to 60 km	80-82
В1.	Ascension Island - Correlation of Density (kg m <sup>-3</sup> ) From Surface to 60 km	84-87
B2.	Kwajalein – Correlation of Density (kg m <sup>-3</sup> ) From Surface	88-91
вз.	Wallops Island - Correlation of Density (kg m ) From	92-95
B4.	Churchill - Correlation of Density (kg m <sup>-3</sup> ) From Surface	96-99
B5.	Ft. Sherman – Correlation of Density (kg m <sup>-3</sup> ) From 26 km to 60 km	100-103
B6.	Barking Sands — Correlation of Density (kg m <sup>-3</sup> ) From 26 km	104-107
В7.	Cape Kennedy — Correlation of Density (kg m <sup>-3</sup> ) From 26 km to 60 km	108-111
B8.	White Sands Correlation of Density (kg m <sup>-3</sup> ) From 26 km to 60 km	112-115
в9.	Primrose Lake — Correlation of Density (kg m <sup>-3</sup> ) From 26 km to 60 km	116-11
B10.	Poker Flats — Correlation of Density (kg m <sup>-3</sup> ) From 26 km	119-12

# Interlevel Correlations of Temperature and Density, Surface to 60 km

# 1. INTRODUCTION

Geographical, seasonal, and day-to-day variations in the vertical distributions of atmospheric density and temperature must be considered in the design and operation of reentry vehicles. The atmospheric drag coefficients for a given vehicle are a function of the Mach number, which is directly related to ambient temperature. Variations in the distribution of atmospheric density affect the predicted deceleration and range of free-fall bombs and ballistic missiles that have high forward velocities. Thus, the purpose of this report is to develop statistical presentations that can be used to determine the influence of density and temperature distributions on the trajectories of reentry vehicles at altitudes between the surface and 60 km.

This work is part of a continuing effort to compile, analyze, and present information on the distribution of thermodynamic properties of the atmosphere in a form suitable for use in the design and operation of aerospace vehicles. An economical method of estimating the effect of density and temperature on reentry vehicles by the use of interlevel coefficients of correlation of density with density and temperature with temperature is described. A technique is also presented for obtaining estimates of these interlevel relationships in regions of sparse data.

(Received for publication 13 May 1980).

In evaluating the accuracy of a proposed missile system, estimates must be made of the effect of day-to-day variations in density on the impact point. The most direct approach to this problem is to calculate individual points of impact in each target area using a representative sample of observed density profiles from each region. This task could be time consuming, especially if several types of aerodynamic designs and various reentry angles are being investigated. A simpler approach is possible if the effect of density at each level is known to be independent or nearly independent of the effects at other levels, as it is believed to be in most cases. The required representative sample of soundings can then be summarized statistically and presented in an array so that only a simple arithmetical calculation is required to find the missile range and its standard deviation.

Arrays of means and standard deviations of density and temperature at 2-km intervals of altitude from the surface to 60 km, together with interlevel coefficients of correlation of density with density and temperature with temperature, are presented for the mid-season months at four locations. The same type of data are also presented for altitudes between 26 and 60 km at six additional locations. Both sets of data, ranging in latitude from 8°S to 64°N, are in a format that can be readily used to determine the integrated effect of density and temperature variations on the trajectories of reentry vehicles.

The integrated effect (E) of mean monthly density on the trajectory and impact point of a missile can be determined for a specific location by computer-simulated "flights" "Grough mean monthly or seasonal density profiles, if the proper influence coefficients (c<sub>i</sub>) for the missile at various levels are given:

$$E = \sum_{i} c_{i} \overline{\rho}_{i} .$$
(1)

where  $\bar{p}_i$  is the mean monthly density at the i'th level. The integrated standard deviation of the range, or deceleration due to day-to-day variations from the mean seasonal or monthly density profiles, can be obtained:

$$\sigma_{\text{int}}^2 = \Sigma_{ij} c_i \sigma_i R_{ij} c_j \sigma_j, \qquad (2)$$

where  $\sigma_{int}^2$  is the integrated variance for all layers being considered,  $c_i$  and  $c_j$  are influence coefficients at levels i and j,  $\sigma_i$  and  $\sigma_j$  are the standard deviations of density at levels i and j, and  $R_{ij}$  is the coefficient of correlation between densities at levels i and j.

Previous statistical presentations of the vertical density distributions suitable for reentry studies were prepared for levels up to 30 km from radiosonde observations by Cole and Court <sup>1</sup> and by Cole and Nee. <sup>2</sup> Investigations at altitudes above 30 km had been hampered by the lack of adequate data. Only during the past few years have sufficient observations become available from Meteorological Rocket Network (MRN) stations for such investigations.

## 2. DATA SOURCES AND ACCURACY

The statistical arrays of the means, standard deviations, and interlevel coefficients of correlation of density and temperature for altitudes up to 60 km are based on radiosonde and MRN observations taken at the 10 locations shown in Table 1. At four of these sites, radiosonde and rocketsonde observations taken within a few hours of each other were combined to provide individual density and temperature profiles from the surface to 60 km. Rocketsondes without accompanying radiosondes were used at the six remaining sites to develop statistical properties of the density and temperature distributions between 26 and 60 km. Only observations that were taken at least 3 days apart were used in an attempt to reduce the effects of persistence on the statistical properties of the elements being studied. It has been shown by Durst  $^3$  that the coefficients of correlation (R) for meteorological elements observed at various time intervals at levels between 5 and 20 km follow the law  $R = e^{-aT}$ , where a equals  $6.9 \times 10^{-6}$  sec  $^{-1}$  and T is measured in seconds. In a 3-day interval, the coefficients of correlation between observations are generally less than 0.2, approaching independence.

Temperatures were obtained at 2-km intervals of geopotential altitude below 30 km from individual radiosonde observations by linear interpolation between values at standard and significant pressure levels whose heights had been computed hypsometrically. Densities were interpolated logarithmically. Errors introduced by logarithmic interpolation of density are unimportant, generally < 1 percent at radiosonde heights. The root-mean-square (rms) observational errors in radiosonde temperatures vary linearly with altitude from 1°K at the surface to from 2 to 5°K at 30 km, and the estimated rms errors in densities derived from these measurements range from 0.2 percent at the surface to 1.0 percent at 30 km.

tok densita open and densitation density density density density density density and the second of the second density

Cole, A. E., and Court, A. (1962) Density Distribution, Interlevel Correlations, and Variation with Winds, AFCRL-TR-62-815.

Cole, A.E., and Nee, P.F. (1965) Correlations of Temperature, Pressure, and Density to 30 km, AFCRL-TR-65-43, AD 612651.

<sup>3.</sup> Durst, B. A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.

<sup>4.</sup> Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM.

Temperatures and densities were obtained from MRN observations at geometric altitudes between 26 and 60 km. The estimated rms observational errors in rocketsonde temperatures vary linearly with altitude from 1.5°K at 25 km to 3.5°K at 70 km, and the rms errors in densities derived from rocketsonde measurements are estimated to vary from 1 percent at 30 km to 5 percent at 60 km. 4

Table 1. Observational Sites

Station	Lo	cation	Altitudes	Period of Record
Ascension Island	8°S,	14°W	Surface to 60 km	1969-1976
Kwajalein	9°N,	168°E	Surface to 60 km	1969 - 1976
Wallops Island	38°N,	75°W	Surface to 60 km	1969 - 1976
Churchill	59°N,	94°W	Surface to 60 km	1969 — 1976
Fort Sherman	9°N,	80°W	26 to 60 km	1969-1976
Barking Sands	22°N,	160°W	26 to 60 km	1969 - 1976
Cape Kennedy	28°N,	80°W	26 to 60 km	1969-1976
White Sands	32°N,	106°W	26 to 60 km	1969-1976
Primrose Lake	55°N,	110°W	26 to 60 km	1969 - 1976
Poker Flats	64°N,	146°W	26 to 60 km	1969-1976

The observed rms variations ( $\sigma_0$ ) around the monthly means contain the true rms variability due to changes in synoptic conditions ( $\sigma_T$ ) and the rms observational error ( $\sigma_E$ ). If the true variability and observational errors are assumed to be independent, the observed rms variability is given by:

$$\sigma_{\rm O} = \sqrt{\sigma_{\rm T}^2 + \sigma_{\rm E}^2}. \tag{3}$$

Consequently, the effect of observational errors must be carefully evaluated to determine how much of the variability that is indicated by the uncorrected soundings is due to synoptic changes in weather patterns. These errors have less effect on the mean monthly values of temperature and density given in the appendices, because the rms error of the mean monthly values is equal to the rms value of the error of an observation divided by the square root of the number of independent observations used for computing the monthly means.

THE PROPERTY OF THE PROPERTY O


#### 3. TEMPERATURE

Statistical arrays of mean monthly temperatures, standard deviations, and interlevel coefficients of correlation are given in Appendix A for altitudes up to 60 km. An indication of the variations in the vertical distributions of mean monthly temperatures with geographical location can be obtained from the temperature-altitude profiles for each of the four mid-season months shown in Figure 1 at Ascension Island (8S), Wallops Island (38N), and Churchill (59N). The most striking feature of these comparisons is seen at the two levels where the temperature profiles for the three locations converge or cross. The first such level occurs near 12 km; the second, between 22 and 26 km. Below 12 km, the temperature profiles tend to parallel each other, indicating that geographical differences in the mean monthly temperature-lapse rates in the troposphere are relatively small. Locations that have the warmest temperatures below 12 km have the coldest temperatures between 12 and 24 km. The largest geographical temperature variations occur at the surface in January, April, and October, and at 16 km in July. Above 24 km, the variability of the profiles with latitude is largest in October and January.

Seasonal changes in the temperature-altitude profile at each of the three locations are illustrated in Figure 2. Differences in mean monthly temperatures are largest at the surface and smallest near 12 km. The vertical temperature gradients in the troposphere are negative and remain relatively constant throughout the year. The mean monthly vertical gradients in the stratosphere are positive in all months at Ascension Island and Wallops Island; at Churchill, they are slightly negative or isothermal between 10 and 28 km in January, October, and April and slightly positive in July.

Linking days and the residence of the contract of the contract

Standard deviations of the day-to-day variations around the mean monthly temperatures at levels between the surface and 60 km are tabulated in Appendix A and are plotted in Figure 3 for January and July at Ascension Island, Wallops Island, and Churchill. These variations, due to day-to-day changes in weather patterns, are largest in January and at high latitudes, whereas in July the variations are approximately the same at all latitudes. The magnitude of the seasonal difference in the standard deviations of temperature at these altitudes increases with latitude.



To be the control of the control of

Figure 1. Latitudinal Changes in the Temperature-Altitude Profiles for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill




Figure 2. Seasonal Differences in the Temperature-Altitude Profiles at Ascension Island, Wallops Island, and Churchill




Figure 3. Day-to-Day Variability Around Mean Monthly Temperatures for January and July at Ascension Island, Wallops Island, and Churchill

The day-to-day variations around mean monthly densities are plotted vs altitude in Figure 6 as coefficients of variation ( $100 \times SD/mean$ ) for the mid-season months at Ascension Island, Wallops Island, and Churchill. These variations increase markedly with latitude, particularly during winter. In July, however, they are essentially the same at all latitudes.

### 4. DENSITY

Arrays of mean monthly densities, standard deviations, and interlevel correlations for autitudes up to 60 km are given in Appendix B. The mean densities for each of the mid-season months at Ascension Island, Wallops Island, and Churchill are plotted versus altitude in Figure 4 as percentage departures from the U.S. Standard Atmosphere, 1976. The individual profiles cross or converge near 8 km and between 22 and 26 km. Both are levels of minimum density variability. There is an isopycnic level near 8 km at which mean monthly densities depart from standard by no more than 1 or 2 percent, regardless of location and season. However, between 22 and 26 km there is a marked seasonal variability, even though there is very little latitudinal variability.

Seasonal changes in the mean monthly density profiles at each of the three locations are shown in Figure 5. The minimum seasonal variability, 1 or 2 percent, occurs at 8 km and the maximum occurs above 60 km.

<sup>5.</sup> COESA (1976) U.S. Standard Atmosphere, 1976, GPO, Washington, D.C.




Figure 4. Latitudinal Changes in the Density-Altitude Profiles for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill





Figure 5. Seasonal Differences in the Density-Altitude Profiles at Ascension Island, Wallops Island, and Churchill

The day-to-day variations around mean monthly densities are plotted vs altitude in Figure 6 as coefficients of variation (100×SD/mean) for the mid-season months at Ascension Island, Wallops Island, and Churchill. These variations increase markedly with latitude, particularly during winter. In July, however, they are essentially the same at all latitudes.






Figure 6. Day-to-Day Variability Around Mean Monthly Density for the Mid-Season Months at Ascension Island, Wallops Island, and Churchill

Callada and

## 5. INTERLEVEL CORRELATION

The manner in which the correlation between densities at two levels decreases (or decays) with increasing separation between the levels is an example of the general problem of correlation decay. Similar correlation decay is found for most meteorological elements as the horizontal or vertical distance between the points of observation or the time interval between observations increases. As yet, no fully satisfactory description of the decay rate, based on fundamental properties or assumptions, is available. Consequently, many empirical models that are valid for specific elements over restrictive ranges have been proposed.

Profiles of coefficients of correlation, R, of surface density with density at other altitudes are shown in Figure 7 for each of the mid-season months at Kwajalein, Wallops Island, and Churchill. During all four seasons and at all three locations the correlation between surface density and density at other altitudes decreases rapidly as the vertical distance between levels increases, approaching zero by 8 or 10 km. The correlation then generally remains near zero or slightly negative at altitudes between 10 and 60 km. The low correlation between the surface density and the density at levels between 10 and 60 km indicates that very little information on deviations from the mean monthly density profiles between 10 and 60 km can be obtained from observations of surface density.

Profiles of coefficients of correlation of the density at 26 km with density at higher altitudes up to 60 km are shown for each of the mid-season months for locations in the tropics (Figure 8), middle latitudes (Figure 9), and high latitudes (Figure 10). These figures indicate that at middle and high latitudes the interlevel density correlations above 26 km decay more rapidly in winter than in the other seasons, and that seasonal variations in the decay rates in the tropics are relatively small. In April, July, and October the 26-km densities at most locations are positively correlated with the densities at nearly all levels between 25 and 60 km. At several stations, data on which to base these profiles of interlevel correlations were not available for all four mid-season months. As a result the April profile for Ascension Island is not shown in Figure 8, and the Primrose Lake and Poker Flats profiles for July and October, respectively, are not shown in Figure 10.

THE PROPERTY OF THE PROPERTY O

Profiles of coefficients of correlation, R, of surface temperatures with temperatures at other altitudes are shown in Figure 11 for each of the mid-season months at Ascension Island, Kwajalein, Wallops Island, and Churchill. At most locations, the correlation between surface temperatures and temperatures at other altitudes decreases rapidly with increasing altitude, reaching a minimum or becoming negative between 12 and 16 km and then remaining near zero, plus or minus 0.3, from 20 to 60 km. There is a pronounced negative correlation between the surface temperature at Wallops Island and temperatures at altitudes between 10 and 20 km. Values of -0.4 to -0.6 occur at these levels in January, April, and October.




Figure 7. Vertical Profiles of Interlevel Coefficients of Correlation of Surface Density With Density at Other Altitudes up to 60 km for the Mid-Season Months at Kwajalein, Wallops Island, and Churchill





Figure 8. Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Fort Sherman, and Kwajalein



e de destructuados es concestas comencios de concestas de concestas de comencios de

Figure 9. Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 10. Vertical Profiles of Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes up to 60 km for the Mid-Season Months at Primrose Lake, Churchill, and Poker Flats




Figure 11. Vertical Profiles of Interlevel Coefficients of Correlation of Surface Temperature With Temperature at Other Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Kwajalein, Wallops Island, and Churchill

Individual profiles of the correlations between temperatures at 26 km and those at other altitudes between 26 and 60 km are plotted in Figures 12, 13, and 14 for locations at low, middle, and high latitudes, respectively. The July profile for Primrose Lake is not shown in Figure 14 because only seven observations were available for the development of the interlevel correlations. The rate of decay of the interlevel correlations with increasing vertical separation between levels is approximately the same at all latitudes in July, and positive correlation exists between the values at 26 km and those of other altitudes up to 60 km. In January the rates of decay at middle and high latitudes are considerably greater than those in the tropics, and, except in the tropics, negative correlations occur at most locations when levels are separated by more than 13 to 20 km.

The individual arrays of interlevel correlations of temperatures and densities from 26 to 60 km, given in Appendices A and B for locations in tropical areas (Ascension Island, Fort Sherman, and Kwajalein), were combined to produce one set each of temperature and density matrices, Tables 2 and 3 respectively, for tropical areas. This same procedure was followed for middle latitudes (Barking Sands, Cape Kennedy, White Sands, and Wallops Island), Tables 4 and 5, and for high latitudes (Primrose Lake, Churchill, and Poker Flats), Tables 6 and 7. Combining the individual arrays increased the sample size and smoothed out many of the irregularities found in the profiles of R that are based on values from one station. The combined or average R-values of density are plotted at 2-km intervals between altitudes of 26 and 60 km, using semi-log coordinates (Figures 15, 16, and 17) for low, middle, and high latitudes, respectively. R-values of temperature are presented in the same manner in Figures 18, 19, and 20. The 26-km level was selected as the lower limit because it is near the top of observed radiosonde temperature and density profiles that are taken on a routine basis in most areas of the world. Consequently, temperatures and densities observed by radiosondes at 26 km can be used with the interlevel correlations of temperatures and densities shown in Tables 2 through 7 to extrapolate these elements to higher altitudes.




Figure 12. Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Ascension Island, Fort Sherman, and Kwajalein




Figure 13. Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Barking Sands, Cape Kennedy, White Sands, and Wallops Island




Figure 14. Vertical Profiles of Interlevel Coefficients of Correlation of Temperature at 26 km With Temperature at Higher Altitudes up to 60 km for the Mid-Season Months at Primrose Lake, Churchill, and Poker Flats

Table 2a. Average January Interlevel Correlations of Temperature for the Tropics

Table 2b. Average April Interlevel Correlations of Temperature for the Tropics

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	59"					•											
30	54	61															
32	33	38	64														
34	36	30	39	52													
36	28	28	24	32	63												
38	33	16	32	30	44	58											
40	21	11	24	29	25	16	50										
42	26	22	12	14	28	13	07	32									
14	02	16	17	22	23	17	-10	-04	36								
46	14	05	18	30	32	32	26	17	10	24							
48	08	05	24	38	42	44	33	17	04	11	57						
50	21	10	21	33	35	43	41	21	00	13	20	50					
52	33	21	29	40	15	53	50	28	20	14	19	35	65				
54	31	28	35	3 .	58	52	43	28	19	13	25	35	43	67			
56	13	17	35	32	41	41	39	25	20	27	30	3 t	23	51	73		
58	20	23	36	34	4'	51	46	31	28	26	22	35	35	56	73	88	
60	25	25	28	30	28	39	46	35	32	15	19	38	33	57	58	66	85

man dali non pan on alimpaha mengangan pangan in mengangan pangan pangan pangan pangan pangan pangan pangan pa

Table 2c. Average July Interlevel Correlations of Temperature for the Tropics

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	57													•			_
30	45	56															
32	47	43	64														
34	53	43	55	75													
35	40	16	10	46	72												
38	47	14	33	47	56	60											
10	50	42	41	47	49	46	58										
42	42	36	43	47	45	33	43	59									
44	26	23	30	12	28	23	20	12	47								
46	15	13	27	27	22	£1	14	01	ţ.	\$							
48	26	11	27	17	10	19	0.	o?	3.	28	, 4						
50	32	16	19	10	is	15	14	04	os	,:	22	74					
52	20	.4	10	03	15	04	16	09	12	14	14	41	63				
54	10	10	17	10	11	00	06	11	:6	17	23	30	31	73			
56	27	21	24	21	10	15	15	15	13	20	18	44	38	54	74		
58	29	36	28	22	18	19	16	07	06	13	36	50	46	49	54	83	
60	21	:0	13	15	10	13	15	15	22	21	24	18	42	51	54	70	84

Table 2d. Average October Interlevel Correlations of Temperature for the Tropics

λm	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	67,							_									
30	59	66															
32	52	61	7 1														
34	55	52	56	67													
36	56	54	47	57	55												
38	61	46	41	47	46	58											
40	52	48	46	41	45	42	57										
42	37	39	34	29	32	38	33	62									
44	44	36	29	41	29	37	33	37	47								
46	28	22	21	35	28	36	25	17	24	58							
48	27	29	32	42	32	30	15	23	14	37	63						
50	15	34	17	35	25	33	17	11	15	30	44	68					
52	26	30	15	18	20	23	17	18	20	17	13	29	56				
54	32	33	23	29	27	25	17	29	22	21	20	27	33	77			
56	36	36	25	30	16	34	25	29	22	18	29	28	34	59	<b>\$</b> 1		
58	44	39	29	36	26	37	35	27	26	24	34	28	34	54	66	84	
60	41	44	25	33	44	35	31	23	30	32	47	41	51	50	54	65	82

 $<sup>^{*}</sup>$ Multiply tabular values by 0.01 to obtain correlation coefficients.

Table 3a. Average January Interlevel Correlations of Density for the Tropics

km	26	28	30	32	34	36	33	40	42	44	46	48	50	52	54	56	58
28	65								_								
30	51	56															
32	30	33	63														
34	17	18	43	62													
36	01	13	37	47	61												
38	11	09	33	43	48	61											
40	-13	-04	09	16	35	44	65										
42	-06	09	17	24	34	48	57	77									
44	-03	02	17	27	40	43	53	64	83								
46	-07	-07	19	31	31	41	44	48	65	84							
48	-09	-02	09	30	29	36	39	47	59	75	83						
50	-10	-04	05	21	23	\$2	28	47	56	69	69	79					
52	-18	-05	01	17	13	32	31	45	61	72	72	74	85				
54	-20	-14	-08	14	03	26	29	44	60	68	71	68	12	90			
56	- 14	-17	-11	11	02	24	25	44	58	62	66	58	60	79	90		
58	02	-05	-07	11	01	21	34	42	60	67	67	54	57	28	67	92	
60	-26	-25	-21	00	00	42	36	42	64	66	10	60	52	79	86	85	92

Table 3b. Average April Interlevel Correlations of Density for the Tropics

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	70°										_						
30	57	68															
32	40	51	72														
14	29	35	48	70													
16	23	32	37	59	77												
38	20	20	40	55	59	68											
60	18	27	40	58	48	47	72										
42	08	23	26	47	51	49	50	74									
44	-04	18	28	46	46	54	50	64	78								
46	-04	03	20	46	44	50	56	63	¢6	81							
48	-03	08	25	47	46	53	58	63	64	74	85						
50	03	13	25	44	46	55	65	70	66	76	80	89					
52	06	15	26	46	49	59	65	67	67	73	73	79	91				
54	02	17	28	42	38	50	57	64	65	75	78	80	85	89			
56	-14	00	18	33	31	34	47	59	59	71	70	69	73	73	85		
58	-16	03	14	31	30	35	51	61	61	67	68	69	73	72	80	92	
60	-10	15	09	35	32	40	53	69	67	64	65	72	76	76	52	77	8

Table 3c. Average July Interlevel Correlations of Density for the Tropics

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	46	58
28	66																_
30	45	63															
37	51	41	54														
34	40	37	44	52													
36	22	20	23	32	\$8												
38	19	14	06	16	33	62											
40	23	13	oş	09	21	54	66										
42	17	18	11	14	28	59	65	81									
44	08	12	04	08	24	60	59	67	85								
46	95	11	97	07	22	56	59	65	77	92							
48	09	05	01	02	24	54	53	66	72	21	86						
50	06	05	-07	-02	16	50	53	66	73	78	79	90					
52	03	01	-06	-03	14	60	58	70	76	77	79	82	91				
54	-03	-03	-08	-01	10	49	77	٠,	77	78	78	75	82	92			
56	01	-01	-12	-01	08	10	55	73	76	78	78	78	21	84	91		
58	-03	02	-02	06	11	46	50	65	71	69	74	-5	76	76	79	93	
60	02	11	15	05	15	53	60	72	50	73	70	73	72	74	78	87	91

Table 3d. Average October Interlevel Correlations of Density for the Tropics

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	72																
30	45	58															
32	46	59	52														
34	37	38	31	63													ı
36	25	29	22	50	69												
38	19	16	13	41	60	69											
40	08	17	15	36	64	60	71										
42	96	21	14	42	64	66	66	86									
44	-02	07	08	38	58	62	63	73	82								
46	-11	-02	-03	30	**	60	61	62	78	88							
48	-13	90	-01	27	48	54	60	69	72	81	89						ı
50	-23	-02	-04	21	50	55	58	73	74	77	80	87					
52	-14	-01	-05	18	52	5+	62	71	74	76	82	86	89				
54	-12	-01	-06	19	52	55	63	74	77	78	84	85	86	95			
56	-18	-06	-02	14	46	52	63	71	73	75	84	83	16	92	96		- 1
58	-21	-04	-01	17	47	50	62	68	72	75	85	82	84	90	91	95	- 1
60	-34	-21	-15	01	20	29	44	31	33	e i	79	77	68	82	84	90	95

 $<sup>^*</sup>$ Multiply tabular values by 0.01 to obtain correlation coefficients.

Table 4a. Average January Interlevel Correlations of Temperature for Middle Latitudes

Table 4b. Average April Interlevel Correlations of Temperature for Middle Latitudes

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	80*																
30	66	79															
32	51	59	75														
34	29	43	58	76													
36	10	23	36	53	71												
38	-10	-02	04	22	42	73											
40	-12	00	0:	14	36	50	75										
42	-14	-04	02	07	25	36	56	73									
44	-1)	-06	-03	06	16	23	44	55	74								
46	-03	00	-02	-01	04	13	35	42	51	75							
48	-05	02	00	04	10	21	30	38	49	56	71						
50	00	05	10	10	13	20	25	26	32	38	48	75					
52	09	18	16	11	12	16	19	16	13	11	19	33	64				
54	17	30	51	23	21	28	18	08	03	00	00	05	26	69			
56	24	34	17	22	21	17	08	02	00	06	07	07	16	48	85		
58	16	24	10	05	03	04	-01	00	06	10	17	18	33	48	69	<b>\$</b> 2	
60	15	19	10	02	00	01	09	-09	02	07	12	17	35	38	49	59	85

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	72°																
30	58	73															
32	51	56	69														
34	29	39	53	68													
36	14	16	33	47	63												
38	12	08	18	33	40	72											
40	17	06	08	21	26	33	55										
42	10	00	-04	•03	-04	06	28	56									
44	14	10	00	-05	-04	-02	16	37	68								
46	17	06	00	-08	-05	00	18	25	35	62							
48	14	01	-05	-07	-04	-02	14	28	30	42	67						
50	10	03	02	04	00	01	20	43	35	45	50	64					
22	26	11	06	05	02	01	18	39	45	50	43	42	71				
54	34	22	20	22	15	13	27	40	41	46	42	39	55	75			
56	41	22	23	27	20	19	31	40	40	46	42	38	41	55	80		Į
58	33	24	22	25	20	16	24	41	42	48	31	24	36	51	70	81	
60	41	31	23	25	12	13	19	35	32	34	31	24	38	53	66	57	81

Table 4c. Average July Interlevel Correlations of Temperature for Middle Latitudes

Table 4d. Average October Interlevel Correlations of Temperature for Middle Latitudes

ktn	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	58	58
28	70*																
30	56	70															
32	52	55	66														
34	46	61	54	69							•						
36	60	58	50	54	66												
38	54	62	47	46	51	56											
40	32	43	38	45	38	35	57										
42	34	38	48	54	46	43	31	56									
44	32	41	44	44	41	36	27	17	52								
46	28	34	39	30	34	28	41	04	23	71							
48	27	36	39	43	37	31	21	08	22	42	61						
50	39	44	46	50	50	46	31	23	29	27	33	76					
52	44	47	43	47	49	44	33	27	31	22	17	43	73				
54	43	46	42	45	50	48	36	33	32	20	12	26	54	84			
56	44	45	33	40	45	52	40	30	26	23	12	13	33	57	82		
58	46	44	28	28	48	47	34	24	22	29	23	20	28	48	70	86	
60	52	55	39	28	58	54	41	24	24	34	33	25	32	42	58	72	89

_								-									_
km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	76																
30	75	76															
32	70	72	84														
34	61	58	63	78													
36	44	46	54	63	70												
38	40	42	45	57	65	74											
40	29	35	32	42	51	61	72										
42	31	36	37	40	48	52	60	66									
44	34	36	33	39	43	42	53	46	67								
46	46	44	39	42	48	50	56	50	61	76							
48	40	42	36	40	43	48	46	48	52	56	79						
50	49	44	44	44	48	45	46	43	48	50	66	83					
52	51	40	48	46	47	47	46	36	47	52	68	69	77				
54	43	37	42	38	42	44	37	27	41	47	62	60	64	85			
56	42	36	41	35	40	40	34	20	36	45	54	53	56	72	33		
58	36	40	43	37	40	48	42	30	40	43	58	57	5\$	67	78	88	
60	38	44	47	43	43	49	44	34	43	50	58	53	60	60	64	75	80

<sup>\*</sup>Multiply tabular values by 0.01 to obtain correlation coefficients.

Table 5a. Average January Interlevel Correlations of Density for Middle Latitudes

Table 5b. Average April Interlevel Correlations of Density for Middle Latitudes

			-	_	=		_		_	_	_			_	_		
len	26	28	30	32	34	38	38	40	42	44	46	48	50	52	54	56	58
20	79																
30	59	73															
32	52	57	73														
34	37	47	62	78													
36	28	34	54	66	84												
38	23	29	44	58	74	89											
40	23	27	34	49	65	71	80										
42	18	23	29	39	54	65	76.	81									
44	19	25	29	37	54	62	71	78	90								
46	17	20	27	37	54	62	71	75	80	90							
48	17	21	29	39	55	60	67	74	75	84	93						
50	17	22	32	43	56	61	63	74	75	32	88	93					
52	23	26	32	42	56	60	65	71	75	80	84	85	92				
54	22	25	33	44	56	62	65	68	72	78	83	84	88	93			
56	25	25	35	46	57	64	64	66	69	75	80	81	82	88	94		
58	21	26	33	43	56	50	60	65	70	73	77	78	81	87	80	92	
60	13	15	26	44	52	59	54	56	57	61	74	77	*1	26	87	84	92

Table 5c. Average July Interlevel Correlations of Density for Middle Latitudes

-					=-		38			***					<del></del>		-
kn	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	85°																
30	72	79															
32	66	66	78														
34	64	66	67	75													
	59	61	64	69	81												
.1	51	60	61	61	73	86											
+0	38	49	56	63	65	70	83										
42	35	39	54	63	66	74	73	\$3									
44	31	35	47	54	61	67	68	66	83								
46	28	30	45	51	61	66	69	66	78	93							
48	27	30	45	56	62	70	70	70	#1	82	89						
50	29	33	46	56	63	71	72	73	79	74	80	93					
52	28	31	42	51	60	68	70	73	77	70	74	84	١.				
54	30	32	41	49	59	70	72	74	78	71	73	79	87	95			
56	27	31	34	41	55	68	69	69	72	72	72	74	79	83	91		
58	30	31	35	45	62	68	72	72	74	79	78	74	77	61	25	94	
60	21	26	36	44	61	68	73	73	74	73	78	74	77	78	83	89	94

Table 5d. Average October Interlevel Correlations of Density for Middle Latitudes

km	26	22	30	32	34	36	38	40	42	44	46	48	50	52	2,	56	58
28	76																
30	74	73															
32	60	¢1	75														,
34	40	42	54	76													
36	28	3€	46	64	74												
38	24	24	35	€0	72	80											
40	17	28	30	49	60	72	31										
42	09	19	24	35	48	61	74	<b>\$</b> 7									
44	0:	14	17	31	41	52	<b>\$7</b>	77	16								
46	15	20	21	33	42	53	65	77	83	89							
48	13	19	21	34	42	53	63	78	80	82	92						
50	12	15	22	33	38	48	60	76	79	#1	87	94					
52	12	13	23	32	36	47	60	72	77	80	87	22	93				
54	09	10	20	29	34	43	54	68	74	79	83	84	90	96			
56	05	09	17	26	33	40	52	66	71	76	79	<b>\$</b> 2	88	92	96		
52	-03	06	15	25	33	42	56	70	75	73	77	83	87	88	91	94	
60	-14	-06	08	22	26	31	50	65	68	73	69	74	84	83	85	88	90

 $<sup>^{*}</sup>$ Multiply tabular values by 0.01 to obtain correlation coefficients.

Table 6a. Average January Interlevel Correlations of Temperature for High Latitudes

km 25 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58

8 93\*
30 87 94

32 69 80 90

34 53 67 77 92

36 40 54 64 83 92

38 24 38 48 69 83 92

40 07 20 29 53 70 82 93

42 -07 10 18 43 62 74 87 93

44 -15 -02 06 30 49 63 78 84 91

46 -15 -03 01 23 42 55 70 78 83 93

48 -29 -23 -19 03 20 32 51 60 68 83 89

50 -37 -32 -31 -15 02 15 36 45 54 70 76 92

52 -42 -45 -47 -33 -19 -07 09 18 25 44 54 74 89

54 -27 -37 -44 -44 -35 -26 -17 -09 -05 09 25 40 61 84

55 -22 -37 -44 -44 -35 -26 -17 -09 -05 09 25 40 61 84

56 -22 -37 -43 -49 -46 -41 -33 -27 -25 -12 03 20 40 68 89

58 -18 -31 -40 -52 -54 -55 -48 -46 -44 -37 -27 -10 12 43 72 92

60 -07 -22 -31 -45 -52 -56 -49 -54 -53 -45 -32 -19 -01 23 53 24 91

Table 6b. Average April Interlevel Correlations of Temperature for High Latitudes

km	26	28	30	32	34	36	38	40	42,	44	46	48	50	52	54	56	58
28	85	•			_		-		_								
30	68	84															
32	48	67	88														
34	29	49	71	89													
36	10	29	47	71	83												
38	04	17	37	46	76	92											
40	-09	05	24	50	69	85	92										
42	-06	04	17	43	63	77	83	92									
44	- 12	03	15	40	58	74	82	89	93								
46	-11	06	19	44	60	75	81	**	**	90							
48	-05	04	17	43	56	72	78	84	85	83	88						
50	-07	-01	09	33	49	62	70	78	81	82	<b>\$</b> 1	92					
52	-05	-01	06	29	44	56	63	72	74	77	78	84	91				
54	-18	-08	00	23	37	50	57	64	67	69	73	77	80	28			
56	-17	-09	01	23	39	47	51	58	59	59	62	69	72	<b>8</b> 1	91		
58	-14	-09	-04	19	25	42	44	54	61	59	62	68	74	79	82	89	
60	-33	-30	-19	03	20	28	29	43	48	41	47	50	62	61	<b>58</b>	75	87

Table 6c. Average July Interlevel Correlations of Temperature for High Latitudes

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	85																-
30	72	7.															
32	72	68	79														
34	64	60	75	\$5													
36	57	54	75	74	76												
38	67	58	62	80	73	75											
40	47	48	59	70	73	65	72										
42	38	41	52	64	73	45	53	76									
44	49	45	44	48	51	48	47	43	50								
46	37	31	40	45	54	48	51	56	54	74							
48	47	43	51	56	68	67	67	68	50	40	56						
50	46	42	57	73	62	62	67	58	37	35	32	84					
52	40	35	45	71	59	64	64	58	39	37	32	76	94				
54	38	31	15	53	42	40	54	43	30	19	18	62	70	82			
56	42	40	32	59	53	56	56	54	32	22	22	71	76	87	89		
58	57	55	47	71	57	50	63	57	33	34	32	65	72	80	81	88	
60	46	47	32	61	49	41	5,	56	30	38	36	65	67	73	70	80	<b>9</b> 1

Table 6d. Average October Interlevel Correlations of Temperature for High Latitudes

のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは

km	26	28	30	32	34	36	38	40	42	44	46	43	50	52	54	56	58
28	85	•									_				_	_	
30	82	89															
32	75	80	93														
34	67	73	85	92													
36	54	64	76	<b>5</b> 5	89												
38	51	60	71	80	85	87											
40	49	53	64	74	77	75	93										
42	31	38	44	56	66	69	82	86									
44	24	32	37	51	62	65	77	80	91								
46	16	25	23	39	48	52	63	61	82	88							
48	13	23	22	34	44	49	57	58	73	81	92						
:0	08	:5	15	24	33	32	47	51	67	71	79	87					
52	07	09	09	17	29	21	41	48	63	65	71	77	91				
54	03	08	08	20	27	23	33	30	45	48	55	59	69	<b>\$</b> 1			
56	02	-01	-01	09	14	12	22	31	37	35	23	47	53	67	82		
58	-15	-11	-12	-03	03	09	14	16	21	28	32	41	46	56	71	89	
60	-37	05	-28	-30	-13	-06	-30	-28	15	17	28	33	37	30	50	62	85

 $<sup>^</sup>st$ Multiply tabular values by 0.01 to obtain correlation coefficients.

Table 7a. Average January Interlevel Correlations of Density for High Latitudes

Table 7b. Average April Interlevel Correlations of Density for High Latitudes

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	96"														_		_
30	92	97															
32	86	94	97														
34	78	89	93	98													
36	72	84	\$8	94	98												
38	61	74	80	86	92	96											
40	49	65	72	79	86	42	97										
42	41	58	65	72	80	87	43	97									
44	37	52	60	66	74	81	90	93	98								
46	30	45	52	58	66	73	82	87	93	97							
48	22	37	43	50	57	65	75	01	89	٠4	98						
50	14	28	35	40	47	55	66	73	82	88	94	98					
52	10	24	24	32	26	44	53	60	71	78	86	31	95				
54	01	15	22	23	29	36	51	53	64	73	81	90	96	95			
56	03	12	20	19	23	28	37	46	58	67	78	87	93	93	99		
58	-04	07	15	15	20	26	₹6	46	58	65	76	84	90	91	96	99	
60	-01	12	19	19	24	2?	33	45	57	62	69	77	83	35	91	94	98

km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	92				`				_				_			_	-
30	83	93															
32	76	87	94														
34	69	80	85	94													
36	59	69	76	84	93												
38	53	60	65	73	54	93											
40	45	52	54	64	76	88	95										
42	39	41	42	48	63	75	86	93									
44	32	34	34	37	50	64	77	84	25								
46	31	33	32	33	44	58	70	78	88	95							
48	28	27	25	25	35	49	63	72	84	92	57						
50	24	21	19	••	27	41	54	64	79	89	94	98					
52	18	15	13	10	19	33	47	57	74	86	93	96	98				
54	19	16	14	09	18	31	44	52	70	83	91	95	97	99			
56	17	14	11	07	14	26	38	46	54	78	87	93	95	36	99		
58	12	0ъ	04	-02	06	20	33	42	62	78	85	90	94	97	97	98	
60	00	05	03	02	11	26	39	49	65	76	86	90	93	93	96	97	99

Table 7c. Average July Interlevel Correlations of Density for High Latitudes

Table 7d. Average October Interlevel Correlations of Density for High Latitudes

km	26	28	30	32	34	36	38	40	42		46	48	50	,z	54	55	58
28	94.			_	_										_		
30	8.8	90															
32	.,	88	26														
34	7,	80	<b>82</b>	94													
36	51	61	66	88	80												
38	46	59	52	76	72	83											
40	42	54	44	68	68	74	88										
42	26	42	38	64	61	68	78	88									
44	13	28	76	54	55	70	74	80	12								
46	.,	25	22	52	52	72	78	77	80	92							
48	,,	20	20	50	51	73	72		76	85							
50	03	20	25	30			_		70		-4						
					45	65	68	56		28	52	92					
52	06	15	19	44	42	62	68	68	7.5	80	30	22	96				
54	08	18	18	48	44	67	74	72	3.0	84	85	88	41	96			
56	**	10	10	42	44	65	72	75	82	88	•0	88	85	<b>\$</b> 7	96		
5₹	08	12	10	40	45	60	63	72	82	*:	\$\$	83	76	80	\$9	96	
60	05	15	10	76	42	62	62	• 1	83	92	90	83	73	73	87	96	**

<del></del>			_														
km	26	28	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58
28	84																
30	73	90															
32	64	80	42														
34	60	73	86	94													
36	51	65	26	87	93												
38	44	55	69	#3	91	96											
40	38	48	63	74	85	22	٠;										
42	36	44	59	75	52	91	95	28									
44	36	42	55	71	78	89	93	95	<b>58</b>								
16	31	38	50	66	72	13	90	93	96	25							
48	31	37	50	64	:0	*1	37	*:	94	97	98						
50	26	33	45	59	66	78	84	88	92	95	97	99					
52	27	34	45	52	65	76	#Z	36	90	94	96	98	99				
54	25	33	11	56	61	74	79	83	87	91	94	97	92	98			
56	25	32	43	55	58	7;	76	81	85	89	92	25	97	98	,,		
58	25	34	43	56	59	71	77	23	87	90	93	96	97	44	92	99	
60	24	35	43	54	60	70	77	82						78		**	
_~	•••		-,			.0	- * 7	₩Z	23	80	22	25	96	26	27		22

<sup>\*</sup>Multiply tabular values by 0.01 to obtain correlation coefficients.




Figure 15. Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in the Tropics




Figure 16. Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in Middle Latitudes

Separa Alle de testa de la manara en la manara de manara de la manara de la manara de la manara de la manara d




Figure 17. Interlevel Coefficients of Correlation of Density at 26 km With Density at Higher Altitudes for the Mid-Season Months in High Latitudes







Figure 18. Interlevel Coefficients of Correlations of Temperature at 26 km With Temperature at Higher Altitudes for the Mid-Season Months in the Tropics







Respirate)

Figure 20. Interlevel Coefficients of Correlations of Temperature at 26 km With Temperature at Higher Altitudes for the Mid-Season Months in tigh Latitudes

Hilly and second of the contraction of the contract

The decay of the interlevel correlations of both temperatures and densities between values at 26 km and those at higher altitudes, Figures 15 through 20, can be defined by a simple expression of the type:

$$R = \exp(-ah), \qquad (4)$$

where a is a constant and h is the vertical separation in kilometers. However, several of the curves were better defined by modified versions of the same expression:

$$R = \exp(-ah^2) \tag{5}$$

and

$$R = \exp(-a\sqrt{h}). \tag{6}$$

It was found that the value of the constant "a" in these equations, which are generally valid for thicknesses of 12 to 20 km, changed with season and latitude, as shown in Table 8 and in Figures 15 through 20.

Table 8. Seasonal and Latitudinal Changes in "a" (used for defining correlation decay)

		Density	
	High Latitude	Middle Latitude	Low Latitude
Jan	0.0036h <sup>2</sup>	0. 022h <sup>2</sup>	0.195h
Apr	0.060h	0. 115h	0. 140h
July	0.006h <sup>2</sup>	0.055h	0.130h
Oct	0.060h	0.110h	0.140h
		Temperature	
Jan	0.010h <sup>2</sup>	0.020h <sup>2</sup>	0.370√h
Apr	0.020h <sup>2</sup>	0.130h	0. 350√h
July	0.036h	0.070h	0. 270√h
Oct	0.0045h <sup>2</sup>	0. 20√h	0. 220 √h

If density observations on a specific day extend only to an altitude of 26 km, the usual peak altitude of a radiosonde, ar estimated density profile can be obtained from 28 to 60 km by using the appropriate monthly means, standard deviations, and interlevel correlations in the general expression:

$$\hat{\rho}_2 = \overline{\rho}_2 + R \frac{\sigma_2}{\sigma_1} (\rho_1 - \overline{\rho}_1) , \qquad (7)$$

where  $\hat{\rho}_2$  is the estimated density at the desired level,  $\rho_1$  is the density at the lower level,  $\rho_2$  is the density at the upper level,  $\sigma_1$  is the standard deviation of  $\rho_1$ ,  $\sigma_2$  is the standard deviation of  $\rho_2$ , and R is the coefficient of correlation of density between the two levels.

The effect of density on the trajectory and impact point of a missile can be estimated through use of Eqs. (1) and (2). The mean effect, E, can be determined from Eq. (1) for a particular location or region, using the mean monthly densities from the appropriate array in Appendix B and the influence coefficients for a given missile at the various levels of interest. The standard deviation around the mean monthly effects of density due to day-to-day variations in the density profile can be estimated from Eq. (2). An arithmetic example, given in Appendix C, illustrates the use of Eqs. (1) and (2) along with the statistical arrays from Appendix B.

## 6. VERTICAL DENSITY GRADIENTS

では、 ではこうできているとのです。 とうじんかん おおおおお これをしましている はない はないはん

The largest changes of density with altitude occur in layers that have a low base temperature and a large positive vertical temperature gradient. Consequently, the largest mean monthly vertical density gradients below 30 km occur in the layer immediately above the tropical tropopause where temperatures increase rapidly with altitude from tropospheric and stratospheric minima near 190°K. Vehicles descending through this region would encounter a 44- to 51-percent increase in density through a 2-km layer (Tables B1 and B2). The largest density gradients above 30 km within the stratosphere and lower mesosphere generally occur between 30 and 40 km in arctic and subarctic regions in January, when temperatures are lowest near 30 km and increase with altitude up to 45 or 50 km. This can be even more significant in winter during a "stratospheric warming" in which the temperature in the lower stratosphere decreases while the temperature in the upper stratosphere increases by 30 or 40°K.

Kantor, A. J., and Cole, A. E. (1977) Monthly 90° N Atmospheres and High-Latitude Warm and Cold Winter Stratosphere/Mesosphere, AFGL-TR-i7-0289, AD A051421.

Mean monthly vertical density gradients for 2-km increments of altitude may be extracted from the statistical arrays given for 10 locations in Appendix B. More importantly, the variance of density gradients associated with the day-to-day variations in synoptic weather conditions can be estimated (from the appropriate means, standard deviations, and coefficients of correlation) using the fundamental relationship:

$$\hat{\sigma}^2 = \sigma_1^2 + \sigma_2^2 - 2 R \sigma_1 \sigma_2, \qquad (8)$$

where  $\sigma_1^2$  is the mean monthly density variance at level 1,  $\sigma_2^2$  is the variance at level 2, R is the coefficient of correlation of density between values at levels 1 and 2, and  $\sigma^2$  is the estimated variance around the mean monthly gradient between these levels. A sample computation for Churchill in January is given in Appendix D for a vertical density gradient that is equalled or exceeded 2.5 percent of the time.

## References

- Cole, A. E., and Court, A. (1962) Density Distribution, Interlevel Correlations, and Variation with Winds, AFCRI.-TR-62-815.
- Cole, A. E., and Nee, P.F. (1965) Correlations of Temperature, Pressure, and Density to 30 km, AFCRL-TR-65-43, AD 612651.

- 3. Durst, B. A. (1954) Variation of Wind with Time and Distance, Geophysical Memoirs No. 93, British Meteorological Office.
- 4. Meteorological Group, Range Commanders Council (1977) Meteorological Data Error Estimates, Document 110-77, White Sands Missile Range, NM:
- 5. COESA (1976) U.S. Standard Atmosphere, 1976, GPO, Washington, D.C.
- Kantor, A. J., and Cole, A. E. (1977) Monthly 90°N Atmospheres and High-Latitude Warm and Cold Winter Stratosphere/Mesosphere, AFGL-TR-77-0289, AD A051421.

## Appendix A

Interlevel Coefficients of Correlation of Temperature for Altitudes up to 60 km

45

PRECEDING PAGE BLANK-NOT FILMED

Table A1. Ascension Island-Correlation of January Tempertures (°K) From Surface to 60 km

	60	261	å	30												
	28	592	28	32												16
	26	268	23	38											19	*
	3,6	270	25	33											55 57	š
		271	63	40											243	\$
		271	26	9											\$252 <b>5</b>	23
		269	20	7										92	1525 1725 1725 1725 1725 1725 1725 1725	93
	9,	268	39	4									it it	54	PF144	7
		992	47	4									270	9	1 1 4W	36
	4 5	292	51	4									265 265	-10	4440 0004	8
•		524	25	41									8944 4800		1200	71
ES 10	e,	248	20	7								7	0440 0440	۲	800mm 다라하다 1 1	c۷
KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARO DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE		242	41	41							64	19	4825 4826 1988	<b>-</b>	กลูลูล	17
EL ES LUES ALT		237	36	<b>†</b>							9 4 9 8	21	ひきませ 6448	^	090#	•
ABOVE SEA LEVEL OBSERVED VALUES VIATION OF VALU ALUES AT EACH A	32	233	30	44							346 22 23 24 25	9	12553	-10	ውር <b>ት</b> ይ	22
SEA VED V ON OF AT E	30	231	28	<b>†</b> 1							0 4 7 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10	まえる ららいの	5	40%% 8684	45
ABOVE OBSERN VIATIC	85	227	32	9						29	3222 3225 1425 1425 1425 1425 1425 1425 1425 1	22	PP-00	æ	0040 600	25
RS A OF O DEV		222	28	9					55	4	222	13	400×00	^	0400 0400	3,0
KILOMETERS ABOWE AVERAGE OF OBSER' Standaro deviatio Number of Walues	54	217	23	41					40	4	22 77 0	6	1440 1440	13	1771	5
KILO AVER Stan Nume	22	214	23	41					797 71	-26	9000	4	1001	-12	2010	-39
KM MEAN STOV N	20	208	25	<b>†</b>					1500 1000 1000 1000 1000 1000 1000 1000	22	2717	7	40044	-26	3362	-37
x # 12	18	158	23	41				17	100E	7	BB 04	4	I THE	0	2017	-14
	16	198	17	4			7.	~	1452	3	94 L	-22	-20 -20 -31 -41 -41 -41 -41 -41 -41 -41 -41 -41 -4	-14	1 1 1 0 0 1 1 1 0 0 1 1 1 1	N
	\$	237	13	41			94 804	M	4 t ՄՓՓԽ	11	944	-41	क्रिय	-13	\$\$\$20 11 11	-15
	12	221	£4	41			9000	-16	4040 4040	28	พรอพ	•0	404 4700	ę	2440 0.6040	7,
	10	237	13	17			3000 3000	P.	41	ŗ,	1111	5	MOZH	<b>1</b> 2	8444 M470	ţ
	70	253	12	4,		65	846	15	038h	-26	21 E S	1	4000	•	821T	-10
	9	992	12	ţ	30	;	4 0m	-2	1 1 H	21	44 WEURU	70	440 6400	12	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<b>P</b>
	*	278	11	41	rv ↔ rv •o	32	2002	-14	i twam andon	14	400×	21	W#40 @000	19	SEWN SEAN	4
	8	287	7,7	41	44.0	16	100F	6	746 <u>4</u>	4	-25	-28	5445 545 545 545 545 545 545 545 545 54	٢	25.50 A	19
	610.	568	10	4	1000 1000	5.2	ב בש המשט	<b>5</b>	400r 7401	14	74 7286	-21	0 8 0 8 9 9	2	7800 7800	20
	¥	FE AN	AGAS	z	0140E0	10	さませき ひみをむ	50	02.00 00.00 00.00	30	00.5 14444	07	3333 N3WD	20	സസസ ഗപ്പെട	63

\*\* HULTIPLY TABULAR WALUES 9Y 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A1. Ascension Island-Correlation of July Temperatures (°K) From Surface to 60 km

	60	252	85	37												
	28	556	68	43												P2
	99	2 62 2	21	<b>1</b>											99	7.
	3	265	56	3											N <del>-</del>	14
	25	267 2	51	3											4.40 114.00	9
	50	268	63	<b>†</b>											37,50	20
	<b>9</b>	266	52	÷										82	TO TO THE STATE OF	21
	9	267	21	t,									22	39	4050 4050	45
	44	263	64	45									36	22	2000 2000 2000	34
	4	529	4 4	<b>1</b>										m	North	<b>5</b> 7
	9	757	0	<b>4</b>									2001 2001	,	0.4440 0.4440 0.4400	-17
ES 10	€' 100	248	7 7	45								25	Mario Mario	9	2000	-1
TIMI	36	243	<b>4</b> 3	Ę,							96	99	10 to	-	NONE	•
EL ES LUES ALT:	34	239	56	45							23	25	004 0460	11	0000 111	0
KILCHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE	32	235	24	5							6.60	63	£2224	‡	5055 1111	-15
SEA VED ON O	30	230	38	45							ರಾಗಿತ್ತಿಗ ಕಾಬರಿಸಿಕ	9	<b>8000</b>	rv	4075	30
BSER IATI	28	227	34	£						9	なるない いっぱいた	31	1000 1000	m	F125m1	23
RS A OF OI DEV	56	223	92	t,					£3	24	14004 14004	22	2000 3000	m	9000 771	~
KILCHETERS ABOVE SE AVERAGE OF OBSERVED STANDARD DEVIATION NUMBER OF VALUES AT	<b>54</b>	220	25	38					461	-35	113	6	1111 2005	۳	2500	†
KILC AVER STAN NUME	22	516	20	4					741 740	-17	1,9622	-14	4984	•0	00N0	-56
KH HEA P STOV N	20	212	21	‡					เกลนน์ เกิดผม	E,	2400	-13	M900	-28	255	-42
MEA STON	4	203	27	45				13	# 1 MH	•	ဇ်ဇဇဇ	^	2441	-5	rraj	~
	16	201	15	4			61	12	00044 0000	-10	240	7	11 TO 00 00 00 00 00 00 00 00 00 00 00 00 00	-36	8040 1111	4
	#	207	23	45			44	-31	<sub>ស</sub> កស្ព	-17	1121	-16	น์นถูก ผมมหา	4	400 6000	22
	12	220	52	42			0 +40 0000	-30	111 440 650	1	211 2411	-21	2458	30	2002 4000	42
	10	236	22	45			80044 0004	22	2000	7	44, 4 naon	-16	2527	53	400 to MUNN	33
	*	252	22	45		81	\$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500 \$2500	-10	n4#b	P	4040 4740	-27	00000	31	2000 4000	33
	9	266	15	45	22	4	1 0 0 0 0 0	20	4454 5/40	-25	4034 0840	-31	111 M40 M40	6	747 2000 2000 2000	10
	4	27.2	14	45	44	3.8	44 # #	6	1100 100 100 100 100 100 100 100 100 10	-31	21111 21244 2000	-23	804m	12	4440	4
	8	285	15	4.5	# @R.@	56	1244 1500	4	1424	-31	1175	-11	でなる。	16	2000 2000 2000 2000	w
	• 02 9	862	25	ę.	MWWW GEWG	4 0	0 +0 10 10 10 10	σ.	1 1 1 1 1 1 1 1	9	11 1011 1472	-11	Umpr 11	13	BWOW Rush	28
	¥	MEAN	STOY	z	N400	10	N3400 HHHH	20	2222	36	Maileld Staroso	07	2554 0346	20	ณญญ ผ <b>าวขอ</b>	99

\*\* MULTIPLY TAEULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

To move the second and a submission of the submission of the submission of the second of the second

(Cont) Table A1. Ascension Island-Correlation of October Temperatures (°K) From Surface to 60 km

	5	253	29	, ,	3											
	60			3	;											85
	56			. 4	}										ď	
	36			4	;										mu •	
	25			4	}										252	
	50			4	}										25 65 N	
	4	273		4	<b>:</b>									90	700M	91
	4			4	?								πυ 40	28	400M	13
	<b>\$</b>			4	<b>:</b>								34	56	MO TO	13
	4		38	40	:								<b>ピ</b> ノル	#	4000 6000	51
10	9	260	40	40	!								E SANG	•	75.51Q	7
	38		9	64								61	<b>8566</b>	10	N-10+	<b>6</b> 0
TIM	36	549	37	64							57	35	4040	黄	4400 0504	<b>F</b> -
KILOHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVLATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE	4	245	35	94							10.4 10.4	62	W#22	17	95+6 444	v
KILOHETERS ABOWE SEA LEVEL Average of Observed Values Standard Deviation of Valu Number of Values at Each A	32	238	39	9							0.43 0.04	3	¥350	z	4 40 4 50	9
SEA Ved on o at	30	233	9	4							HOIGH HOIGH	9 7	SAMOUS NOWN	٠	क्षा सम क्षा सम	2
80VE BSER IATI LUES	8	523	35	4						62	200 PC	<b>40</b>	SNA0 EMME	27	4000 6464 1	23
RS A OF O DEY	92		31	.+					69	25	<b>NNN4</b>	61	MP-40	7.4	PVV0	22
KILOMETERS Average of Standard de Number of v	24		22	94					~~	-13	444 <i>0</i> 4040	^	100H	21	3r 40	39
KILO AVER Stan Numb	22	215	21	9 4					405	-32	11 0H	-5	41,00	~	70.71	N
KH HEAN STOV	20	210	28	43					11,000		ഗമസമ	5	5004 5004	m	name	32
7 H L	10	201	27	47				£43	80m6	-41	NF#19	4	3700	m	40m0	#
	16	199	#	47			67	-39	THO T	~	31-40	12	n est		NOHN HHH	m
	7	207	22	47			403	94-	9330	14	7450	-15	1 4 1 60 0 0 0	•	<b>6000</b>	•
	12	221	18	ţ			4005 2005	-54	4004 HMH	56	3330	9	-411 900	-	N544	27.5
	10	238	13	ţ			सर्भाष्ट्रन स्टब्स्	-29	11 4004 8044	39	WH !	σ	೧೪೮೭	^	NH NB041	-13
		N	6			51	# 100 m	0	トトの形	11	2002	-19	000mm	15	8040 111	7
	9	266	13	43	27	##	4414 990W	۳	£2766	•	111 044 0600	-32	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-12	1111 10040 0040	-28
	*	278	10	7.7	23	28	0.4 WGPNG	î,	0000 1100	0	# 15 10 10 10 10 10 10 10 10 10 10 10 10 10	-21	100 H	-27	0044 0044	
	~	286	54	17	* 1 M	72	37,222	-13	411 oc	28	Photi	7	30£3	92	44FM 9999	
											0 0 0 1 1 1 1					
	Ĭ	MEAN	STOV	z	013-0 ED	70	HHHH NAME	20	NNNN 04000	30	NAME NAME	9	4445 00410	20	พระกับ การคอ	99

Control of the state of the sta

\*\* MULTIPLY TAEULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A2. Kwajalein-Correlation of January Temperatures (\*K) From Surface to 60 km

Control of the second

	99	263	56	36												
	90	265	6	38												7
	56	268	<b>‡</b>	74											65	32
	5	271	7	42											£.01	99
	55	272	5;	45											A 4 4	40
	53	272	3	45											7455 800 800 800 800 800 800 800 800 800 8	26
	3	271	63	42										63	2424 2424	53
	4	267	\$	4									ę,	7.7	44 64 64	œ
	3	262	۲. ۲.	<b>\$</b>									F4	39	<b>できる</b>	æ
	42	257	38	\$ 0									ው w ዓልስ	36	200 840 840 840	*
10	9	253	4	45									さいしょう きょうしょう	36	4400 4400	#
	8	242	5	<b>t</b>								43	<b>4500</b>	e T	RMD4	23
EA LEVEL) WALUES OF VALUES TIMES FEACH ALTITUDE	36	242	37	45							70	53	2018 2018	M T	44W0 4000	\$
FEL JES JEUES	34	237	36	10							57	4	まちまら るよかも	46	4800 0000	32
ABDVL SEA LEVEL OBSERVED WALUES VIATION OF WALU ALUES AT EACH A	32	232	36	45							243	ಭ	B 4W BBR®	32	2422	~
WE!	30	822	30	ţ,							8000 8000	81	されらい なまられ	<b>≈</b> ,	W	ጥ
PS ABJUL SE OF OBSERVED DEVIATION F VALUES AT	28	522	2.7	+						53	W 41	•	444N	21	シャチャク	7
. S	2.6	221	30	4.0					51	90	ころよう	23	SEGO SEGO	2	957.00 07.00	19
KILOMETERS AVERAGE OF Standard de Number of V	24	212	23	41					₽£	P	111	-5	1 0 4 0 4 0 4 0 4	- 33	74gt	-17
KILC AVER STAN	22	212	56	4.					HTP HTP	9-	9919	8	W. 1110	۳ * ا	بر بر بر بر بر بر بر بر بر بر بر بر بر ب	-45
HEAR STOV	20	206	60	<b>\$</b>					F. 50-	9	7,000	- 16	4200	92 -	100 P	ನ-
, 3 <u>, 1</u> , 2	18	192	46	42				10	2244	25	40.60 40.60	54	2040 4040	11	4400 6246	19
	16	195	15	42			+	-21	11 MQ:04	41	1704	19	8039 8039	92	441 60744	13
	14	203	16	4				-5	134	-19	1111 0000	-28	2000	-25	111 1240 1740	-24
	12	524	15	ş				6	7408 7444 1111	-29	4070	-19	1111 2000 1101 1101	- 12	1000	-114
	1.9	241	14	77			20 A	+1	121 175 127	-16	101	-12	4000 4000 4000 4000	6	9222	
	70	255	77	42		70	1041 6004	*	400H	#	2000	9-	1001			-
	S	267	43	45	88	43	4 6 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	•	-27 -18 -19 -19	-26	1111 4249 8758	94-	1040 1040	-1	1114 5404	-5
	3	279	13	42	4.√ ©w	47	11 4004 4000	-12	111 111 1011	თ	1975	-32	1 mort	•	41 0W 2000	7
	~	288	13	45	* KH 4	•	#1#P	-16	มีมณ์จ	7	1 4W.I	7	35 37 102 38	•	240 240 9	76
	860.	301	**	\$	nuad । नस्	, ()	ት I የነው ዓው	-23	M330 HH1	m	ক\বন্দু ন\বন্দু	-	211.2	27	Section Company of the Company of t	21
	¥	MEAN	STDV	2	N300	10	143WB 4444	20	040E	30	NAMM	0.4	1414 0260	20	<i><b>സസസസ</b></i> ഗ4രക	90

A MARIE A SKOTE I THE WAS ENDING TO SELECT THE SELECT OF T

(Cont) Table A2. Kwajalein-Correlation of April Temperatures (°K) From Surface to 60 km

STANDARD DEVLATION OF VALUES TIMES 10

KILCHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM MSAN STOV

A CONTRACTOR OF THE PARTY OF TH

Q15.634-05-4-7-4-1

	9	0 255														_
	50		25													90
	56	265	7												88	77
	54	267	*	¥.											562 58	65
	52	276	4,	36											452 453	96
	53	271	37	36											2322	39
	9	272	36	ç										4	2250 2244 2444 2444	4
	\$	271	35	36									m 10	9	~8234 824	28
		269											4.0 0.60	22	NAMO NAMO	<b>£</b>
		267											227 783	~	2000 2000 2000	27
		292											2400	13	840m 40m	9
141		256										21	ntemo Ham t	e.	でいまいて	۲,
ALTITUNE		248									9	13	2000 2000 2000 2000	35	40M4 8450	ų,
ALTI	34	245									2.4 2.4	12	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30	00VN	30
EACH		236 3									1287	м	1221	*	2223	35
AT		233									らちょう	12	1040	23	@@##	2
VALUES		5 6 2 2								53	PP40		STAN-H			
		223 2							<b>8</b> 9	35	7987	•	4111	20	4230 4230 4230 4230 4230 4230 4230 4230	34
18 OF		220							ဖစ္	-14	60000 11000	-45 -	TIT!	-27	1111 30000 50000	94
NUMBER		214							411 675		こうさき			-15	204W	23
z		206							2242	å			0300			9-
-		195						-26		M)	440m	ß	340V	2	400H	56
		195					P)	19		'n	24.00	16		-17	41 44 60000	10
	‡ †	207					£ 50	9	WATH WREH	-14		-24	9450	-43	นาน เกรสุทฤ	
	12	2 24					750	۲-	100 J		2093 1004	•	7050	-35	7000 71	
		540						===	いるよ でから	2	- 	-35	400M			**
	•	253	15	34		29					7450 1				13779	
	ø	207	13	34	9	79	WW I W	16	100 100	-	2070		120°5			
	3		11		₹. 1140	53	\$046 \$446	•0	4000 0000	+3r-	กมกล		0041			
	2	289			\$222 \$222	13		m			COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT COUNT	6	2000			
	980	302			402h											
	•								• •	•	•			•	1111	٠
	¥	MEAN	STDV	z	040 <b>0</b>	13	7444 7444	20	0225 0000	Ç	0.40 <b>0</b>	40	4444 0400	25	<b>いいかい</b>	68

THE PROPERTY OF THE PROPERTY O

(Cont) Table A2. Kwajalein-Correlation of July Temperatures (\*K) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUE:

ACA K

	<b>)</b>	253	.1	27												
				30												Ø.
		N														25
		~		ដ												6
		26		37											<b>K</b> 10	עו
	56	260	26	32												4
	S	263	4	32											<b>ቀ ት</b> ው ቀ ት ራ የ የ	20
	4	566	4	32										79	4400 6000	7
	<b>\$</b>	205	9	32									61	46	キュキル のいいい	4
	‡ <b>t</b>	202	37	35									34		W444	ņ
			35	32									200 000	77	よろろろ	36
_			34	32									4 450 00000	51	4044 0040	99
۲ 1			22	33								25	1 t m t	21	4440 6488	22
71 NE			45	32							53	38	2222	32	ಎಬಸ್ಟ್ ಎಬಸ್ಟ್	37
STANDARD DEVLATION OF WALUES TIMES Number of Walues at Each Altitude			t,								52	39	4000 4000	23	4000 4000	54
F VAL		233 2	31								£25	46	\$255 835 835 835 835 835 835 835 835 835 8	13	\$35°	36
AT E	30			31							NAWN NAWN	36	<b>4888</b> 0	21	6775 6756	4 10
110X		7 230		30 3							September 1	•	0.0W13	m		<b>\$</b>
VALUES	2 97	2 227		25 3					4.5						040E	
င် ဝင်		9 222		2 62					e2 4	 9-	%ಗಿರೆಸ 24ಟ್ಟ		Q2000	21		50.
STANDA	2 24	5 219	5 20						•	'n	•		Ware Mare	25 - 1	0400	
ST.	22	215	15	30					440	-				9		
ST04	20	210		31				_	11	- 15	****	5 - 10	000 am	-	1111	22 - \$
v	**	N	<b>3</b> 72					-32		9	2022	9	W41 WF00	2 24	4460 6000 6000 6000 6000 6000 6000 6000	
	16	198	17	31			-25	-15	<b>3</b> +4		2002	17	9242	7	1 77	
	+	506	17	31			σ <b>r</b>	-20			STEP OF THE CO.		ur./i⊣ anne	-	auu auve	
	12	222	16	31			1 20 10 00 00	-15	•		2222				9555	
	10	239	17	¥			4000 4000	117	24.0 34.0	æ	2222	19	こせい	М	1254	23
	•	462	<b>*</b>	31		11	1,000 L	۲	# 00m	15	4000	53	401 0004	F	444 6056	4
	ø	90	12	31	52	25	₩. 4700	22	となれる	31	totu mtt	37	できって のまかけ	17	かなくと	43
	4	1.0	01	31	6.4 8.4	5.0	2545 2545	1.2	0040	5	W4000	18	122 7486	P	45000	51
	~	286 2	0	31	2295	25	\$80H	7	1418	30	000M	16	101	3	22.42	92
					MWO!											
	•							•								
	£	NE AN	STO	z	N400	97	7440 7440	20	2222	30	N400	0 7	0.40E		ಬಸ್ಕಾಪ	99

\*\* HULTIPLY TAGULAR VALUES BY 3.01 TO OBTAIN CORRELATION COEFFICIENTS

TOTAL VERNE BETTER BY THE SECOND STREET STRE

(Cont) Table A2. Kwajalein-Correlation of October Temperatures (\*K) From Surface to 60 km

HEAN AVERAGE OF OSSERVED WALUES KILOMETERS ABOVE SEA LEVEL

¥

The second of th

		3	257	61	34												
		58	261	64													31
		26		39	0,7											91	7
		54	269	4												mm mm	55
			271 2	N,	٠ پ											കുന്നു വസ്ഥ	58
			273	*	04											240N NO44	25
			271	>	9										63	でいい これ これ これ これ これ これ これ これ これ これ これ これ これ	75
		9 4	569	t)	9									65	25	4000 0000	52
		<i>3</i>	266	7,	9									<b>04</b>	36	24.2 26.25	31
		4.	365	0 7										N#10	88	440W 0W0W	9
_		9	260 6	35	3									047P	£3	20040	52
S 10		2	256	;	4								36	10 40 N	5.5	14554 もうなむ	51
OF VALUES TIMES	EACH ALTITUDE	36		41	9							5	28	ちななな	53	2000 2000 2000	45
.ues	AL T	34		<b>*</b> ?								<b>89</b>	30	24 44 24 44	15	1881 0900	25
F VAL	E ACH	32		36								42.4 40.4	37	6552 6552	2	መቋመቁ ተመውወ	21
	F 4			30								ውቴቴሪ ማሞው	3.8	400m	43	4880 0000	36
DEVIATION	VALUES			27							53	6.0000 to 10.0000 to 10.00000 to 10.0000 to	32	よれならららの	59	HODA MAIMAI	39
DEV1		92		22						6	۳, ۲	02.10 00.10	59	ひたいり	<b>P</b>	THE STATE	51
DARO	EQ OF	42	519	97						23	52	94°6 94°6	23	4504 4504	31	ないよう	30
STANDARO	NUMBER	22		52	9					264	-10	0150	22	7000	#	1 H 0000	17
STOV	2	20		22						2002	42 -	424	7	9799	03 -	1553	m
ST		18		52					36	สุรทร	8	222	č;	4004 2400	12	4000 0034	62
		16	197	61	9			23	<b>50</b>	03WN 444	-15	0000 0000 0000	\$	mmme I a I	ß	\$65.3 1. 000	11
		*		12	9			117	J	40140 0440	15	40 4 40 4	m	4004 644	17	#NPP	*
		12		F	2			310	-22	460 100 340	23	0m 1m	ŧ	7407	16	<b>22</b> 200	
		97	540	1,4	4.0			2344 11	-39	04W.2	4	1000	Ŗ	€	21	2900g	70
		ø	267	Φ	3	51	53	2044 4470	-11	2004 3004	¥ 3	7396 1444	-13	1 to 17	31	7404 7404	~
						30											
		8	589	w	3	* 12.4 1.00	.0	133	-	まちまび	33	225 172 172	19	444	35	9895 9895	72
		800.	305	14	3	anu anun	S	45.46	72	てるとら	ß	PWG0 FUPP	11	1 HHN NOTE	35	MNNN 66.46	F) #
		ĭ	HE AN	STDW	2	0120 <b>0</b>	70	03 <b>00</b> 디러디디	20	00000 00000	30	N.3-0-60 PID PID PID PID PID PID PID PID PID PID	64	42 <b>4</b> 2	20	<i>เกษเกร</i> กร <sub>ั</sub>	99

TO SENSO SEN

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Wallops Island-Correlation of January Temperatures (°K) From Surface to 60 hm

STANDARD DEVIATION OF VALUES TIMES 10

KILCMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KH MEAN STDV

				_												
	39	252	106	<del>-</del> 4												
	29	256	8	3.												95
			22												68	22
			7.4												40 40	23
	55		99												<b>6000</b>	38
	20		25	‡											SE S	43
			63	ţ										<b>5</b> 2	9940 4400	35
	4		80										92	<b>61</b>	きままる	32
			82	<b>†</b>									69	64	% \$5	50
	£		69										540 640	45	24 2024	m
			95	4									4004 4004	3	2000V	•
w			4	<b>†</b>								83	ະທານ ເພນາ	<b>\$</b>	<b>さららっ</b>	13
AL TITUD	36		61								8	9	20044 2000	33	4000r	•
ALT	36	236	63	1							40	13	ราย เลีย	50	2441 2440	ç
EACH			9	3							80°1	17.	7927	16	303-	#
4			66								SONTO		2000 1111		70-4	4
UES.			5.4	<b>\$</b>						£0	SOUTH SOUTH	-35	0444 0444		onon	
· VALUE			45						90	79	354% 554%	-	0404 0404 1111	-21	NOTE OF	
BER OF			38						503	25	#800 A	-59	1111		3 # OF	
			3.5						100 100 100	30	41 4m none		THUM THUM TILL		NHOW THE	
z			35						るできる			.63-	AMMUN AMMUN MNOM	-30	PEN-0	-18
_			45					72	0105 0105	<b>*</b>	###P	-10			3002	
			1				2	28	2000	-12	F-02-3	6	5070 5070 1111			-15
			39	‡ ‡			<b>200</b>	15	000m	ţ		-13	00010 00010 1111	?	9454	
			52				7WU 404	<b>8</b> 8	4110	.5	PHE T					M
			33				**************************************	-14	7010	0	1000 1100 111	0	<b>0007</b>	4	N NGRA	51
	•	235	53	4		42	044W	-57	1111 2m44 4m44	-17	0MMF	2	4000	+4	4440 6046	59
	æ		69	‡ ‡	3				1111 1111		1111 4004 8004				44 V	
	*	_	79	3	0.00 0.00				400k		4401 4401	ř	พพพพ	5	ಎರೆಸ್. ಬರೆಸ್	22
	~			1	\$ 600 K	10			1111 2000 2000		0350 0350	41	RWAG		2402	19
	.015	275	54	<b>3</b>	4040 4040	ľν	714F 1111	-41	11 64 7840	11	t. energy	07-	~~~ **********************************	-14	さらない おっちゃ	27
	ž	MEAN	2104	2	00 <b>0</b> tu	07	ಗಳಗಳ ಬಿತಿಕಾ	20	OUP OUNN	30	<b>8000000000000000000000000000000000000</b>	9	4444 0466	20	<b>3000</b>	60

\*\* HULTIPLY TAGULAS WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table A3. Wallops Island-Correlation of April Temperatures (\*K) From Surfa :e to 60 km

	1	9 6	,	3 6	2											
	<b>*</b>			3 6	5											92
	ď			, ,	<b>?</b>										ā	52
	4			; ;	?										48. 17.0	. 2
	52			9 4	}										6.46	
	20			4	}										@N 4m @+! \\@	6
	9			3	:									2	20 450 45 20 450 450	; ;
	9			3	<b>:</b>								62	65	<b>⊘</b> -1000	45
	ţ.			: 3	:								92	26	&0000	51
	42			. 4	?								00.00 00.00	55		37
9	40			4	?								PETO OFUI	9	PE40	37
ES 10	3.5			4	:							75	Substant Substant	24	むななな でひゃい	62
HIL	36			4	!						2	~	44 1 E440	*	801 041 041 041 041 041 041 041 041 041 0	54
KILOMETERS ABOWE SEA LEVEL AVERAGE OF ONSERVED VALUES STANDARD DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE	45			4	!						58	22	4006	=======================================	1000 1000	σ
KILOMETERS ABOWE SEA LEVEL Average of Observed Values Standard Deviation of Valui Number of Values at Each A	32			4	ı						ene Non	**	3000	ģ	0.4F0	6
SEA VED ON O	30	231		*							00/LE		D-462	01.	1 40 DECAP	2.5
BOVE BSER IATI LUES	28	228	*	.,						1 8	MUH0	σ			644 140041	<b>80</b>
CF OF OF VA	26			4					85	99	14.14	7	404 0640	~	440 550	<b>8</b>
KILOMETE Average Standard Number o	24			45					10 to	0.	MADD 111	1;7	04##	-12	1 1 HT	•
KILOME AVERAGI Standai Number	22	216	2	4.7					407 403	31	W/40	м	NEW-	-	5544	23
HEAK STOV	20	214	53	3					2560 13760	13	000.3	6	6 004 6 004	9	0.004	~
- # W	18	212	6,	9,				8	m340	0	777	-10	0.003 0.003	~	7779	11
	16	213	35	4			72	65	2220	-11	04 04-40		F0013	9	F084	-13
	7.	215		4			<b>ФМ</b> ФФ	22	1100	-23	414	1.5	400m	9	11111	-17
		215		4			4.614 0.00	3	1100	-19	40004	-21	E3+48	6	0000N	f
	10	224	9	*			5275 6175	-70	2441 040R	6	0100	4	700M	P	# 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1	20
	40	219	4.8	4		9	7790	•	1 2122 2245	23	Mater Mater	ñ	4411	*	4444 6466	20
	•	252	\$	4	9	37	0 T T T T	7 + 1	L WW	82	Ω≒ <b>⊕</b> ΦΦΩΩ	4	24KU	-1	まるでま	<b>1</b>
	4	265	4	4.0	Q.60 F-10	J.	2874. 2075	-50	1 00 1000	23	ですこと	12	N900	~	こうさん さいさん	10
	~	276	57	4	\$ 0.50V	a T	9479 1111	-55	2222	13	80044 90049	27	200 240 240 240 240	12	らいろうり	2
	• 013	502	61	\$	@r44 <b>@</b>	0	6045 1111	6 4 -	M000	- 7	องกอ	92	noc t	~	au! ころのの	•
	F	HEAN	STOV	z	വചാത	_	NATION:	_	D1 T	_		_		_		_

The Control of the Co

\*\* MULTIPLY TABULAR VALUES BY 4.01 TO OBTAIN CORRELATION COEFFICIENTS

HAND G NAME O NAME O NAME O NAME  $\omega$  INTO  $\omega$ 

(Cont) Table A3. Wallops Island-Correlation of July Temperatures (\*K) From Surface to 60 km

A STATE OF

	3	251	88	16												
	20	256	62													96
	96	260	52	36											29	35
	3	264	~	37											200	90
	53	267	4	37											ଷ୍ଟବର ଶ୍ରହ୍ୟ	9,0
	S	270	38	37											<b>60000</b>	63
	9	271	8	37										91	<b>よりよう</b> できるも	36
	9	270	45	37									99	51	200 4 2000	52
	.; ;	267	43	37									0.0 0.0	4	2000 2000	3
	4	292	37	37									WWW WWA	34	4040 4044	31
10	7	256	32	37									V4WW 0V04	45	るりころ	37
S	33	251	27	37								64	4854 4800	\$	<i>0000</i> 00	30
KILOMETERS ABOVE SLA LEVEL AVERAGE OF O3SERVED VALUES STANDARO DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUPE	36	942	27	37							3	8	ある 44 50044	39	30.30 wano	2
FEL JES NEUES	7.	241	30	37							<b>6</b> 4	20	4404 いちゃい	\$2	らちょう	79
KILOMETERS ABOVE SLA LEVEL Average of Observed Values Standard deviation of Valu Number of Values at Each Ai	32	237	28	37							4553	147	31/13/10 0404040	52	46/46 Pode	ņ
WED CON C	30	233	30	37							とらびら このよう	9	キむるる むかひむ	52	4844 0660	50
JOVE JOSEF	28	558	25	37						76	もちもらまる	23	くろうちょう より 4 ち 4 ち	56	EMER EMER	72
OF (	26	526	42	37					2	4	4000 4404	27	400 400 400 400 400 400 400 400 400 400	51	まななる ひんしゅ	65
KILOMETE AVERAGE STANDAR(	54	223	91	37					44	33	ስዓው ትስቦት			43		63
KILC AVE. STAI	22	220	17	37					SUND SOND	10	こまでま	9-	ಕ್ಷಾಗು ಕ್ಷಮ	22	torp torp	56
MEAN Stow	20	216	16	37					\$ 40 0 40 0 40	-5	1275 1275	-26	002N	~	STON	7
<b>= x</b> 0	18	212	23					57		-18	20030	-20		ï	⊕ Parties	-13
	16	209	29	37			29	4	4044 0000	•	4 M4 6040	-11	<i>υ</i> 11 ; <i>Υιη</i> ιν⊶	.5	0.040	-25
		210	27				800 900	17		1.5	###		•		これのは	-45
		220	22				405 600	- 32	いいいい		2000 2400		440H			35
		~	22				11010	-33	dawa Rusan	32	~~~~ ~~~~	18	ところ	32	4 40	4
		•••					111 4000 4000									
							944 944 9464									
		~	16				111 4004									
	~	286	21	7	# 000 3 * 000 0	37	111 0430 0660		#084 111	•	1111	-16	SHOP T	-15	1111 NNOR	-
	. 015				MWF7 GD43	5 2	41 04 0000	ပ	M004 404 111	9	40174 40104	-20	1 11 W080	-25	4670 1111	-20
	¥	MEAN	STOP	z	0140E	01	सन्दर्भक चन्द्रसम्ब	20	00000 00000	30	กษุคม เาริกต	¢0	2444 0446	20	ならなる ひ 4 もの	0,0

\*\* MULTIPLY TABULAR VALUES BY 8.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A3. Wallops Island-Correlation of October Temperatures (\*K) From Surface to 60 km

	9	292	96	22												
	28	564	82	36												3
		265	63	9											ž	90
		267	99	1											0.40 -453	7
			65	;											400	65
			95	1											6676 \$646	26
			3,	÷										90	00n0	9
	9	566	5 4	<b>1</b>									9	22	1007 7007	69
		261	60	‡									496	23	<b>0</b> 400 <b>0</b> 434	28
	45	255	25	\$ \$									<b>676</b> 064	24	さらららい	20
10	Ç		26	‡									2744B	19	0444 0000	22
v		244	9	ţ								96	***** ********************************	96	いってい	6
TIN	36		58	ţ							4	2	2000 2007	53	ママナル アクト・ロ	22
KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALITUDE		235	64	‡							90	99	ໂປຊາກ 4 ພວກເວ	8	でてらる	23
KILGMETERS ABOVE SEA LEWEL Average of Observed Values Standard Deviation of Valu Number of Values at Each A	32		ţ	<b>3</b>							66.00 85.05	5	ಸಿಕ್ಕಾತ್ತ ಬಿಡಿಇತ್ತ	4	3850 0200	52
SEA VED ON O	30	553	9	t t							90000 90000	47	054M	42	4450	23
BOVE BSER IATI LUES	<b>8</b> 2	226	35	\$ \$						90	ಕ್ಷಾ ಕ್ಷಾ ಕ್ಷಾ	25	4400	9	8304 3433	9
AS A OF O OEV	92		33	3					<b>6</b>	75	~~****	38	ころろう	3	22000 22000	56
METE AGE DARD ER O	*2		25	4					.00 4	÷	45540 500 70	21	Sala Salan	15	3034	#
KILC AVER STAN	22	216	25	4 2					64.0 WW	20	t 400	*	01/0 t	•	i i	-16
MEAN STOV	20	214	54	45					Naws Walk	1,4	0300 451 5	18	ഗപ വമനം		i d	*
SH	2	210	28	,				8	32.55 27.50 50 50 50 50 50 50 50 50 50 50 50 50 5	11	M4DR	ĸ	2442	7	444 2400	
	16	802	36	3			~	54	2000 2010	9	4111 5000	-	1 11	5	4604	6
	#	210	32	*			87M 2014	16	0	-17	1004	-11	00+101+11 01+101+11	7	11	~
	12	21.7	38	4			60 +160 N +877 1 1	-35	404M 0044 1111	-12	3000	6	4646	1.5	es eden	20
	10	559	9	1			405t	24-	3014	∾	NEVE		444		1171	•
	•	244	39	3		46	111 10000	. 46	2011 2011	0	1 A.	7	PONS	- 5	1111	•
					92											
	3	ć 1 3	35	4	0.0	79	46.07	-54	2277	-11	977 0411	-11	4411 11		4400 1111	~
	~	780	7	3	* ************************************	7	111	-48	1111 4044 4884	•	07×1	6	จ้องม	ř.	0100	4
	. 01.5	589	6.2	3	とらたさ もころア	10 10	02.60 NF:3 111	-39	4FF0 1111 1 11	۳.	40.310	~	1411	•	7711 7711	•
	¥	HEAN	AGLLS	2	พระต	10	N3-00 111111	20	<b>~~~</b>	9	ಬಾಬಬ ಬಾಕಿನಲ್	9	4444 0440	20	808080 613-080	90

\*\* HULTIPLY TABULAG VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

TO THE PROPERTY OF THE PROPERT

Table A4. Churchill-Correlation of January Temperatures (\*K) From Surface to 60 km

KILGMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KH

		99	258	127	36												
		58	257	138	46												87
		96	257	146	49											95	4
		3	259	141	51											Que CATU	15
		55	258	143	51											5 44 5 60 6 60 6 60 6 60 6 60 6 60 6 60 6 60	5
		53	258	148	51											26.795 29.795	20
		9	255	160	21										87	2004	32
		46	252	173	51									36	81	900M 8008	22
		\$	248	187	51									940 040	23	12879	15
		42	243	171	27									0.00 V	53	\$2000 \$2000	Š
		40	238	166	51									8 7 7 7 7 7	52	22.23	-22
ES 18	ų.	33	233	125	51								95	2000	39	22.62	-27
111	ALTITUDE	36	230	109	21							26	4	P.0.44 Onon	27	11 17 P	-35
LUES	ALT	34	225	89	51							78	<b>61</b>	2000 1400 1400	11	1 404	04-
STANDARD DEVIATION OF VALUES TIMES	E ACH	32	223	SR	21							67.00 67.00	37	9mmm	-14	1111 55 MIN	3
O N	A	30	612	88	20							75 75 75 75 75 75 75 75 75 75 75 75 75 7	-	9944 464 1111	07-	1111 44714 31043	64-
IATI	VALUES	28	218	96	<b>6</b> 0 ,†						95	230 139 139	-10	040	24-	M0000	-38
DEV	F	56	217	96	4					96	87	1228	-13	00000 00000	-45	100 L	-38
DARD	ER OF	54	519	70	23					9.00 14.00	83	128 128 128 128 128 128 128 128 128 128	9	1111 MW011 5000	-35	9494 1111	- 50
STAN	NUMBER	22	218	96	29					000 040	9 6	070V	0	4004	-36	4444	-51
STOV	z	20	219	63	30					0000 7000 0000	72	2000 2000 2000 2000 2000 2000 2000 200	۳	1333	-36	244B	<b>9</b> -
S		10	217	7.8	40				35	24 44 44	66	24.21.	-29	4000 4000 4000	-52	1145 1446 1446	ii.
		16	218	25	4			9.5	83	<b>0400</b> N <b>a</b> 00	53	111	-37	1111 6666 6666 6666	-57	44MM	-24
		14	218	7.0	20			860	4	N 00 0 4 0 40 40 40	33	113 137 137 137	-37	4000 4000 4000 4000 4000 4000 4000 400	-53	1504 1504	-17
		12	219	61	50			0.0.00 0.0.00	73	դատ Նարդ	53	1111 4450 4450	-34	4 4 N N N	-55	124 124 126	-19
		91	219	55	Ĉ,			9000F	61	3483E	13	1111 1010 1010	-27	44 44 44 44	77	15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00 15.00	-14
		•0	219	45	51		8	₩₩₩₩ ₩₩₩₩	38	8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4	1111 1224 18480	- 14	MANAM	-33	1112	-18
		ø	228	M 4	56	1,4	13	4044 6449	-	3044	10	1020	-5	1140 04024	-29	MMWWW MMWWW	-36
		4	240	64	20	17	1	444 Gudh	9	7002	1,4	449 <b>0</b>	9	371°P	-17	4000	-24
		~	250	58	20	* 20 × 00 × 00 × 00 × 00 × 00 × 00 × 00	M	4248 4486	14	4940	4	Pann Tann	9	7797	-11	##### #####	-23
		.035	244	-	2.0	FUUT いかいか	ů,	አማሪያ የነሳተው	22	OQUE	7	4460	<b>#</b> :	020t	7	1111 tunut	-20
		x	MEAN	AGIS	z	Namo	10	さままた ひみほぎ	20	00 DE 10	30	00 00 EUS (M(M(M(M)	0.4	3343 N400	20	សត <i>ុសស</i> សុងសុខ	60

\*\* MULTIPLY TABULAR VALUES BY 0.81) TO OBTAIN CORRELATION CCEFFICIENTS

(Cont) Table A4. Churchill-Correlation of April Temperatures (\*k) From Surface to 60 km

STANDARD DEVIATION OF VALUES TIMES 10

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVEO VALUES

KH MEAN Stov

	9	267		31												
	58	267	73	38												95
	26	269	7.1	38											93	88
	24	271	99	0 7											0. <b>6</b> 414	63
	25	272	61	36											80 80 80 10 10 10	92
	20	273	63	33											7000 4000 4000	23
	9	272	€3	39										16	93 76 67 67	56
	94	270	65	75									86	85	7967 7997	53
	<b>3</b>	566	11	24									47	85	74 525 57	22
	42	260	75	7									0.40 to	82	7967	64
	9	253	92	45									<b>00,00</b>	52	V024 W000	24
	38	246	7.4	43								91	00 to 100	69	らるよう	35
ALTITUDE	36	240 2	20	<b>1</b>							26	83	2222	65	045 <del>0</del>	31
AL TI	34	234 2	63	7,							50 G	42	6677 59677	24	7047 7047	54
EACH	32	229 2	96	1,							25.00 7.00 7.00 7.00 7.00 7.00 7.00 7.00	28	338 338 53	53	<b>4889</b> <b>6886</b>	13
AT E	30	225 2	43	0 4							EMDO NB/0	39	മയയ വയൻ	37	7469 0444	1
	28	222 2	33	39						79	03F0 0340	19	0440	52	mh.uh.	
OF VALUES	56	221 2	32	3.6					28	63	2500 1220 1220 1220	9	54r5	16	71×82	-18
8 8	54	221 2	30	36					77	Ħ	0505 0505 0505 0505 0505 0505 0505 050	31	HMP0	17	75150 75150	- 64-
NUMBER	22	221 2	28	6					466	10	2222	- 52	2004 2004	- 47-	4044 2000 1111	- 24-
	20	222	52	74					2000 2000 2000 2000 2000 2000 2000 200	9	3450 3450 3450 3450	- 92	8555g	23	N5:50	- 64-
z	18	222	82	745				8.	24490	-16	4557 2557 1111	- 12	9249	12	0722 0722 1111	- 24-
	16	23	56	42			83	90	2323	19 -	1111	38 -	4464 4464	- 92	2222	-41 -
	14	224 2	25	7 7			72	9	78057	- 82	2000	- 14-	8544 1111	19	의 년 1 1 63 숙 (V (V	34
	12	223 2	38	45			844 046	33	7232	14 -	0400 0400	- 82	225 225 1111	- 7-	41/140	1 4
	10	222 2	25	24			450	53	25 26 26 26 26	9	446M	- 9-	277	10	27 H22	\$
		56	35			22			0040		11 1		• •			
	9	39 2	64		75		<b>⇔</b>		200 200 11							
	4	252 2		45	73		4004		1200							
	~	62 2	20		989	•			3746						244 2000	
		~														
	.035	262	76	3	7-000 4-11-10	•	4033	-36	11 E	56	かららら	t.	MMMM	m	MMMH	7
	<b>.</b>	MEAN	STOW	Z	00.EV	•	വഷനമ	_	61. <b>*</b> U'-	_	AL 4-C-	_	AL ALDA	_	QL-d-cCEL	_
	X	-				Ħ	ਜੌਜਜੌਜ	≈	00000 04m	ĕ	mmmm	3	3333	ű	ちらちち	ū

NOT NEW TOOLS OF SEEDING OF SEEDI

(Cont) Table A4. Churchill-Correlation of July Temperatures (\*K)From Surface to 60 km

		9	592	ņ	20											
	i			38	17											06
	i			33	52										9	61.9
	i			t D	52										izi izi	
	í			£ .	56										846 846	
	į			;	<b>8</b>										D6044	
	9			<b>5</b>	ID N									C		
	4			3 3	D N								;	4 u	1000	
	j			* 6	8								<b>5</b> 00			-
	6 7		007	,	8								900 910		No.	
10	7			2 6	8								2007	. P.	. rvn3+	
	*			, ,	8							69	444		9640	
HIT	*			, a	3						99	5				
EL LUES ALT	35			, ,	3						249	63	40.40	9	45.50	
KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES TIMES NUMEER OF VALUES AT EACH ALTITUDE	25				3						#25°	26	7 MUD 2 MOD 2 MOD	63		
VED ON O	30	. «		, 6	;						9449	58	MF # 50	6	<b>00/-</b>	
BOVE BSER IATI LUES	80				3					7.7	we aw		COTM	34	0.44B	. 60
KILOMETERS ABOWE SE AVERAGE OF OBSERVED STANDARD DEVLATION NUMEER OF WALUES AT	26			8	}				92	29	6468 6468	99	MEE'N			
KILOMETERS Average of Standard di Numeer of (	54	229	16	7	i				94 04	37	2272	32	<b>ಹಾಗುವ</b>			
KILC AVER STAN NUME	22	227	18	27	i				<b>607</b> 707	25	0040 6446	35	1957	-10	04W4	~
MEAN STOV	20	226	20	28					0.83 W V 48 8	4	20.47	34	المعود	22	2045	
- # E	18	225	22	28				÷1	0.00mg	25	224	7	H404	- 10	SUNHE I I	6
	16	225	23	28			96	72	0400 0400	かか	80000 80000	34	774 100	9-	4004 6404	59
	16	225	25	28			638	45	45004 4004	27	2020 2020	12	2040	*	3446	\$
	12	224	64	28			<b>604</b> 604	23	277	19	1001 7007	S	<b>ဂဆီ</b> ့	4	1222	~
	10	228	25	28			1 1 MW	-28	111 1136 160 160 160	-14	49 PH	۴	#17B	7,7	ውው4ው	13
	•	238	64	28		52	194	-56	0.40m	-19	004M	-19	2462	20	1400	^
	Ø	252	47	28	96	42	176	- 52	444F	-15	허리하는 하다 1 1 1 1	÷	#9 <del>8</del> 6#	92	nara	9
	*	265	7	28	90	4	174	-56		-16	1110 1010 1010 1010 1010 1010 1010 101	-	MADE.	23	8409 111	4
	8	277	31	28	\$ 60 60 60 70 80 80 80 80 80 80 80 80 80 80 80 80 80	35	385 255 555	-66	1111		040E	80	HHEE	52	23,16.9	6
	•035	782	53	28	ችቦችች ውክውሳ	19	2000 2000 1111	-15			ひせいち	30	-	0 t	5, 44 5,000	σ
	x	HEAN	AGLS	z	ณสอง	10	N300 HHHH	20	3000 0000	30	0.400 0.400	9	መሠቴ <i>ነ</i> ን ቴቴቴቴ	20	なみたい	90

\*\* MULTIFLY TABULAR WALUES BY 0.01 TO OBTAIN COFRELATION COFFICIENTS

(Cont) Table A4. Churchill-Correlation of October Temperatures (\*K) From Surface to 60 km

	9	261	98	36												
	58	261	88	3												91
	26	2 62	11	9											6	26
	3,	261	7.2	64											ma 40	96
	52	260	29	27											75.5 75.00	39
	53	258	9	51											2458 2458	20
	3	255	7	15										22	2500 2000 2000	9
	9	253	82	15									36	61	1000	æ
	1	242	85	51									<b>69</b> €0	2.0	407 <b>6</b>	φ
	4	242	82	51									400 400	61	1922	7
•	40	237	79	51									7.002 7.003	25	4041 0000	-13
₹	3	232	75	51								76	1264	99	1 10	-15
A LEVEL  VALUES  OF VALUES TIMES  EACH ALTITUDE	36	227	68	줎							93	69	87.70 00.00 00.00	25	400k	-10
EL ES LUES ALT	34	224	72	20							92	29	8 7 6 7 8 7	20	9751	-15
ABDVE SEA LEVEL Observen Values Viation of Valu Alues at each A	32	221	62	6							900 900 900	\$	22 61 62 63	3	2014	- 22
SEA WEN ON O	30	219	58	6 7							0.0000 0.0000	2	\$ 5000 \$	34	27.72年	-24
KILOMETERS ABOVE SE AVERAGE OF OBSERVEN STANDARD DEVIATION NUMBER OF VALUES AT	28	218	3	<b>6</b>						4	4400 4400	29	MWGN TEED	52	7770	-28
ERS A OF O DEV	56	217	41	49					*	83	6513 6513	26	4440 4400	24	2244	-19
KILOMETE Average Standard Number o	24	216	32	*					88 79	2	សភាព ឧសហរប	20	SEMENT SEMENT	7	CHANG	141
KILC AVER STAN	22	216	56	0 7					97.0 5.55.0	58	4WF0	P 4	400M	σ	1 40%	-36
KH MEAN STOV	20	217	27	47					577 53 53	30	271 101 181 181	15	<b>###</b>	~	111	-55
- # K	18	218	28	51				ij	25 25 25 25 25 25	15		•0	m440	4	1 1 1	-53
	16	219	59	51			46	11	2440 4400	8	Lau Lau	0	1000	2	4000 4000	-51
	7	221	30	51			<b>8</b> 99	26	なってられ	'n	111 WHD4	٨	materel	0	1 40 M	7
	12	221	41	51			93 73	47	₩0 ©ФП-4	•	WOIN'S	σ	<b>UNH4</b>	7	1400 0000	-32
	10	222	52	51			ろななら	59	2247 6446	20	4444	17	44 400m	7	1242	-26
	•0	558	94	51		<b>4</b> 9	1111 1111 1111	9	440W	23	2000 2000	12	444 4000	18	무막무	٩
	9	245	63	51	91	•	1111 NA444 MUNN	м	3247 3287	16	4444 00000	7	ტრტტ	11	oparo 111	~
	4	255	60	51	9.00 9.00	σ	1111 04040	•	4404 4404	<b>51</b>	でまままる	•	<b>Փ</b> 4 <i>n</i> 0	11	4000	N
	8	264	28	51	* 00 88 50 00 00 00 00 00 00 00 00 00 00 00 00 0	9	1111 4mm4 6www	6	H448	13	PHPN HHHH	φ	w4n4	2	7444	-1
	• 135	270	9 6	51	440 <i>0</i> 0	28	40 00 00 00 00	25	하다 하다 하다 하고	٧	ะ หลุดขอ	16	ಬಿಬರಿತ ವನನ	r.	111 1110 1110 1110	92-
	¥	MEAN	STOW	z	U400	10	N.3*WED FIFTHER	50	2222 2446	30	GENT CHECK	9	7444 N4Wm	20	เขณเทพ เกรเจอ	90

and the contract of the contra

\*\* MULTIPLY TAEULAR WALUES BY 8.01 TO 09TAIN CORRELATION COEFFICIENTS

Table A5. Ft. Sherman-Correlation of January Temperatures (°K) From 26 km to 60 km

KM KILOMETERS ABOVE SEA LEVEL
HEAN AVERAGE OF OBSERVED VALUES
STOW STANDARD DEVIATION OF VALUES TIMES 18

	_			_								
	9	265	72	14								
	58	267	89	19								6
	96	271	29	26							9	92
	24	274	4	30							m s e	22
	52	276	50	2							577	<b>?</b>
ALTITUDE	20	274	51	31							ちょこゆ	<b>~</b>
ALTI	4	270	25	31						92	404 404 404	-67
EACH	46	267	64	31					65	~	1 4 M 4 4	-31
A E	4	564	50	31					e Me	22	P040	9
VALUES	4	261	20	31					<b>46</b> 00	1,	2010	34
	40	256	64	31					3600 000 000 000	17	# H H H	17
R P	38	550	28	31				25	4079 4079	13	2011k	99
NUMBER	36	544	24	31			9,6	40	これで これでは これをいる	m	20 H	<b>89</b>
	34	238	63	31			74	4	ስታየር የነውኋሎ	36	23 23 29 23	6
z	32	234	20	31			74 94 94	21	4m44 SYYO	11	<b>N888</b>	4
	30	229	47	31			ひようか	47	PM64	30	9355 9355	3,4
	28	226	43	30	:	9	<b>6997</b>	51	937V	39	97100 1866	76
	56	224	73	53	Z	53	3270	0	248 4844	32	4000 6644	<b>5</b>
	¥	MEAN	STOW	z	82	30	N.3-0-10 MMMM	70	03.00 03.00	20	សលស សង្ខិត សង្ខិត	90

\*\* MULTIPLY TAFULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A5. Ft. Sherman-Correlation of April Temperatures (\*K) From 26 km to 60 km

KM KILGMETERS ABOVE SEA LEVEL HEAN AVERAGE OF OBSERVED VALUES

The second second

		60	257	\$	13								
		58	261	45	2.1								75
		96	<b>26</b> 6	43	23							2	25
		ž	268	36	31							499 999	39
201 5		25	270	38	ŗ							\$05 406	45
TIMES	ALTITUDE	20	272	37	31							ტ0 1 ₪ 4000	41
VAL UES	ALTI	4	272	38	33						62	400m	35
VAL	EACH	46	272	38	31					29	23	445,1 005,4	24
N OF	AT E	4	270	34	31					64	\$	00000 1111	-1
ATIO	VALUES	4	592	39	31					4M0	ï	WD00	2
DEVI		4	529	45	31					# W # #	38	<b>20000</b> 80004	6
STANDARD DEVIATION	R 0F	38	253	45	31				20	S S S S S S S S S S S S S S S S S S S	52	でするす でいるび	38
TAND	NUMBER	36	248	46	31			7.3	53	0040 0040	63	こうしゅ もちもち	38
	-	34	242	37	31			6 19 19	7	440R 0800	51	344B 644B	16
STOV	z	32	236	32	31			£24 64 64	36	<b>2000</b> 00	4	224 224 224 224 224 224 224 224 224 224	9
		30	232	39	31			4584 4594	22	9040 0440	29	10440 1045	1,4
		82	227	37	31	:	99	<b>4440</b>	6	440m	0,7	<b>60003</b>	32
		56	223	37	31	9	71	8489 6489	53	WWW0 4400	37	8819 6444	••
		¥	MEAN	STOW	z	28	30	PHIMPIN CLAPORD	9	೧ <b>೨</b> 00	5.	2000 2000 2000	9

\*\* MULTIPLY TAGULAR WALUES BY 0.01 TO 09TAIN CORRELATION COEFFICIENTS

THE PROPERTY OF THE PROPERTY O

(Cont) Table A5. Ft. Sherman-Correlation of July Temperatures (°K) From 26 km to 60 km

是一个人,我们就是一个人的人,我们就是一个人的人,我们就是一个人的人,我们就是一个人的人的人,也是一个人的人的人,也是一个人的人的人,也是一个人的人的人,也是一个人的人的人,也是一个人的人,也是一个人

			٠.	ä	_		
			56	263	52	29	
	_		75	264	62	32	
	ES 1.	***	52	267 267 264	65	32	
	TIH	12.0	5.0	267	9	32	
יי וי	. UES	ALT	8 4	267	7	32	
LEVE	44.	ACH	46	265 267	46	32	
KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES	STANDARD DEWLATION OF WALUES TIMES 10	NUMBER OF VALUES AT EACH ALTITUDE	44	2 62	46	32	
SOVE SSER	CATI	.ues	77 24 04	252 257 262	57	32	
3S A 3	0541	¥ Al	3	252	61	32	
HETER NGE (	DARO	9 8	38	246	20	32	
KILOP NVER/	STAN	UMB	36	241	53	32	
		z	34	237	52	32	
KH	STOW	•	32	234	4	32	
			28 30	226 231 234 237	57	32	
			28	226	45	32	

60	255	9	11								
58	261	75	24								4
56	263	52	53							8	¥
75	264	62	32							282	ű
55	267	65	32							900 1000	44
5.0	267	9	32							& 40 5003	7
4 8	267	7.7	32						65	Melulu Melulu	5
46	265	46	32					28	-19	9499	÷
77	262	46	32					₽.44 ₽.65	*	40:00 40:0	
4 2	257	57	32					N 1 W	-11	4425 4425	<
9	252	61	32					-23 129	20	W 404	5
38	246	50	32				64	40 400£	27	ም አመመ መመመ	£
36	241	53	32			20	35	SPS45	20	41 MV	10
34	237	52	32			F-9	20	9KM4	19	25000 25000	9
32	234	46	32			<b>74%</b>	33	<b>よってよ</b>	<b>1</b> 6	<b>3400</b>	P7
e,	231	57	32			<b>74004</b>	4	2222	30	OMER OMOS	3
28	226	45	32	:	56	<b>4</b> 000 0044	96	3.0 4 6600	23	\$\$000 \$000	52
56	222	39	53	*	46	ቁሰውው ሠሥኋላ	59	25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05	32	3000 0000	42
¥	MEAN	STD	z	28	30	NJ GO MMMM	0,	4444	20	NWWN Genero	20

\*\* MULTIPLY TAGULAF WALUES BY 0.01 TO OBTAIN COFRELATION COEFFICIENTS

(Cont) Table A5. Ft. Sherman-Correlation of October Temperatures (\*K) From 26 km to 60 km

KILCHETERS ABOVE SEA LEWEL AVERAGE OF OBSERVED VALUES

¥

	60	256	81	12								
	58	260	75	19								7
	26	263	99	25							98	9
	ņ	267	23	23							<b>6</b> 0	53
S 10	25	270	9	23							<b>4</b> 594	36
S UES TIMES ALTITUDE	20	27.1	\$ \$	23							7444 0000	6.
AVERAGE OF OBSERVED VALUES Standard Geviation of Values Number of Values at Each Alti	4	271	41	23						8	けてなら	21
WALUE F WAL EACH	46	271	36	23					29	25	B957	22
AVERAGE OF OBSERVED VALUES Standard deviation of Valu Number of Values at Each M	3	268	43	23					₩.	53	404 742	51
OBSERV Eviatio Values	45	564	9	23					844 804	~	8440 8440	28
F OB GEVI VAL	9	852	ż	23					25000	-19	#385 #244	77
GE OF	8	252	49	23				15	4444 W000	-10	かいさ	51
AVERAGI Standai Number	36	548	4	23			65	63	2004 2004	œ	SEE SEE	52
	34	244	40	23			57	52	24 6495	^	40.0 400.4	76
MEAN STOV	32	539	<b>†</b>	23			27.0	45	2542 4664	12	44MW GOND	43
	30	234	51	23			05/MB	53	NW 44knd	~	4804 6004	42
	88	230	52	22	:	8	2770	4	ちちごよ	15	NMMN	69
	52	554	25	25	82	83	ろろとし	99	11,38	-16	まなすら	64
	¥	HEAN	STOV	z	28	30	MMMM MMMM	64	000EN	20	សសសស <b>ភ</b> ាង-១៩	90

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN COFRELATION COEFFICIENTS

A CHARLES OF THE PROPERTY OF T

Table A6. Barking Sands-Correlation of January Temperatures (\*K) From 26 km to 60 km

male to the letter

	9	258	52	26								
	58	261	25	38								1,
	96	262	70	42							22	39
_	40	264	62	45							77 65	37
SS 10	. 25	265	9	ţ							ನಿಕ್ಕಾ ಕ್ಷಾಗ್ರಹ	33
L S UES TIMES ALTITURE	50	268	68	47							79 90 90 90	24
EVEL NLUES VALUES	3	269	56	1.4						52	87.7F	23
LEVEL VALUES F VALU	4	270	9	47					55	45	2005 2005	70
4 0 1		266	68	4.7					53	4	41 48 8784	28
IS ABOVE SEA LEVEL PE OBSERVED VALUES DEVIATION OF VALUES WALUES AT EACH A	£ 5	261	67	47					ውቁር ውቁው	47	444 404 7007	r
		524	65	14					4049 4049	20	22007	9
LOMETER: ERAGE OF ANDARD I	**	247	51	74				99	4 M V W	<b>14</b>	4004 0360	-13
KILOMETERS AVERAGE OF STANDARD DE NUMPER OF W	36	241	52	47			72	S	よってきょうできる	72	200	m
	34	236	51	47			<b>64</b> RW	8 4	2004r	20	242	27
MEAN STOV	32	233	45	47			アデラ	3	240 240 240	11	ちょうちょう	54
	30	228	36	41			7557 6764	23	03400 03400	32	SWW.	27
	28	522	39	47	*	69	4010 4710	54	060€0 140	13	W4000 W4000	32
	26	220	33	47	67	59	60 ED (1.10	9	N804	9	32196 22496	16
	×	MEAN	<b>Au 1</b> S	z	3.8	¥0	できるから (4のから	0,7	040.40 040.60	20	ທທຸທທ ຜູ້ຜູ້ຄຸນ	9

\*\* HULTIPLY TAEULIS VALUES BY 0.01 TO 09TAIN CORRELATION COEFFICIENTS

(Cont) Table A6. Barking Sands-Correlation of April Temperatures (\*K) From 26 km to 60 km

4. HULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION SCEFFICIENTS

TO STATE OF THE ST

(Cont) Table A6. Barking Sands-Correlation of July Temperatures (\*K) From 26 km to 60 km

The state of

KK KILCMETERS ABOVE SEA LEWEL MEAN AVERAGE OF OBSERVED VALUES

				STOV		STANDARD DEVIATION OF	ARO	DEV1	ATIO	ž		VAL UES	TIMES	2 TO				
				•	z	NUMBER	R 0F		VALUES	ATE	EACH	ALTI	ALTITUDE					
×	92	28	30	32	34	36	<b>8</b> 0	3	4	<b>‡</b>	4	4	50	52	S.	56	28	9
MEAN	225	228	231	234	238	242	242	253	558	263	592	267	592	263	261	258	255	235
STO	2	54	27	24	۲,		33	38	3	37	4	39	35	0 7	43	56	15	83
z	41	4	<b>3</b>	4	1	4	ţ	\$ \$	‡	3	‡	ţ	\$	ţ	43	39	32	20
2.8	63	*																
36	34	9																
2400 2400	ちられらるまたち	10000 1000	ヤシング	702 201	50 20	65												
07	32	50	23	m	23	50	73											
0260 6885	4404 4404	きてまら	54W0	ይይተብ መውሐመ			W-W PW30	44 1 2004	gos Mada	44	29							
50	7.7	F 4	64	56			23	r	59	54	36	77						
2000 2000 2000	4+ 2W	\$0.00 \$0.00	ころよう	ろうらう	344 4004	SE SE SE	W404 Øk40	7001.	7224 7429	2000 4.420	3000 3000 3000	3M 4	7800 0807	6 mm	500	7.8		
90	15	42	34	17			57	σ	r.	46	9	23	4	52	57	72	95	

\*\* MULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A6. Barking Sands-Correlation of October Temperatures (°K) From 26 km to 60 km

KILOMETERS ABOVE SEA LEVEL

ž

The state of the s

	60	\$ t 2							
	58	3.6							.t .t
	56 261	# 3 \$						75	21
_	54 263	£ £						77	38
<b>\$</b>	52 266	4 4						€85 €81	E 4
S UES TIME ALTITUDE	5.0	4 t 4 t						ብጫክክ ብዛክብ	22
AVERAGE OF OBSERVED WALUES Standard Deviation of Values times Number of Walues at Each Altitude	48 269	\$ \$					7.8	SUBB	37
AVERAGE OF OBSERVED VALUES Standard deviation of Valu Number of Values at Each A	46 266	÷ ;				72	55	<b>₩</b> ₩₩₩	58
ED V	44	4 4				<b>68</b> 640	A M	さくみよ みさよの	28
OBSERV Eviatio Values	42	¢ 2				644 674	4	3120N 50000	4
F 08 DEVI	440	37				4422 24248	30	こま ものよみ	22
GE OI	38	£ 4			51	<b>SHEW</b>	39	THEN THE	<b>60</b>
AVERAGE Standar Number	36	42		es es	38	2 m4 2 m4	32	またなで とせのい	47
-	34	÷ ;		tv tv V eo	21	4044 6606	61	<b>N&amp;N</b> 4	64
MEAN STOW	32	37		<b>も</b> でなる ののも	71	MWH. CHWP	4.5	0044 0044	51
	30	4 4 6		<b>80037</b>	w	44BB GMBD	45	4400 4400	58
	28	31	: 2	ሌዊያ የጉ	ı,	AMM OARD	9	<b>844</b> 40	99
	26 224	22	51	F-0200 4000	-2	4500 4500	4	20004 7400	47
	KH MEAN	STU	30	പ്രചയമ വച്ചുത	6.4	0300 0300	50	เกตเกต เกริงออ	9

\*\* HULTIPLY TAEULAR VALUES BY 0.01 TO 09TAIN CORRELATION COEFFICIENTS

Table A7. Cape Kennedy-Correlation of January Temperatures (\*K) From 26 km to 60 km

KM KILGMETERS ABOVE SEA LEVEL HEAN AVERAGE OF OGSERVED VALUES

THE REPORT OF THE PROPERTY OF

				STOV		TAND	ARD	DEVI	ATIC	9	VAL	UES	TINE	S 10				
				Z		NUMBER	۳. م		VALUES	AT E	Ä	ALTITUDE	TUDE					
X	56	2.8	30	32	<b>4</b> 10	36	3.8	40	4.2	7	9	4	20	25	35	96	20	9
IF AN	220	224	228	232	236	241	24.7	255	263	569	27.1		267	564	261	260	58	257
ALLIS	38	52		4	53	67	72	99	7.2	79	9	61	4	25	25	ڼ	61	7.3
z	7	7 5	4	1	M T	43		<b>1</b>	7	<b>£</b> 4	t,	£4	£3	n J	45	<b>.</b>	37	3,7
•	10	:																
3.9	7	8																
WHAN W	⊕400 I ©4000	やひねい むららさ	ನುತ್ತಟ್ಟು ನಾವನಿ	<b>₩</b>	<i>സ</i> ം വധ													
	-2	56	1.5	12	3	45	63											
000ED	1 1 4	444K	atenta の を まる	4103	%ನ್ನು ಭನ್ನು	800 H	8500 8000 8000	2002	4 20 to	<b>60</b> 19	22							
0	#	30	53	~	7	12	16	ę	0	17	.3 .3	7						
いまでの	0484 6804	<b>あならる</b>	440H 3755	44K4 44K	4400	0994 0990	umos HH	40 H	1 40 0000	1 40	F977	7 9 1 1 2 1 2 1 3	<b>6504</b>	464	200	2		
	22	22	29	-11	*	6	7	•	22	ø	ę	∾	4	9	19	52	70	

.. MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A7. Cape Kennedy-Correlation of April Temperatures (\*K) From 26 km to 60 km

KILOMETERS ABOVE SEA LEVEL

¥

是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们们们,他们们们们们们们,他们们们们们们们们们们们们们们们们们的

THE PROPERTY OF THE PERSON NAMED IN THE PERSON

	9	256	69	35								
	5.0	260	25	7								82
	56	564	4	<b>†</b>							82	9
	54	266	38	4 13							<b>65</b>	99
<b>9</b>	25	992	46	4.5							よいな	2
S UES TIMES ALTITUOE	20	270	32	57							7 50 50 50 50 50 50 50 50 50 50 50 50 50	34
ES	3	270	30	4 8						45	4044 4044	ŗ
ALUE VAL	\$	569	28	<b>4</b> 10					69	33	~~~ ~~~	•
AT E	ţ	265	333	4					42	40	4404 4404	22
OBSERV EVIATIO	•	261	36	45					ಸಾವ ಬಿರಿತ	đ M	3mmm	32
F OB	3	256	92	<b>3</b>					304 4803	56	ಎಎಎಸ ೧೨೩೩	5
GE OF	38	252	35	4				97	4411 00000	12	4004 666	37
AVERAGE OF OBSERVED VALUES Standard deviation of Valu Number of Values at Each A	36	246	38	45			2	33	1044	-5	4400 4400	28
	34	245	39	5			ያው ታድ	35	0394	9	90mm	4.5
HEAN STOW	32	237	39	45			Nam Nam	42	1440	20	いちるさい	37
	30	233	4	44			アラシス	m	V0V6	P	\$000 \$000	27
	<b>9</b> 2	529	4	45	:	76	8041 ·	•	2000	ñ	444P)	53
	56	224	8.8	4.5	76	65	あらま ものまめ	10	467 467	-5	Section of the sectio	5
	ĭ	MEAN	STA	z	82	30	N300 191111111111111111111111111111111111	ç	0440 0440	30	でいっと いよのも	99

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO 03TAIN CORRELATION COEFFICIENTS

(Cont) Table A7. Cape Kennedy-Correlation of July Temperatures (°K) From 26 km to 60 km

KILCMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

MEAN

ž

	9	251	¥03	36								
			44									_
	58	254	80	1								60
	56	257	Z	4							96	78
	24	261	62	<b>67</b>							60 68 68 68	S.
2 70	52	263	26	64							&\P\3 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	26
TUBE	5 0	26t	<b>6</b>	4							2422	<del>*</del>
STANDARE DEVIATION OF VALUES TIMES NUMBER OF VALUES AT EACH ALTITUDE	6 4	267	64	64						73	4404 040m	12
VAL I	4	26E 2	27	64					25	32	r,40,4	18
N OF AT E	<b>\$</b>	564	3	64					4.0	<b>5</b> 6	0.4k.0	53
VTION	ţ,	260 2	37	6,					240	38	<b>4500</b>	23
EVIATION VALUES	9	555	1	3					1 5 0000	18	25 and	5
RE C	38	256 2	38	84				31	2522	45	0434 0436	33
STANDAI	36	5 442	33	<b>0</b>			51	#	ቁመመር ተታታኮ	22	ທອດທາກ ເນື່ອເລຄະນ	52
	46	240	27	8 4			64 46	23	1001 1011	25	0000 0404	52
STD &	32	236	37	64			240	33	ውስም የ	61	\$222	33
	30	232 2	30	64			\$2004 \$4000	35	***********	;	tanan tanan	£
	28	53	53	64	*	<b>9</b>	<b>ኋ</b> የኒስኒስ የኒሳ,ውው	3	44MM BBBB	41	44M4 4000	56
	56	225	31	60	15 *	7.2	\$00.04 \$0.00	52	\$17.00 M	36	407-0 408-0	99
			2	z								
	×	MEAN	STDV	4.	.;	30	00 tus 00 00 00	4	3444 0340	20	20 20 20 20 20 20 20 20 20 20 20 20 20 2	8

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Consideration of the consideration of the constant of the cons

Table A7. Cape Kennedy-Correlation of October Temperatures (\*K) From 26 km to 60 km (Cont)

KILOMETERS AGOVE SEA LEVEL AVERAGE OF OBSERVED WALUES STAMDARD DEVIATION OF VALUES TIMES 10

KH HEAN STOV

				-	z	NUMBER	R 05		VALUES	-	Ş	ALT3	ALTITUDE					
×	28	28	30	32	34	36	38	0,4	4.2	4	\$	4	5	25	54	56	58	9
HEAK	554	227	231	233	237	242	247	252	259	264	267	269	270	267	265	263	260	257
STOW	30	33	45	41	46	4 6	4.8	<b>†</b>	4	94	4	43	640	50	63	99	7.8	8.0
Z	45	4	45	4	46	46	9 7	9	4	4	4	46	4	94	46	45	. M	, M
28	79	:												1	!		}	)
30	77	72																
N.POB MMMM MMMM MMMM MMMM MMMM MMMM MMM MMM	0040 7000	6 C 4 4	బడికెట గుబడిప	<b>≻</b> ₽₽₽	<b>€</b> 0.€ <b>€</b> 0.€	2												
9	31	45	32	40	57	57	74											
೧۷ 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	##### ################################	4440 0400	400k	44mm 0004	3448 3004	8448 8648	<b>040</b> 00	1247 2447	450 644	5.00	22							
20	25	24	64	45	42	4.5	39	46	42	58	72	96						
23-06	40000 40000	45000 45000	<b>3450</b> 000	2000 4000	₩444 0000	6447 6660	\$M04 M00M	4004 4000	こうしゅう	99000 4000	657.3 25.3 25.3	2000 2000	4850	<b>80 00 0</b>	40k	<b>\$</b>		
9.0	4	33	41	42	45	39		34			53	51		75	29	22	06	

\*\* MULTIPLY TABULAR VALUES 9Y 0.01 TO 09TAIN CORRELATION CCEFFICIENTS

Table A8. White Sands-Correlation of January Temperatures (°K) From 26 km to 60 km

KH KILOMETERS A33VE SEA LEVEL HEAN AVERAGE OF OBSERVED VALUES

		9	152	35	37								
		58	254	92	<b>*</b>								6.0
		96	257	73	46							81	<b>\$</b>
		24	260	62	49							\$00 \$10	24
2 10		25	263	52	20							4 20 4 30 4	745
TIMES	TUJE	20	267	47	20							2230	22
	ALTITUPE	4 8	592	61	20						72	894 H	<b>#</b> >
VALUES	EACH	9	27.0	11	20					*	45	2021	4
A OF	AT E	4	267	48	20					44	ţ	140 140 000	-25
ATIO		42	260	87	20					850 970	07	5000	-21
DE VI	VALUES	0 7	253	93	20					44V0	<b>1</b>	1771	-30
ARD	R 0F	88	2*6	8	20				80	04W2 44W4	25	1140 1040 1040	-35
STANDARD DEVIATION OF	NUMBER	36	239	65	8			28	25	24455 74455	21	4-01	-27
	Ž	34	233	29	20			58	34	54 <b>6</b> 0	15	50000	-25
STOV	Z	32	236	61	5.5			ಕುಗಳು ಕುಗಳು	<b>F</b>	2121	•	3344 1	-18
		30	226	2,	20			8744 8567	2	1222	9-	ሳ ነ ዕለፍቡ	7
		28	222	42	4.7	:	15	38 1 0004	-16	1111 1000 1000 1000	-2	335H	27
		26	220	0,7	<b>4</b> 3	96	28	<b>MM11</b>	-25	1754	~	4488 8468	27
		1	MEAN	STOR	z	92	30	88 88 88 88 88 88 88 88 88 88 88 88 88	04	0440 0440	20	ທທູກທ ດູຊຸດຄ	60

.. MULTIFLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A8. White Sands-Correlation of April Temperatures (\*K) From 26 km to 60 km

A3OVE SEA LEVEL OBSERVEO VALUES VIATION OF VALUES TIMES 10 Alues at each altitude	42 44 46 48 50 52 54 56 58 60	263 267 269 270 270 269 266 263 260 257	51 45 47 37 33 35 42 42 53 54	51 51 51 51 51 51 50 40 45 43					64 6-8 89 58 67	38 64 71 65	32 50 53 62 76 27 39 51 47 79 38 34 48 36 52 41 65 86	23 14 30 11 38 32 55 62 74
E OF ROOF V	38 40	251 258	41 47	51 51				3 68	# # # # # # # # # # # # # # # # # # #	52 91 5	41144	5 21 25
KM KILOME MEAN AVEFAGI STDV STANDA N NUMBER	32 34 36	235 242 247	39 42 40	51 51 51			69 54 74 56 74 66	19 24 38	# # # # # # # # # # # # # # # # # # #	-23 -12 -	-21 -27 -17 -17 -11 -9 -11 -9 -11 -11 -9 -11 -11 -11 -1	-10 -10
	28 30	226 230	40 41	50 51	:	80	1446 1456 1457 1454 1454 1454	4 10	#### #### ##### ##### #####	-1 -7	2022 2045	m
	ки 26	MEAK 222	STOW 36	2	28 82	39 70	345 346 336 366 49	40 18	1075	50 14	552 564 564 564 564 564 574	60 11

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO ORTAIN CORRELATION COEFFICIENTS

Table A8. White Sands-Correlation of July Temperatures (\*K) From 26 km to 60 km

(Cont)

a median or an accommendation of the second second

The second secon

KM KILCHETERS ABOVE SEA LEVEL
HEAN AVERAGE OF OBSERVEO VALUES
STOV STANDARD DEVIATION OF VALUES TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

0.01 TO OSTAIN CORRELATION COEFFICIENTS

\*\* HULTIPLY TABULAF VALUES BY

, Time

one of the contraction of the co

D

(Cont) Table A8. White Sands-Correlation of October Temperatures (°K) From 26 km to 60 km

是是一个人,也是是是一个人,也是是一个人,也是是一个人,他们是一个人,他们也是一个人,他们也是一个人,他们也是一个人,他们也是一个人,他们也是一个人,他们也是一

STANDARD DEVIATION OF VALUES TIMES 10 NUMBER OF VALUES AT EACH ALTITUDE

KILOMETERS ABOVE SEA LEVEL AVERAGE OF 09SERVED VALUES

KH MEAN STOV

	255	67	38								
	258	6.5	38								93
U	261	5.7	4							3	87
ě	263	51	45							<b>8080</b>	82
î	266	7	45							744	77
Ü	268	4	4							77.70	73
• 1	267	39	4						7.8	00000 00000	64
4	266	4	4					80	63	\$524 \$000	53
4	262	7	4					79 52	49	0429 0094	35
ç	256	42	64					400	4	245 245 27	34
	250	14	64					FR.OR HWW.U	34	4 200 6 546	27
,	244	20	64				78	₩₩₩₩ ₩₩₩₩	64	40M4	4
ď		52	49			86	75	ゆき で よ な	4	44W4 4WN/	9
4	236 2	51	4			202	9	もららら さらてら	55	<b>4444</b>	56
		\$	64			ቋንውው ተዛቋንው	25	ひませま カレアル	9	48M4	64
5	229	37	49			87.00 8.08.1	46	4044 4000	45	Trat	22
	227	37	4,7	:	8.1	<b>60000</b>	55	たいなな たいなな	46	9489 9489	38
2	224	34	1	77	7.8	5470 5405	40	4WP/4 4W7W	53	3888 6404	35
3	MEAN	STOV	z	28	30	WWW.4	9	4444	50	លល់កល ភូមិស្	9

\*\* MULTIPLY TABULAR WALUES BY 8.01 TO OBTAIN CCRRELATION COEFFICIENTS

on the state of th

Table A9. Primrose Lake-Correlation of January Temperatures (°K) From 26 km to 60 km

KILOMETERS ABOVE SEA LEVEL

¥

	9	249	75								
	- ·	251 2 456 4	-								97
		2 0 5 2								8	18
		250								159	65
10		252								M400	33
TINE:		251								0000 0400	# 3
WALUES OF WALUES TIMES EACH ALTITUDE		250							96	250m	-
ALUE VAL ACH	9 1	5,5	27					82	22	3400	-26
ED W.		241	57					96 96	73	94419 11	95-
SERVI ATIO		238						04.0 1.40	9	40100 0040	99-
F OBSER DEVIATI WALUES		235						\$440 \$440	32	0010	- 55
AVERAGE OF OBSERVED VALUES Standard deviation of Valu Number of Values at Each A		231	12				90	5000 1000	32	448W 646W	-37
VERA T AND UMBE	10 10	229	57			<b>80</b>	91	とろれる	3	1111 40:310 00:004	- 53
	# m	228	27			39.50 22.00	70	2441 2447	-17	1111 00000	141
MEAN S TOV	32	552	21			00°	99	WWW.I	-22	かんか <b>の</b> いっとう 1111	-36
	30	224	2 2			<b>りきき</b> て	54	2044V	-30	30000 00000 1111	-13
	2.8	223	53	•	95	<b>のきの</b> で 4のよう	20	W446 0000	-24	23.00	*
	56	223	200	88	8	<b>6009</b>	27	9425	-25	Selection of the select	33
	ĭ	MEAN	- -	92	30	80000 01400	0.4	7343 7343	50	NATOR NATOR	60

4\* HULTIPLY TAGULAR VALUES BY 0.81 TO 09TAIN CORRELATION COEFFICIENTS

(Cont) Table A9. Primrose Lake-Correlation of April Temperatures (\*K) From 26 km to 60 km

	60	592	23	51								
	50	267	20	56								92
	96	270	26	30							2	50
	54	271	64	30							787	36
2 10	25	272	4	30							668 785	82
L S UES TIME ALTITUDE	20	272	51	31							9797 7679	4
KILOMETERS ABOWE SEA LEWEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES TIMES NUMBER OF WALUES AT EACH ALTITUDE	4	212	54	31						91	2440 2400	51
VALUES VALUES OF VALUE	9	270	25	34					<b>60</b>	75	222	34
ABOWE SEA LEWEL Observed Values (Viation of Valu	7	992	63	32					96	7,4	7507 7507 7007 7007	13
ABOWE SE/ OBSERVED VIATION (	42	260	99	32					0.60 60 44 6 10	90	<b>2000</b>	36
S ABOWE F OBSER DEVIATION	3	452	11	32					0.600° 0.60°	81	7000 4004	30
ETERS GE OF ARD DE R OF V	38	247	63	32				56	400m	16	\$1040 \$1040	20
KILOMETERS Average of Standard de Number of v	36	241	69	32			91	86	4224	99	<b>സസ4</b> ಖ ഹഹഹ	52
	35	235	25	32			0.00 41.4	92	<b>60000</b>	58	<b>00.44</b>	52
KM HEAN STOW	32	231	20	32			1487	61	<b>N400</b> N0034	38	<b>55000</b>	7 (
	30	226	37	32			<b>6704</b> 60000	30	20144 4026	^	MM44	6
	28	223	8	32	:	82	6450 0011	•	๛๛๛๛	7	1 441 0040	-18
	25	221	88	32	7.8	28	ພາ ພາຍວາ	-12	1 404 0 mm D	0	1009	-11
	ž Į	MEAN	STOW	z	92	30	സവുക സവുക	63	3443	20	សល្ខស ហ <b>ា</b> សេខ	9

\*\* HULTIFLY TAEULAR VALUES 9Y 0.01 TO ORTAIN CORRELATION COEFFICIENTS

Table A9. Primrose Lake-Correlation of October Temperatures (°K) From 26 km to 60 km

				EX I		ILCM	KILCHETERS A30VE SEA LEVEL Avfrage of observed values	S A 3	OVE	SEA ED V	ABOVE SEA LEVEL OBSERVED VALUES	ی ہے						
				STOV		TAND	STANDARD DEVLATION OF VALUES	DEVI	ATIO	z	ķ	UES	TIMES	2 10				
				Z		NO MARK	<b>8</b>		VALUES AT	¥ -	EACH ALTITUDE	AL 1	TUDE					
¥	56	28	30	32	34	36	33	40	2	<b>†</b>	46	48	28	52	2	96	29	9
MEAN	218	219	220	222	225	229	233	238	544	548	253	257	528	259	259	259	257	256
STOW	.D	51	55	56	59	63	65	70	7.3	7.1	\$	49	61	9	69	65	63	7.5
2	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	31	56	23
28	41	:																
30	7.8	91																
<b>30000</b>	<b>ア</b> プラウン	9080 9000	<b>0.0.00.0</b> 17.01/014	474	<b>60</b> 60	95												
9	50.	49	72	0.0	81	<b>8</b> 9	91											
೧೩೩೩ ಭಾರಕ	9740 9740	መታቀው ውስጥ	<b>©</b> 0004 N0000	できらい	7.50 7.50 7.50 7.50	45.00 45.00	9449 9449	7799 \$629	6 <del>0</del> 6	t.4	69							
20	33	35	0	64	4	4	63	72	11	19	36	91						
ທາກທາ ໝາະນະຄວ	2011 2011	001 0054	1524	2004 2004	8004 8004	200 1 200 4	1240	<b>000</b> 0 <b>0300</b>	\$1000 \$460	てらら よののち	300 G44G	8678 1267 1287	1004 1000 1000	3370	25	•		
09	-28	-12	-17	6	-23	- 18	•	4	<b>3</b>	7	In I	0	4	<b>9</b>	24	61	6.5	

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

LANGUAGE AND CONTROLL OF THE SECOND OF THE S

(Cont) Table A10. Poker Flats-Correlation of January Temperatures (%K) From 26 km to 60 km

はない。そのなかないないではないできょうというできないないないないできょうだっていることがあることでは、

9	~	9	12								
	257	**									
5.8	257	137	16								98
56	250	1 30	22							8	ů
54	250	110	27							9. 10.00	4
25	549	101	88							6.00 0.80	-30
20	247	120	31							STANG STANG	-65
4	542	138	31						95	N HJ 2012/0	20-
46	240	146	32					60	23	21 14 20 20 20	60-
4	238	150	32					9.00 7.01	65	2924	-90
4.2	235	151	32					000 040	63	00000 111	-88
9	233	137	32					സവരുക സവരുക	51	450 111	18-
30	231	146	32				4	ያው የሚያው	37	1111 4466 6866	40-
36	229	133	32			95	88	4440 4440	22	0972V	- 83
40	227	120	32			0-10 N-40	00	16647 10543	11	143	-69
32	225	110	32			ውውው ኮነችቢ	57	20240 4034	6	1767 7787 7874	50
30	225	7 0 ¢	32			\$\$\$\$ \$\$\$\$	33	NWW FOWG	-24	1111 0000 0000	-35
8	224	66	32	:	96	**************************************	23	487E	-30	00000 00000	727
56	554	96	31	96	92	るるなら	43	1 1 1 1 1 1 1 1	141	0000 1111	-16
	HEAR	STUV	z								
¥	ï	S		28	30	ሰት ነው። የተ	4	333 <b>4</b> 0300	50	ቢ የህብሊ ረኅ 3-ጥቋ	9

(Cont) Table A10, Poker Flats-Correlation of April Temperatures (\*K) From 26 km to 60 km

THE PROPERTY OF THE PROPERTY O

A C 1245 3 5

	9	592	92	12								
	28	268	29	50								91
	26	271	51	56							93	9
	54	273	53	31							35 35 35	82
21 S	25	272	67	34							0-60.00 3-00-00	49
L S UES TIMES ALTITUDE	20	272	99	35							4400 4400	99
A LEVEL  VALUES  OF WALUES  EACH ALTI	4	271	67	35						93	2525	43
KILGMETERS A30VE SEA LEVEL Average of observed values Standard deviation of Walu Number of Values at Each A	46	569	99	35					89	4	5278 5077	in T
SEA TEO V ON OF AT E	77	264	79	3.5					<b>80 80</b>	88	<b>\$4.9</b> 0	53
KILOMETERS A30VE SEA AVERAGE OF OBSERVED STANDARD DEWLATION C	4	259	82	35					0.60 (0.00)	82	<b>6669</b>	58
IS A3 F 08 OEVI	4	252	7.8	35					<b>7000</b>	75	ტუტი დიტი	51
KILONETERS Average of Standard oi Number of	80	246	99	35				4	7400 7400	65	<b>NNNN</b>	31
KILOMET AVERAGI Standar Number	36	240	59	35			93	å	2222	56	2440 4460	2.8
	34	235	5.8	35			&& &&	57	でもでる いみひの	34	00000 0444	12
KH MEAN STOV	32	<b>£31</b>	52	35			<b>6000</b>	32	るまちら	6	ี สมมณ	-19
	30	228	50	34			9 9 9 8 8 8	~	141	-18	4574	64-
	2.8	22 E	47	345	:	95	<b>6</b> 044 60563	-12	4004	-27	0040 0040	-64
	26	225	4	34	95	83	V341 0000	-22	2442	-37	2111 2009	-69
	¥	HEAN	STO	z	82	30	MAMM GROPEN	04	3433 0300	20	11111111111111111111111111111111111111	09

\*\* MULTIPLY TABULAR VALUES BY 0.011 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table A10, Poker Flats-Correlation of July Temperatures (\*K) From 26 km to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KH

		9	0	38	ur.								
		9	~	m	7								
		58	272	57	13								9.2
		56	276	10	20							9	69
		ž,	513	4	<b>S</b> 2							96 74	23
2 70		25	280	90	92							0,0,7 6000	21
TIMES	ruoe	50	1 92	99	62							90000 \$0000	25
. S 3n	ALTITUDE	4	281	ï	53						4	11129 68	52
VAL	ACH	.0	279	30	62					23	₽-20	2000 2000 2000 2000 2000 2000 2000 200	21
STANDARD DEVIATION OF VALUES	AT E	7	275	<b>K</b>	59					1 ca	62-	0000 0000 111	7
ATIO	VALUES	÷.	270	38	53					50 67-0	32	<b>888</b> 24	4.2
DEVI		40	264	64	53					60M0	69	6666 7768	24
ARD	R 0F	38	25.8	m 4	53				95	2004	72	2222	53
FAND	NUMBER	36	253	37	62			9	85	てころら	61	ちもらけるます	4
	Ž	34	248	3,4	53			<b>6.0</b>	20	<b>644</b> 0	4	44n0 ຄວນຕ	52
STOV	z	32	242	36	53			<b>66.60</b> 64-70	9	4004	63	9000×	9
		30	239	32	82			<b>7000</b>	7.1	2000 4646	54	0 0 0 0 0	•
		28	235	<b>5</b> 6	88	:	96	80-95 01-66	61	9900 1999	38	27 T	32
		56	232	26	23	40	70	9700 9700 9700	69	<b>കരന</b> പ്പു <b>ക</b> മ്പപ്പ	4	ちょうちょう	4.3
		ĭ	MEAN	STOW	z	28	30	സ്വർത് സൂർത	0,	00th	26	សល្វស្ លទស្	60

\*\* HULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

THE REPORTED THE SECOND OF THE

## Appendix B

Interlevel Coefficients of Correlation of Density for Altitudes up to 60 km

Table B1. Ascension Island-Correlation of January Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL Average of observen values

K# HEAN STOV

The state of the s

		9	310	36	52												
		5.8	4 0 0 0	32	31												35
		56														96	83
		5	655	3.3	37											20 00	90
			89													P250	2
		20	107	33	39											0.000 0000	29
			139												35	ronn	#
		9												9	29	020N	2.0
		;	232											43	73	ತಾನಿಗಳು ತಾನಿಕಾರ	11
			304											これる	**	400c	29
			40 50 50											PEN94	20	7400V	53
	•••	3.8											19	.^• .De	-1	**************************************	21
	ALTITUDE	36	735									45	53	50000 50000	31	41 44 ON BR	5,2
OF VALUES TIMES 10			994											1222	4	4N <b>O</b> N	_
E SE	E ACH		521									245 200	m	またでき	15	1	32
NN NN	¥	30	19 19 10 10 10 10 10 10 10 10 10 10 10 10 10									Season Season	12	0000 0000	m	330 <u>0</u>	#4 121
# # # # # # # # # # # # # # # # # # #	WALUES	2.9	249	3	39						3	らるする	-15	AUNUM AUNUM TITT	.39	000-	7
Z C										<b>6</b>	<b>6</b>	340£		~34W		75.00 75.1	
ANDARD DEVIATION PERCENT OF MEAN	9ER 0F		994							#10 NB	23	2000 2000 2000 2000		3990			
STAN	NON B		429											NEWS HE			
STOV	z		926							-00v	2.	~~~~	0	111 0277	12.	No. 30	. 13
S			Y 23						60	VODS		WIN-180					?
			193					19		4124		PNN:	-11		Į,	1 1 -: N	** **
		7			41			85.80 45.80	7			4000				<b>N40</b> -0	
		12	333		4.4			Budd Dan	- 13	ಬಾಬ್				N340	-21	441 I	67
			41 60					~~~	-11	61-4 I 61-4-40 1	9	110 REEN	18	2000	97	04 8704	•
			52.				33			01.44 01.44 1.1							
						88	16	2002	02.	3664	<b>57</b>	2000 4	5	4000 4000	119	9469	-20
		*	٠. م	4	7	2-4 470	82	and an	•	0014 017	~		ķ	9939	. 42	5000 5000 5000 5000	. 62
						\$ 5 m %											7
		640.	1179			これの											-19
		¥	• ME AN	STDV	z	N.S.O.O.	10	4440 4460	20	いろうい	:	CHENESS CHIEFERS	9	೧೯೯೬ ೧೯೯೯	20	ಸುಬಟ್ಟು ಉತ್ತಹವಾ	90

\* HULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

THE TO A SECOND CONTROL OF THE PROPERTY OF THE

(Cont) Table B1. Ascension Island-Correlation of April Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL

KM MEAN STDV

							_												
					339														
				56	437	21	56												\$
				56	559 -6	22	28											89	29
				54	714	20	53											96	25
				52	911	20	53											98 86 76	62
				90	116	54	53											0.00 M	60
				<b>•</b>	941	23	53										98	25 25 29 29 29 29	20
				9	188	50	59									05	63	9779 2779	43
				3	242	52	62									743	81	233 61 61	54
				2 4	316	1.6	53									525	22	1200	89
				9	415	15	53									4.09% 4.09%	9	ららら 4 ちょうちゅ	89
				36	551 4	15	52								53	000M	9	9100 0100	50
			30 ST	36	30	16	53							37	σ	33000 33000	45	8448 8004	28
,	<b>U</b> )	UES 10	ALTI	34	. 986 -5-	14	59							44th)	19	40m	39	0404 0040	27
,	AL UE	OF VAL	EACH ALTITUDE	32		17	6							340 3503	36	22738	22	72207	13
,	OBSERVED VALUE	AN AN	AT E	30	163 1-	75	59							2427	24	44 5650	7	400 wnee	13
,	SER	ATIO		82	249 1	11	62						53	アンスパ	7.	HAM NDN4	92	1 1 1	32
	0F 0B	ANDARD DEVIATI	VALUES	56	344 2	14	52					53	0,	요마요* 러런 [ 런	ę	##### ################################	-35 -	1100 1300 1300 1100 1100	-11
5		ARD	R OF		463 3	6	92					44	٧	50 440 1 1		1234 1111	- 62	\$255 \$445 1111	95
	AVERAGE	ST AND	NUMBER	22	652 4	14	56					240 000	6	2 2 2 4 5 4 7	11	0 HWW	-20		9
				20	938 6	11	59					~59T		7487 4886	<u>:</u>	5045 : 1	- 12	255 250 250 1	ï
5	MEAN	STDV	Z	<b>9</b>	85. 9. 85.	18	62				62	1144E	27.		-5-	256 1756	23		23
				16	95 1	σ	62			23	16	らよろら	- 02	W4W <b>@</b> 4@4	54	2302	54		21
				*	261 1	w	62			A A	21	125	-17	33	-10	9429	9		+1
					334 2	4	59			87.6 1.0	19 -	<b>60 (D) (E)</b>	30 -	2454 1 11	53 .	201 annau	41.	100r	20
				91	OW	ĸ	53			81 H	•	सुन्त्रः। सुनुक्ताः	22	\$ 40°E	- 25	11 Memes			
				€0	139	m	53		ı,	1100		•		045 <del>4</del>	1	4724	12 -4	1111	
				ø	C.W	4	62	81	7 02	•	œ	2486		1 1	٠	40.40	•	0844 0844	ı
				3	79 06	m	59		0.7	•	1	6,044 6,400		ा । क्स्मूल		MORM	<u> </u>	0001 <del>1</del>	
				٧,	NW F	4		SOM MITT	7 22	•		2555		98999 88999		#1041 #1041		22978	•
				_	76									1111	•		•		•
				6.43	1163	w	2.	110H	-5	2100	1	446	**	거러러	36	Næde	3	พพพพ	
				_	MEAN	STOV	z	N.#40ep	_	Ni.eur-	_	61 m.com	_	AL miner	_	Oame		*****	-
				¥	*	.,			끆	ユエエエ	20	เกรียก	100	יאמיאמי	3	4333	ភ	<i><b>സസസസ</b></i> ഗ409	¥

\*\* MULTIPLY TAGULAS VALUES BY 0.01 TO DBTAIN CORRELATION COEFFICIENTS \* MULTIPLY MEAN BY INDICATED MEGATIVE POWER OF 10

(Cont) Table B1. Ascension Island-Correlation of July Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL
AVERAGE OF OBSERVED VALUES
STANDARD DEVIATION OF VALUES
IN PEESENT OF WEAN TIMES IG

KM MEAN STDV

THE PARTY OF THE PARTY OF

2 5	9	ָרָ נְי	36												
, n	1 V	36	2												85
20	5. 0.0	36	M \$											95	82
	29	38	m) 											90	4
20 0	69 69	36	<b>4</b>											48.9 45.6	9
		<b>3</b> 6	t m											889 0.357	9
		7,	<b>‡</b>										<b>\$</b> 2	<b>2012</b>	;
	187 185	37										99	9.6	#222 2007	6
	241		<b>;</b>									788	2	73 66 62	c
	317 2-5		4 4									788	22	673 673 673 673 673 673 673 673 673 673	
		22	4									2863	25	2000 2000 2000 2000 2000 2000 2000 200	:
	563 153	20	<b>†</b>								99	ተያውው ውኮታው	29	ትህወው ተህወጥ	i
	757 5									23	99	34562 4462	39	MOUD MOUD	:
	105 7									33	13	249p	<b>ٿ</b>	1111 2121 2128	•
	138 1-											200 200 200 200 200 200 200 200 200 200	34		
	188 1									ουνι ου46		കയരം	- 11-		
	1 252								74	14tt	r	No.46	-18	0 of of the last o	,
	352 2-4							73	15	1 ಬ್ರಸ್ತರ ಬ್ರಸ್ತರ್ಭ		7777	23		
	475 3 -4	14						nu Pu	745	1372 1472 1975	1. 10.	\$8%°	- 02		
	661 4 -4	16	45					4415	5.4	LLL4 1 . EE	36	4866	¥		;
	928 6		<b>†</b>					32.72	<b>1</b> 3	440W 0400	53	12940	31	1152 136 136	í
18	134 9		5				65	100k	70	2443 2443	38	277 278 278 278 278	ß	472	r
16	191 1	51				€9	62	2300	39	\$404 \$404	35	241 4 4	7	0400	,
14	259 1	σ	1,7			231	20	4004 00000	m	2442 2555	11	<b>252</b> 0	5	4500	ı
12						$\sim \sim \sim$	54	700E	13	1100 1100 1100	2	<b>550</b>	M)	2000	,
	25		45			8114 9866 11	+	5 H 4	12		8	004h	2	• •	•
•	22 -	Ŋ	45		22	25.72	16	141	-5	2721	0	9448 9498	28	とままれ	ç
ø	130	3		12		414 4003	19 -	400 स्थाप	9-	9464	10	\$450 \$450	34	44424	2
	9 75			an in	•	41/-10:00 I		1015 1111		•				800g	
N		'n				TITI TUMBO				9899	<b>€</b> ∪	MONG	23	2542	,
	177	σ		0300 343M						• •				0440 0040	<b>3</b> .
	HEAN 1:	STOW	z	maro eo	9		_	\$\$\$\$ 5555	0	വഭംഗത		<b>ಗತ್</b> ಹೆ		N.J.O.	•

\* MULTIPLY MEAN BY INDICATED NEGATI/E POWER OF 10 \*\* MULTIPLY TAEULAF WALUES BY 0.01 TO GRTAIN CORRELATION COEFFICIENTS

THE PART OF THE PA

(Cont) Table B1. Ascension Island-Correlation of October Density (kg m<sup>-3</sup>) From Surface to 60 km

THE PROPERTY OF THE PROPERTY O

KILCHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES IN PERCENT OF HEAN TIMES 10

KH HEAN STDV

	9	343	2		3											
	9	44	2 6	6 7	;											76
	56	563	, 6	4	}										50	1 40
	54	716	× 2	4	}										3,40	19
	25	805	) J	, <b>4</b>	2										Q400 60 TV Q1 60	96
	20	115	3 .	14	:										\$660 \$775 \$475 \$475 \$475 \$475 \$475 \$475 \$475	87
	9	147	27	3	?									91	2000 2000	22
	46	188	26	4	:								96	97	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	75
	t T	243	26	4	•								9.3 9.9	86	7433	72
	42	318	24	8 7	!								778	77	2486 2498	7.3
	9	4 2 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	19	4	!								8644 8644	68	74 67 68	99
30	33	558 • 5	19	8 4	!							69	<b>ゆ</b> で <i>いい</i> せ <b>め</b> ない	56	90000 11400	52
ALTITUDE	36	745	17	4							60	46	ಉಗುಗು ಬಕಾಕುಡ	55	2024 4020	47
	34	101	13	4							65 74	61	00 <b>0</b> 0	\$	ಗಿತ್ತಬಳಿ ದಾಲಿಬಹ	7
EACH	32	1 36	12	4	,						34		60 60 60 M			12
S AT	30	155	14	æ ±							a Nado	ŝ	0003	-25	22000	-22
NUMBER OF WALUES AT	88	72	15	4						57	NO do	*	1 1 0 1 Nr. 40 0	-	0000 0000	
₽	56	347	17	46					"	94	さな でからか	3	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-28	2557	-19
BER	24	470	13	9					22		<b>6</b> 460	138	\$\$45 1111	-18	1111	13
2	22	629							₩₩₩ ₩₩₩	m	こうよう らななも	35	2014 2016	19	2222 2226 2026	36
z		930							₩₩ ФФ⁄-₩		2000 2000	- 13	11000	- 15	11-in	10
	18	135						£/	<b>BB14</b>	-30	00/v3	-4	1111	P	50B0	14
	16	193	σ	74			6 3	4	4104 6060	-13	440 8000	23	พพล <b>อ</b>	ß	<del>ना</del> सनसम	34
	1,4	8					72	-23	9276	•0	1010 1010 1010 1010 1010 1010 1010 101	20	24 197 197 197		2425	25
		m	ſΩ				1435	-55	130 150 150	15	1 1 1 1 1 1	ທ	PE 24	-13	15241	-13
	10	420	4	47			1177	-19		~	11 11 2000	-16	21111 41047	-28	24455 2000	-38
	•	520 -3		47		39	2114	18	1 TM 1094	-10	1010	-21	1111	-26	-203	-36
	9	643 -3	Ŋ	47	36	-5	11. 20.000	σ	127	ŗ	2425	-23	1 4 4 4 6 6	~	mart.	-15
	3	792	4	74	0.01 €0.00	6	1410	-7	14 14 14 14 14 14 14 14 14 14 14 14 14 1	6	7117	-35	1117 6000	-23	\$010 \$010	-22
	8	9.74 8.10	100	47	* # # # # # # # # # # # # # # # # # # #	18	1122	rv	7,000	1.	3222	-27	4468	-13	1220	-11
	619.	1179 -3	ស	47	W@@@	14	144	16	N41 0404	7.5	1 M 4 M M 0 M 0 ·	-36	1111 5440 5440	-50	1111 4470 6440	-38
	X.	* YE AN	STDV	Z	೧೩ರೂ	10	774B	92	864°2	30	water www	6,0	4444 0440	50	MWWW MAGE	69

\* MULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TAGULAR VALUES BY 0.81 TO OBTAIN CORRELATION COEFFICIENTS

A CANADA MARIANTA NA PARAMANTA N

Table B2, Kwajalein-Correlation of January Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM MEAN STOV

		99	311	37	34												
		56	797	37	35												33
		26	31	34	4											35	86
		40	7.0	33	<b>‡</b> 5											3 <b>©</b>	<b>~</b>
		25	818 -6	28	÷,											87.0 80.4	83
		53	5.51	28	<b>?</b>											825 525 525	<b>5</b>
		9	134	22	4										29	でいるな もとうし	45
		9	175	88	4									20	96	92226	29
		3		23	45									45 61 1	63	งงกก กพกก	27
		45	36.3	20	4									<b>ക</b> സസ പ്രക 4	99	4000 4000	ņ
		9	+0+ 101	21	\$									4470	96	464W 7000	53
	w	<b>67</b> )	533	18	2 4								22	いものい	<b>‡</b>	たたらら トトラの	ţ.
	ALTITUDE	36	725	16	45							55	36	25 25 26 26	25	2252	38
OF VALUES	ALT	34	930	18	45							55 54	<del>1</del> 7	<b>8358</b>	37	40.11 60.70	9
A V	EACH	32	133	17	45							au സ്വ	57	33222	ň	ramo	7
		30	24	<u>6</u>	¢1							3440 3440	1,4	1101 5004	52	1447	-32
STANDARD DEVIATION	VALUES	28	24.8	15	+ 1						20	04860 04860	€0	\$5.4 <u>5</u>	22	111 111 111 111 111 111	-20
735	. Y	26	345	18	0+					99	61	Seme	7	7007	7	3346	-25
DARD	BER OF	24	101	12	41					37	21	4997	36	400m	<b>*</b> 1	たいいい	*
STAN	NUMB	22	459	M	45					244 444	ထ	41	9.1	0994 0994	-11	1440	7.
STOV	2	20	934	15	45					$\frac{1}{2}$	9	7222 2227	Э	യയ <b>യ</b>	7	10°0	*
ST		<b>₩</b>	141	28	45				15	8 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	1172	-20	1223	-37	1111 2442 8542	-29
		16	199	10	45			55	12	0440 4440	17	1276	.5	24HB	-32	MH00	-37
		7.	261	ĸ	4			5.0 7.0	^	274 111 9	17	9114	23	248 248 248	æ	6047 6047	~
		7,	332	Ŋ	45			644	17	4100-1	ī,	2112	7.	44 N	-5	4 2000	-
		16	110	4	4			274 -10 -37	28	4040			16	1 0 1 0	۲	ທວກທ	9
		•	516	r	45		28	MINE	<b>~</b>	5544	-10	480m	-12	1095	-22	7111	-20
		9	63 83 83	4	42	7	6			044 044 0000						100t 1004	
		4	786	4	45	22	17	4892	•	1755	13	4211	-24	4600	12	# 400 440 440 440 440 440 440 440 440 440	~
		2	469 13	Ŋ	77	37	7.0	7010	Φ	0011	4	₹5.45°	-16				
		. 638	1167	15	7 9	441.1 7740	თ	►@OW I	:	4099 1099	52	4 7000	-1	1 1	m	1111	-27
		Ŧ	* NE AN	STG	2	0000	93	744m	20	00 OF 10	30	0.400 0.000	<b>6</b> 40	0.40E	20	សមាល សង្ខសិស	62

\* MULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

North the thirthment of the Kanada and the contract of the con

1470

(Cont) Table B2. Kwajalein-Correlation of April Density (kg m<sup>-3</sup>) From Surface to 60 km

STANDARD DEVIATION OF VALUES IN PERCENT OF MEAN TIMES IN HEAN AVERAGE OF OBSERVET VALUES
STOV STANDARD DEVIALIEN OF YALUE KILCHETERS ABOVE SEA LEVEL

ĭ

	ĭ	*HEAN	STOV	z	CH-ST-CH-D	10	<b>7300</b>	50	さらささ ひ * 4.5	30	CU GO EN CHICKICH	C ¥	ユユユユ いさのめ	50	<i>സസസ</i> ഗ140 <b>മ</b>	60
	.638	1155	9	34	<b>NH</b> 80H	16	41 H	-36	111 111	-23	1140 140 1403	-13	14000 11	φ	2000 #11 1	34
	2	36 1.05	ĸ	34	665 7465	36	N# 2-0	7	128 128 121 128	57	2011	-13	1233	-34	1111 0400 0400 0400	110
	*	100	4	34	50 00	75	3 MW 3RHW	-7	7221	-21	1410	-19	1227	-t	1111 1234 1244 1344	r
	9	946	ů,	34	55	43	494 6	• 5	1111	-21	2466	140	MARK AGEO	-30	1111 1111 1111	7
	•	517	3	34		53	w 01 ₩40₩	-22	-23	-23	2463	•	1111 0600	+5	400F	- 18
	10	41.3	4	34			Φ <del></del>	-10	1410			-	1111	- 38	4044	-36
		ω, 1		34			#W.F	13	V-40W	- 2	200 4		11211	-12	30M0	111
	77	262	r.	34			233	-11	7044	1.3	30MH	4	711		-mon	*
	16	197	0.7	34			**	31	2000		ልተ ተ ወሳየው		107			٥
	13	651		*				-5	M144444	53		13	4000 4000	3	H HH	7
z	20	936	12							75	4 24	16	N-1-1-1	52	11.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00	92
N D		553	11						S S S S S S S S S S S S S S S S S S S	17	20.00	~	4440	7	0444M	31
3E.R		£ 6.3	13	32					833	35			SWHV SWHV	36	120 MM	27
NUMBER OF WALUES	26	34,4	20	32					2	52	## ## ################################	~	17000	92	1227	-13
ALUE	29	6 1 3	13	32							いっちょう			٥.	NU I	-23
S A T	3.0	102	16	33							Ø₩-M	C) Fr	5894	19	21 420 400	-29
E ACH	36	44	16	33							9000		2844 2844		2000 2000 2000 2000 2000 2000 2000 200	2
	34	91	4	33							995	55	1000 0000		N N N D D D	54
ALTITUME	36	734		33							32	65		45	1234 1436 1436 1436	à
ω	**	77 + 1 ₩10	7	33								16			(U)	<b>K</b> 7
	4.0	409	54	33									~~~~	67	ტისტ ტივტ <u>ი</u>	
	45	311	200										500 500		0.0 <i>NN</i> 0030	•
	3	240	53	33									56	57	ያውው የሚያ	64
	9	106	7	#\ #1									77	65	これでも	62
	40	14	13	33										36		76
	53	113	25	33											\$47.5 \$47.5	75
	55	8.85 9.	23	P)											\$ 00 100	75
	54	72.	2.	£)											44	7.5
	96	5 14 14	23	32											93	82
	58	433 -6	5	31												9
	99	337 -c	27	7.												

\* HULTIPLY MEAN 97 INDICATED NEGATIVE POWER OF 19
\*\* HULTIPLY TABULAE VALUES 87 0.01 TO 09TAIN CORPELATION COEFFICIENTS

A TO THE TOWARD THE SHARE ON A CONTRACT OF THE PROPERTY OF THE

(Cont) Table B2. Kwajalein-Correlation of July Density (kg m<sup>3</sup>) From Surface to 60 km

KILCHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM MEAN STOV

			ý	321	, M	. 4	3											
			35				}											95
			4				:										6	20
			75	699		,											727	2.2
				2,5			}										200	22
			52	651	, 4		;										44.09	22
			87	71	27		:									91	325c	73
			9	₩:0 10	2.	31									**	77	6779	2
			\$ 7	238	92	33	;								795	22	V 40 40 40 40 40 40 40 40 40 40 40 40 40	52
			<b>4</b> 2			31	}								27 m	20	V2 97	92
			0	4 44 00	5.0	31									665 765 765 765	25	26.70 26.70	11
		LL?	•	524	17	3,5								4	ተመታል የኒኮውኒስ	8	2222 2354	<b>1</b>
		AI.TITUDE	36	754	91	**							4	<b>*</b>	7367	4	33364 33364	23
'n	LUES	AI.T	34	102	16	33							0.03 0.31	*>	2500 2500	10	tives.	~
	OF WALUES TIMES 10	E ACH	32	38	10	**							2667	7	ოდდი	~	HOMM	13
,		¥	30	167	14	33							4474	4	400g	m	711	2.2
,	STANDARD DEVIATION IN PERCENT OF MEAN	VAL UES	28	254	11	3.0						52	<b>3000</b>	16	4400 0 +40	7,	0m66	£ 4
,	NT O	0F WA	56	349	19	26					1,	4	1 0000 1 0000	37	7005 7007	39	2575	20
,	EACE		54	473	10	29					\$0	m	25 37 37	84	4884 6888	20	3000 4000 4000	37
•	STA	NUMBER	22	4661	σ	36					804 804	31	MFNW	45	2000 1000 1000	38	34046 4046	<b>\$</b>
	STOV	z	20	933	12	31					₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩	32	2200 2007	45	2544 2544 2544 2644 2644 2644 2644 2644	32	たるで な た は な た	54
	ς.		18	134	.9 -1	31				·D	まるはら	80	ちまよこ	30	24.40 8440	36	SHOW	59
			16	134	12	31			~	20	2002 2002 2002 2002	42	これまち	37	2447 4747	34	7200 7200	31
			7,4	252	•	31			नुव	-11	4445	27	NONH HHNM HHNM	-33	1111 1000 1000 1000 1111	-29	2636	-35
			12	3,4	3	31			46.0	9	111 444 446 446 446 446 446 446 446 446	- 18	77 TH	ç	1 14 10000	Ŷ	1000	- 30
				€M 41	.7	31			4440	-15	1,007	-	4014	*	2111 2000	-19	1107	-30
			60	518				73	4001	-11	144	9	7700	9-	0.0.0.5 0.0.0.5	CJ		- 10
			ø	549	4	31		30	MEGNI MUMMI I I	~	1111 0444 2443	<b>P</b> ,	0.000m		# 0000 # 000	3	240t	-36
			4	790	4	31	71		11. 30000	7	4120 4040	1.	12007	-50	4004 4004 1111	-41	0400 0400	-43
			~	969	m	31	78 356 32	64	244 2024 24	-29	1111 1011	-20	13 pr	-58	£6450	74-	0400 0400	-51
			9000	1170	3	31	2005 4000	14	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-24	HUUNN WOON	-29	0049 0049	-34	1111 1111 1111 1111 1111	-36	0410 0410 0440	-51
			ž	• ME AN	STOW	7.	0140 <b>0</b>	70	NAME HHHH	20	0440 0000	30	N.3-00 MMMM	.7	0400 0400	20	មាមម្ចាប់ មាទិសិទិ	53

\*\* HULTIPLY TAGULAR VALUES BY 0.01 TO 03TAIN CORRELATION COEFFICIENTS . MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

TO THE PROPERTY OF THE PROPERT

(Cont) Table B2. Kwajalein-Correlation of October Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM MEAN STOV

The state of the s

			X X	* ME AN	STOV	z	N400	10	N440 HHHH	20	00000 0400	30	NMNN N300	0,	1111 U100	20	<b>ທທທທ</b> ທ4 <b>ດ</b> ຄ	60
			.338	1167	rv	0,	<b>2024</b> 20070	54	444 2000	+1	W 1 1 W	-29	1111 WWW.01 (V.J.&)(V.)	-4.	00000 1440 1111	-29	0000 00000 1111	-35
			2	696	m	97	# KAR	41	1502		111 2040 4080	-21	4440	-45	450 3650 3650	-	2004 1004	97-
			4		M	<b>t</b>	4 4	25	9500 111		41.01 600.2:00				POWR.	-	00E+	-34
			9	6 t 3	4	t 0	65	66			4445	-12	00000 00000	-29	22480	-17	2577	
			•	518	3	40		2			707 101				152			
				41 41	4	0,				-45	HM DH HHH	~	048H	-18			1111 2245 2474	-30
			21	334	r	7			1144	-24	4004	92	110 100 100 100 100 100 100 100 100 100	۲۲ ۲۲		-17		
			<b>1</b>	252	•	9			8 H	31		* T	4074	6	222	-22	9440	~
			16	196 -3	10	40			(c)	54	4440	-29	1424	٣	1474	-10	กมกับ	
C	210			137		ţ.				<b>5</b> ,	2444	-19	9250	-10	1111 11111 11111	- 30	\$0000 1111	-21
	>	z									2022	렴	4600	m	# # £250	?	์ รุวกกั	22
1	NA NA	NUMBER		65.9							EE4 0	11	222	37	8404 0048	27	4000 0040	23
	NOARO DEVIA	ER OF		4°10							ሙ የአፋ	29	25 25 25 27	30			7644 4644	
5	NTEO E	FVA		343							<b>9</b>	21	\$404 8444	;'	mmery 1	-11	44K9	†
2	FATI	VALUES		250								12	<b>6444</b> 6	27	こままる	M	ያ የ የ የ የ የ የ የ	10
_	A PINON	A T		193									24.06 34.06	32	808/3 808/3	56	ここのも	27
4 20 00 0	THES :	E ACH		135									23.00	26	2668 2668	52	33H9	35
2	L VES	ACH ALTITUDE		97									41	74	24 mg 8	<b>.</b>	W44W WW44	24
		I TUD		7. 1.13.		33							25	24	たいらい たいのか	53	<b>シェック</b>	52
		L.	¥ £			3,								20	1 46U 2000	96	200000 200000	52
			0,4		77	39									600°			
				317 2	92	3,2											4040	
			1	244 1	\$	39									4.0	4		
			46		23										60	7.0		
				140 1-5												91	0400	
			53	114 8	56	33											4400 4400	
			25	95 1	Ħ	39											971	
			3,0	2 P	34	3,9											30 70	96
			26	554	35	35											95	35
			ω 0		35													46
			96	340	35	3												

a reaction of the contraction of the first contraction of the contract

\*\* MULTIPLY TAGULAR VALUES BY 0.01 TO OBTATA CAPPELATION COEFFICIENTS

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 13

Table B3. Wallops Island-Correlation of January Density (kg m<sup>-3</sup>) From Surface to 60 km

The state of the s

	9	293	9													
	58	376	, 10	M	}											86
	56	486 66	, 6	9	;										9	93
	54	627	, 0	3											95	91
	52	6 01	, 74	4	!										464 669	87
	50	102	4	4	:										<b>0.0000</b>	26
	4	1.30	4	*	!									91	3 3 7 00 2 4 7 7 00	92
	46	167	, 3	7	:								S	75	もできる なでされる	Z
	3	216 -5	42	47	!								262	90	ಕ್ಷಾಗಿ ಚಿತ್ರ ಕ್ಷಾಗಿ ಚಿತ್ರ ಕ್ಷಾಗಿ ಚಿತ್ರ	23
	4	160 100 100	14	ħ	!								<b>0.49</b>	24	2010 4026	44
	4	379	50	4									あっちょう	28	00 1 4 000 4 to	28
w	<b>E</b>	500	4	4								9.5	67450 4760	54	4 I 0\004	10
ITUO	36	6.59	m	4							78	81	35.54 55.54	18	2004	m
KILDHETERS ABOVE SEA LEVEL AVERAGE OF OMSERVED VALUES STANDARD DEVIATION OF VALUES IN FERCENT OF MEAN TINES IG NUMBER OF VALUES AT EACH ALTITUDE	*	936	36	43							44	65	SE S	12	1 41 0.6000	-19
AVERAGE OF OMSERVED VALUE: TANDARD DEVIATION OF VALUE IN FERCENT OF MEAN TIMES WUMBER OF VALUES AT EACH	32	128	53	43							<b>&amp;&amp;</b> 4	35	244 265 265	++	400000	
SEA VED AN 1	33	175	2.5	m T							6000 0000 0000	σ	ທານທຸດ	-7	4004 8408	
ABOVE SE. OBSERVED OF MEAN ALUES AT	8.8	241	23	£,4						91	20044 2000	-13	N000	70	onno mmn s	. 69-
ERS A OF O	56	331	22	45					M)	73	40 40 9049		-0000 -0000		4000 4000	- 65-
KILOMETE AVERAGE STANDARG IN PERCE	35	452	25	Ŋ					96		4041 4040		400A		0000 0000 0000 0000 0000	- 55
KILC AVER STAN IN P	22	638	0	7					₽₽₽	4	5040		emere 1	<b>-</b>	0.4E0	0 1
HEAN STDV	20	874	59	7					747 60 60 60 60	53	2242		2111 2000 2000 2000	- 12	11:1	- 55
* # 15	10	122	39	<b>M</b>				95	ብብብሚ ኅርክብ	55		9	Phmi	'n	MMGN	14-
	16	168	4	4			76	8	からなる これので	4	2000 2000	9	<b>030</b> 0	13		-23
	7	227	4	3			97	73	0014 t & & &	.;	2000 2000 2000	m	4511	15	~~1P	- 53
	12	310	51	<b>3 3</b>			0 <b>0 0</b>	67	44kk 0000	34	0000 0000 0000	9	M440	m	(NP 40	-35
	70	414	35	ż ż			4400	70	PEME NGOO	9	4 4 4 4 6	P	onoe HHH!			
	•	524 -34	15	<b>3</b>		9	<b>4000</b>	25	FURNIA NGON	46	2000	7	99M4	#		25-
	ø	658 138	10	1	25	6	4465 60000	6	こまち	11	111 M400	-23	rams 11	7	111 111	0
	4	924 -3	16	<b>\$</b>	20 S	-74	1111 00000	-72	1111	-37	1111 2000 63165	-14	といいさ		4 0000	92
	n	1029	92	ţ	* 0.00 0.00 0.00 0.00 0.00	-75	173	-76	1111 1000 1000 1000	-45	9877	•	9799	-1	4 5000	92
	916	35	23	; *			สมเสม ตามตอ	37		**	4400 01 FB	53	DE KON	2	Medelos 1 1	9-
	ж.	*MEAN 12	STOV	z	onen '	•	Narwap	•	••••	•	0.3.0.00 (MINCHIN	•	• • • •	•	ស្រាស់ ស្រាស់ ស្រាស់	09

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TABULAR VALUES BT 0.01 TO OBTAIN CORRELATION COEFFICIENTS

Table B3. Wallops Island-Correlation of April Density (kg m<sup>-3</sup>) From Surface to 60 km

	9	-	4	30	}											
	58	40 VD	53													45
	56		9	43											26	76
	54	929	‡ ‡	64											9.00 19.00	76
	52			40											225	35
	50			60											0000 00013	99
	9			4										36	8456 8456	32
	9	180	4	•									95	93	60000 60003	52
	<b>3</b>		17	47									<b>3</b> 0	8.8	<b>60000</b> 50440	29
	45		4	4									40°	83	7777 7807	5.8
	3			4									0000 0440	4.6	7667	52
tu)	K)	538	35	40								76	物のもの	28	792 758 758 758	52
ETUB		722									93	82	7563	2	4955 4955	49
A LEVEL VALUES OF VALUES TIMES 10 EACH ALTITUDE	34										0.40 0.00	22	740F	65	26.62	69
AVERAGE OF OGSERVED VALUES STANDARD DEVIATION OF VALUES IN PERCENT OF WEAN TIMES IG	32	132									46.9 17.00	99	nuun oten	99	ເປເປັນຕຸ ຄວາມຕຸດ	29
	30	0 t									3788 3788	6	4000 4000	54	യയയ യർ	25
SOVE SSER IATI	82	7.5		•						4	6750	20	iksn ttt	64	といなべ	<b>\$</b>
A S A S A S A S A S A S A S A S A S A S	26	339		74					99	64	2446 2000	20	7000t	25	mate teet	0
	54	4 62							R.W. 8244	23	#3465 #3465	~	9571	4	\$10.00 to	53
KILCMETE AVERAGE STANDARG IN PERCO	22	644 141		47					<b>ω40</b> <b>ωοιο</b>	19	# 44 # 64 # 64 # 64 # 64 # 64 # 64 # 64	17	4472 2000	13	ಮೊ.ಗುಹ	<b>1</b>
	20	168		<b>\$</b>					P 9 + 0	σ	mmeri Hiri	07	404 2440	12	<b>₩</b> ₽₽₽	12
KH HEAN STOV	8	124		9				88	940P		1000	•	កាសជា	13	<b>4**</b> #	6
	16	170		<b>6</b>			<b>©</b>	93	4004 4004	σ	OPINO OVIN	19	4400 4704	20	0000	16
	31	23.2		4			737	99	1004 5000	19	このほう	22	4400 4759	62	さまさら	52
٠	12	31.0		0,7			\$2 20 20 20 20 20 20 20 20 20 20 20 20 20	64	244 7550	77	4000 4004	20	2222	ŧ m	000m	đ,
	01	417	23	9			60 W W W	7,	1014 1014	7 7	0946 0460	52	22,76	37	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	37
	•	528	14	4		61	3474	-18	\$25.3 000 1	15	0000t	r	See and the see a	13	4445 6265	12
	ø	65.	11	9	55	ß	44.4W	-	1 404 የሆንተ	^	लन( <b>ए</b> ड । नन्न	13	7297	9-	Print	-:
	4	914	12	9	<b>6</b> 0€								estest Interior			. 19
	8		23	3	# 031 # 031								1271			- 22
	015		52	•	0000 0000	-1	5445 5454 1111	-45	1 04 0400	6	4 44 0004	15	runn	0	ณฑฑษ	-10
	·	E AN	STU										0440 0440			60

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TABULAS VALUES BY 0.011 TO 037AIN CORRELATION COEFFICIENTS

THE PROPERTY OF THE PROPERTY ASSESSED TO DESCRIPTION OF THE PROPERTY OF THE PR

Table B3. Wallops Island-Correlation of July Density (kg m<sup>-3</sup>) From Surface to 60 km

KILCHETERS ABOVE SEA LEWEL AVERAGE OF OBSERVED VALUES

KH MEAN STOV

是一个时间,我们就是一个时间,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们也是一个人,我们就是一个人,我们就是一个人,我们也是一个人,他们

		99	352	33	18												
		28	127	47	36												96
		26	574	t,	34											4	75
			734													26	16
		25	933	7,5	37											8000 8000	35
			119													\$000 \$000 \$000 \$000 \$000 \$000 \$000 \$00	6
			122												96	0.0000 0.0000	<b>6</b>
			195											35	88	00000 7400	28
			253											9.6 8.9	92	2000 2000 2000 2000 2000 2000 2000 200	73
		4	33.2	32	37									<b>60 20 60</b>	9 9	<b>00000</b>	28
		40	3 1 4 1 4 10	31	37									<b>36.00</b> 0.004	90	<b>20000</b>	13
	w		500										93	<b>80 80 80</b> 00 0.41 60 23	90	00000 120 120 120 120 120 120 120 120 12	9.2
	ALTITUņE	36	786	51	£;							96	2	98870 98870	96	<b>6666</b> 0 60001	ξ.
		34	106	21	37							<b>60.40</b> 40.01	87	4470 9500	28	7778 7871	16
7 147 .	EACH	32	143	20	37							<b>666</b>	96	7488 7488	28	7777 7777	22
E	A	30	194	1.8	37							MEM0	92	7465 7465	99	<b>0000</b>	3
5	<b>VALUES</b>	28	264	17	37						3.0	たらでた イイイン	7.0	69 7 7 8 8 8 8	70	ውውውው 4400	33
> -			360							₽? ©0	20	800VV E 1,4W	7.1	64 64 64 64	2	ちもちら	32
	ER Gr	54	984	12	37					756	75	7.00°C	25	4444 4444	8	ひとての	32
5	NUMBER	22	673	12	37					702	67	7000 2000	28	<i><b><u>wwww</u></b></i>	28	ທານທາກ ເຄືອດຄວ	23
	z	20	934	11	37					8999 888	53	₩₩₩.3 ₩₩₩₩	94	5445 5445	52	<b>സസരര</b> 4403	53
		18	133	77	37				61	ຄຸນຕຸດ	£	50000 50000	23	64100 84100 84100	33	22 22 23 24 24 24	11
		16	184	17	37			75	36	2117	m	41	-3	2114	4	అంచా	<b>*</b>
		14	254	18	37			46	5.	2464	ţ	40MH HH	8	4440 4440	7.	ままれ	20
		12	80 10 10 10 10 10 10 10 10 10 10 10 10 10	σ	37			301 04M	ņ	22 52 50 50	ĸ	& N N N	-9	1024	ï	4446	35
		7.0	420	^	37			2222	-	414 wenn	ţ	9400	-20	2122	-15	2277	-5
		•	512	9	37		7.7	7500	٢	MIN 340	-18	#1 177 117 177	-17	1117	97-	1111 0443	-35
		9	Ō	۰,٦		99	<b>6</b> 7	24.08	12	22.2	6	1 1 1 1 1 1 1 1	3	5000	-11	22011	-13
		3	798	9	37	<b>⊕</b> ≀≀ ∨\r\	45	4401	9	4000	-16	1111	-15	4140	-22	2111 2400	14.
		8	986	•	37	なられる。	32	4021	1	4444	~	<u> </u>	•	100 t	12	₩.	-16
		.315	1192	7 7	3.7	7907 2007	14	101	7	240.4	m	1 4 ጭክስው	3	014 0147	12	#®&√ #	ņ
		ĸ	• HE AN	STOV	z	OD CE LO	10	<b>4346</b> 4444	55	0340 0000	30	timesta Cratano	07	4444 W4MB	20	անան արգու	60

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 18 \*\* MULTIPLY TAGULAR VALUES 5Y 1.81 TO OBTAIN CORRELATION COEFFICIENTS

TO THE PARTY OF THE PROPERTY O

(Cont) Table B3. Wallops Island-Correlation of October Density (kg m<sup>-3</sup>) From Surface to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KH MEAN Stov

			79	309	80	56												
			58	395 •6	69	35												92
			26	500	63	39											66	82
			54	94 10 10	61	4 3											96 76	93
			52	8 23 -6	25	7											800 800 800 800 800 800 800 800 800 800	82
			20	106	25	43											9937 7255	77
			3	136	25	43										98	0.400 0.400	76
			46	176	64	4									6	16	0.0000 10000	29
			4	232	4	43									*46	88	00000 00000	*
			45	36.7	39	t,									Q Q Q	96	\$000 ¢	7
			40	110	34	P)									りきゅう ますごろ	82	22.22 22.22	59
		w	<b>40</b>	551	27	M 7								8.8	4840	79	STORY STORY	34
		al TI TUDE	36	747	25	43							#/) #0	76	5666 5656 5656	22	######################################	53
,	OF VALUES TIMES 10		40	101		M 4							200	99	<b>30000</b> <b>1000</b>	6	0-040 0-040	25
	I MIN	E ACH	32	137	17	<b>1</b>							5546	22	0.40.3 0.40.0	‡	448B BONN	92
)	SS.	A	30	186	87	w,							多るもちょうころ	3	anan Marn	36	<b>さらなる</b>	56
	ANDARD DEVIATION PERCENT OF MEAN	VALUES	28	253	16	3						5	001N	38	ちゅうさん	22	でまされ	m
,				345							1	7.	のできた	52	2422 2422	54	2004 2004	19
	ERCE	BER OF	24	14	16	7					27	52	2544 2544	7.	STATE OF THE STATE	15	<del>ನ್ನು</del> ಬಿಟ್ಟರ್	~
	IN AN	BHON	22	652	17	4 2					ಕಾ <i>ಬಗ</i> ಬಹ3	3.0	800 H 8468	15	44 6/100	6	<b>대표</b> 하진 위하다	10
	STDV	z	20	81 6 7	20	42					8744 8744	30	ಕ್ಷಣ್ಣ ಕ್ಷ ಕ್ಷಣ್ಣ ಕ್ಷ	15	<b>40</b> 000	m	ຄນ <b>ຈ</b> ນເບ	0
!	S		19	127	<b>5</b> 6	43				75	ひとみよ さをよう	20	21.03 21.03	σ	the tr	4	<b>0001</b>	~
			16	179	33	3			93	9 6	BOWN HBOK	13	351.2	^	യെറ്റം	•	444 4000	ĸ
			4.	24.5	30	3			0.0 800	73	95550 9455	15	94. vi M	17	244 24 24 24 24 24	11	4546	13
				328		\$ \$			400 A	33	24 460	.5	144. 1000.	•	<b>១១៤</b> ។	*	~	ĸ
			10	420 130	10	<b>5</b>			# 10000 1000 1000 1000 1000 1000 1000 10	15	##60	Ģ	0000 101	-15	1141 RUM#	6:	9860 1111	18
					6			73							on in			
			ø	651	11	<b>3</b>									00000 00000			
				806											00000 00000			
			8	998	15	7 7									mmh.s andre			
															<b>3000</b>			
			•	~					*****	Ē	Ĭ I							
			Ŧ	PHEA	STOV	Z	വഷത്ത	01	N4M80	50	0000 0440	9	CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CONTRACT CON	0.4	4444 0440	20	กระก เกราะก	69

\* MULTIFLY MEAN BY INDICATED NEGATIVE POWER OF 10

New Property of States of the States of the States of St

Table B4. Churchill-Correlation of January Density (kg m<sup>-3</sup>) From Surface to 60 km

A STATE OF THE PARTY OF THE PAR

KILCMETERS ABOVE SEA LEWEL
AVERAGE OF OBSERVED VALUES
STANDARD DEVIATION OF VALUES
IN PERCENT OF MEAN TIMES

KH HEAN STOV

では、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmのでは、10mmので

	9	220	146	3												
		286		7												46
	26	372	163	\$											66	93
	54	479 	160	9											99 69	96
	25	625	154	46											999 978	96
	20	91¢		46											00000 00000	91
	40	108		46										45	0.40.40.44 NQ:07.44	<b>1</b> 6
	4.5	41	150	9									98	95	2266 2000 2000	70
	\$ \$	191	153	46									937	<b>†</b>	8448 8448	₩ 12*
	£ 5	256	144	46									DMF	26	&0000 \$4136	23
	0 7	347	136	4									2006 2770	66	ಗಿಸುತ್ತಿಸ್ಕ ನಿರುವಟ್ಟ	52
E	3,8	471	129	\$ \$								99	4000 4000	96	4200 4200	47
ALTITUNE	36	641	126	4							86	46	1000 to	62	をみひみ ながらさ	ż
	34	681	118	<b>4</b>							9-9 4-49	35	7000	62	これできる	30
E ACH	32	120	100	46							999 975	4	0000N	61	04MM 6467	37
A	30		95								ውውውው የአየላ	4	4400 600 600 600 600 600 600 600 600 600	9	N-SPN HIVDN	37
VAL UES	3.8	22.4	44	<b>t</b>						86	တ္တရာရာ တလတလ	90	2525	9 6	TOWN CONTRO	58
	92	312							<b>%</b>	4	0.000 p	69	<b>0000</b> 0 <b>0300</b>	4,	80000 80000	17
ER 0F	54	439	93	23					6.0 6.0	9,2	242 247 247	50	2000 2000	10	されてロ	:
NUMBER	22	165		59					母母 もまち	7.2	WENU USANU	23	4444 0404	17	7007 444 I	+
z		906							9987 9440	29	03E0	12	ക്കല	~	MMME H	•
_	9	109						51	名とよる	51	なるまな	13	2010	2	\$000±	-10
	16	148	20	46			<b>80</b>	60	なる でもしゃ	30	2434 2434	40	ოოდთ	01	***	†
	7.	201		20			88 88	35	ままるで	20	222	-1	10000	10	3020	0
	7	273	25	20			2~3 0.00	17	M40.5		3 HAY 1 HAY 1 1 1	-14	3303	;	<b>พถ</b> สท	ï
		375	9	56			4480 4480	σ	MON	-					7041	7
	•	511	32	20		99	**************************************	٥	74ND	'n	\$ <b>N</b> IN	7	1111 0440	~	7777	-
	φ	666	12	20	55	33	000 m	4	944 <b>8</b> 404	17	もまれ	•0	04NO	9	1114	9
					91											
					04.6											
					rw I nore											
			STOV	z	೧೩೬೮											

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10
\*\* MULTIPLY TABULAR VALUES BY 0.011 TO DBTAIN CORRELATION COEFFICIENTS

(Cont) Table 114. Churchill-Correlation of April Density (kg m<sup>-3</sup>) From Surface to 60 km

KILCMETERS ABOVE SEA LEVEL
AVERAGE OF OBSERVED VALUES
STANDARD DEVIATION OF VALUES
IN PEGCENT OF WEAN TIMES IN

KM HEAN STOV

A STATE OF THE PROPERTY OF THE

	:	9	299	83	27												
		φ 9	382	79	34												100
	i	26	487	2	35											6	5
		<b>3</b>	622	70	36											00 00	86
		25	794	<b>9</b> 9	36											000 000	86
		5.0	105	60	36											0000 0000 0000	96
		3	110	95	36										86	ሌሌራቂ ኞጜጽች	<b>3</b>
		97	168	8	38									86	25	<b>3344</b>	91
		3	22.	4	38									99 50	93	<b>40000</b> <b>40000</b>	4
		45	291	u,	3.8									0.00 0.00	92	4460	85
		?	300	47	38									<b>4600</b>	73	\$\$\$\$ \$\$\n^2\n^2	2
<u>u</u>	,	38	524	36	36								46	840× 540×	60	ttww ttww	55
EACH ALTITUDE	•	36	711	34	38							26	53	2565	45	0044 0044	42
\ \ \ \		46	969 15	31	38							2.00 3.00	5.8	2425 2072	3.6	೧ ೧ ೧ ೧ ೧ ೧	24
FACH		32	133	2%	38							0.000 0.000	52	12.24 10.40	15	<b>6</b>	91
		30	195	۳) ښا	3.8							<b>できたさ</b>	47	いている	61	44 www.	17
TA PRINT	2	82	24.9	22	3.7						6.9	ರತ್ತು ಕಾರಿಕಿ	5.4	Surati よるのは	ř	とうごろ	<b>9</b> 2
A 10	:	26	## ##	20	37					26	7.4	\$0000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000 \$1000	25	የተተተ የክክረት	#	とうまさ	27
0.3	5	<b>5</b> *	120	20	30					72	2:	2644 2466	7,	20.44 0406	20	<b>EFEE</b>	4
Minne		23	625	1.8	9					<b>607.0</b> 0.00	59	O STATES COUNTY	34	333W WR40	4	るではまる	36
3	ŧ	20	851	20	42					かかかい	17	まえるも	35	なななな	42	SE S	3.8
		18	116	54	74					OP-FILE Control							
		16	4 10 10 10 10 10 10 10 10 10 10 10 10 10	\$	24			9.6	35	のようち	11	ONU Christin	36	7444 4456	*	4444	4
		7	212	25	2 \$					<b>むら</b> なる よらめり							
		7	200	32	42					らちゃこ たななる							
			49°							404W							
			٠.							4500 6000							
		•	666 43	٠,٦	42	53		•									
		*	8 8 8 8 8							9774M 0044 1111							
		~	1050	15	42	* KWW.	-47	1111 4550 6406	-47	1111 BW011 RUND	-14	4004 HH00 1111	£,	1111 444b	-34	IIII SALANDO CAUCARO	-37
		.035		3.1	<b>6</b> 2	<b>とでまる</b> ももがと	-12	ANDH NARM NIII	- 40	111 PM1 PM3+	6	2 -400 1 +10 1 1	-28	ಥಲಾತನ ಶಾತಿತಿತ (1)()	9	Orthod Manus IIII	-39
		Ī	• ME AN	STOW	7	030E	10	4444 4444	20	ころころ	30	N-2100 10171919	0,7	1411 U140	<b>2</b> ,	いかかめ いろからい	9

+ MULTIPLY MEAN BY INDICATED MEGATIVE POWER OF 18

(Cont) Table B4. Churchill-Correlation of July Density (kg m<sup>-3</sup>) From Surface to 60 km

STANDARD DEVLATION OF VALUES IN FERCENT OF MEAN TIMES 10

KM KILOMETERS AGOVE SEA LEVEL MFAN AVERAGE OF OSSERVED VALUES STOV STAMMDARD DEVLATION OF VALUE KILOMETERS ABOVE SEA LEVEL

The state of the s

作

	03	365	32	15												
	28	95	53	90												36
	96	9-9-	22	52											8	32
		765													98	90
		9-66													&&. ₽	10
		126													31.31 0000	2
	•	161	25	82										69	4000	92
	9	206	21	36									35	4	9400 6400	03
	3	267	18	82									702	2	0000	92
	42	5 1 1 2 1	91	92									200 040	9	7440	Z
		150											00 W/	20	ಬಾಬಲಾಬ ದಾರ್-ಕಾಬ	3.
w		610										40	ፍውውያ 4 ቀክው	51	DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER DESER	ţ
ALTITUD		813									2	25	3225 2225	15	393h	9
ALT	34	100	73	82							75	<b>\$</b>	2010 2000	23	4000	"
EACH	32	146	12	82							800.0 800.0	3	2522	<b>83</b>	NAT-	Ŧ
A T	33	197	75	82							00.40 00.47	15	©Ned 역단다	~	h-13-1 t-111	4.5
VALUES	82	792	13	82						<b>(</b>					0.00 m mm/m 1 1 1 1	
OF VA		352							56						DON'S MUSS	
	42	404	12	27											777	
NUM 9EP	25	299	4	2.7							ಬಿಲ್ಲಿಬ್ಬಾ ಧಿಹಿಬ್ಬ				NHOM T T	
z	20	907 141	16	58					りのアち	9	アンのひ	27			2703	
	10	122	02	17				85							NI HH	
	15	166	22	88			44	93	0.00 kg まらごよ	54	AEQM UMME	25	1117	-12	1 11	-17
	7.	224	54	<b>9</b> 8			98	97	600F0 64450	56	4550 6750	16	435k	-15	4000	-25
	12	306	39	28											77.77 77.77	
	10	40 109	19	28			ಎಸ್. ಎಬನ್ಎ	3	WA 477 GA-2-4	8	6464 6464	÷	11-4F)	-30	######################################	-5%
	•	528 155	1.9	28		53	4.000 4.000	-33	5355	-25	4500	-37	400H	-24	4000 0000 1111	-39
	æ	554 = 3	10	28	9	-17	1111 00003	+24	24 AU 44	- 34	NIERO PIPERIO 1 1 1 1	24-	1111	-10	Sens Indiv	
		910					1111 4040		044W						111 111	-59
	~	65 60 60 60 60 60 60 60 60 60 60 60 60 60	12	28	£ 400 0	- 32	1000 x	-72	7637 7637	-33	04130 04130 1040	-19	25.00	•	67100	#
			21	8 2	መውውም የተመመ	•	7000 7000 1111	-28	211 11	7	Lace Lace	-59	1111 0464 4240	- 35	00000 00000 00000	-66
	×	*MEAN	ST'CV	z	<b>0368</b>	10	ಗಳಿಕಾ ಗಳಿಕಾ	50	0200 0200	73	NUTER PIESER	9	0440 1424	20	ಬಬಲಿಸು ೮13-೩೩	9

\* HULTIPLY HEAM BY INDICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TABULAR WALUES BY 0.01 TO DBTAIN CORNELATION COEFFICIENTS

TO A STATE A STATE OF THE PROPERTY OF THE PROP

(Cont) Table B4. Churchill-Correlation of October Density (kg m<sup>-3</sup>) From Surface to 60 km

NUMBER OF VALUES AT EACH ALTITUDE

STANDARD DEVIATION OF VALUES IN FERCENT OF MEAN TIMES 10

KILOMETERS A90VE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM MEAN Stov

79	245	129	33												
58	314	128	37												66
96	434	122	41											66	98
3,	519 -6	115	45											310h	26
25	673	101	4											0.00.00 0.00.00	26
	678													2000 2000 2000 2000 2000 2000 2000 200	96
<b>\$</b>	116	86	77										66	865 766 766 766	95
4	153	83	7.7									80	25	<b>Რ</b> ᲠᲠᲠ	91
;	205	7.4	4									90 90 90	96	9999 8243	90
4,2	276	99	<b>†</b>									900 900	91	0.60.50 0.00 0.00 0.00	96
07	374	57	75									00000 00000	9	<b>ಎಎಎಎ</b> ಗಿತ್ತುಬ	82
<b>10</b>	510 -5	47	4								98	99999 7114	4.0	<b>むきでき</b> こまけま	10
36	698	<b>6.</b> 3	<b>†</b>							96	36	00000 00000	28	7223	73
34	957	36	4							99	87	800Z	99	ውውውው የኒፋសស	62
32	132	31	\$							0.00 10.00 10.00	8	2253	56	WWWW POPP	25
30	181	27	<b>3</b>			•				992 787 68	99	90000 1911	<b>‡</b>	501U	45
28	243	54	\$ \$						95	6000 7221	ęź,	でななか でなかず	80	サナナナ ひとくに	to to
56	340	27	<b>3</b>					88	87	97.00 40.00	58	0011 1000	<b>1</b> 4	TTTT TTTT	39
24	410	50	34					783	81	2007	55	444 444 444	37	8448 8448	32
22	628 -4	18	40					0.00 A	75	<b>7</b> 000 0040	61	0004 4400	41	4444 00000	53
20	258	22	47					80~04 4458	56	MWW0	42	04440	20	2553 5	4
18	117	22	51				86	000W	25	መመመጥ መመመጓ	25	₩444 6449	5	44-66	27
16	158 -3	92	51			76	16	# 50004	54	20000 3004	25	でたみる いちの	42	<b>M</b> 4444	32
14	215	28	51			95	68	F-0004 00000	52	₩₩4₩ ₩₩₩	52	ちゃちゃ	38	94664 4669	28
	25.2					96 77	53	4434	46	PW PF	45	25 25 25 36	30	1200 1480 1480 1480	20
10	396 -3	27	51			24864 14984	20	4000 4000 4000 4000	55	7500 0400 0400	51	ちゃっちゃ	35	MWWW MWWW	22
•	521 -3	14	51		63	345K	#	2000 4 1000 4	3	444 644 64	37	2333 2033	21	945K	3
v	655 - 35	77	51	30	-35	1111 4000 6004	-38	1111 2000 4000	- 31	1111 1025 1025 1025	-16		-12	1111 HHHH HHHH	-14
4	828	18	51	17	-45	2000 0000	-50	1111 4666 7640	-34	1111 11222 11490	-27	2222	-18	2440	-15
~	1037	22	51	\$ 87 9.79	146	1111 60000	-56	2332	-28	122	-21	4444	-15	4444 4444 4444	-1
• 035	1305	8 2	51	ապան ապան	9-	4446	-31	MENM MMMM 1111	-28	1111 4444 7-0700	-1	1111 14087	-14	1111 4440 0000	-20
Ŧ	* PEAN	AULS	2	natue	10	(13世년 대한대대	20	00000 0448	E1 F)	000410 000410 000111	t 0	4444 0440	20	いっちゅう こうしゅう	60

THE PROPERTY OF THE PROPERTY O

\*\* MULTIPLY TABULAR WALUES BY J.01 TO OBTAIN CORRELATION COEFFICIENTS

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

Table B5. Ft. Sherman-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

KH KILOHETERS AGOVE SEA LEVEL
HEAN AVERAGE OF OBSERVED WALUES
STDV STANDARD DEVLATION OF VALUES
IN PERCENT OF MEAN TIMES 10
N NUMBER OF VALUES AT EACH ALITTUDE

\*\* MULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

\* MULTIPLY MEAN BY INDICATE' NEGATIVE POWER OF 10

(Cont) Table B5. Ft. Sherman-Correlation of April Density (kg m<sup>-3</sup>) From 26 km to 60 km

是一个,他们是一个,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个一个人,他们是一个一个一个,他们是一个一个人,他们也是一个一

A CONTRACTOR OF THE PARTY OF TH

KM KILOMETERS ABOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVILTION OF VALUES
IN PERCENT OF MEAN TIMES 18
N NUMBER OF VALUES AT EACH ALTITUDE

\* HULTIPLY MEAN BY "ICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TAEULAR VAL."; BY 8.01 TO OBTAIN CORRELATION CCEFFICIENTS

(Cont) Table B5. Ft. Sherman-Correlation of July Density (kg m<sup>-3</sup>) From 26 km to 60 km

				90	. 26 . 66	94	7.7								
					m i	ય	6								e.
				R	41	#	+								ð
				56	529	4	ξ,							96	6
				7,	676 -6	51	%							Q-60 W-4	<b>3</b>
				52	859 16	20	24							Q-60 F	79
			ALTITUDE	50	110	20	24							りきゅう	7.1
ی	v	UES 10	ALTI	4	44 15 15	20	7						95	987	15
LEVE	VALUES	WES 10	ACH	9	184	64	24					4	97	<b>\$</b> \$0.00	28
SEA LEVEL		AN OF	AT E	3	240		2					Q. Q. R. Q.	82	V00V 00V	81
ABOVE	OBSERVED	13	UES	42	317	37	24					777	70	<b>7007</b>	99
		DEVI	VALUE	9	450	34	77					866 77 74 74	7	6 <b>78</b> 7	93
ETER	GE OF	PERCENT	я 9	38	56.	56	54				82	<b>4440</b>	73	40 40 40 40 47	4
KILOMETERS	AVERAGE	ST AND		36	752	23	5			75	24	707 707 708 708	9	<b>@</b> 696 <b>@</b> 660	9
				34	105	22	57			79 67	4	4000 1000	4,2	4444 0400	5
X	MEAN	STOV	Z	2		20	54			440	11	2000 0400	26	ころろい	28
				9	186	54	72			<b>2010</b>	3	41.1	7	Nrm4	<b>9</b>
				28	254	20	54	:	79	4484 FB40	18	044D	σ	M401	9
				56		16	22	3	66	22044 2504	15	<b>0300</b>	ø	HPON	~
				¥	*HEAN	STOR	z	28	30	nama nama	04	4444 0406	20	การเก	

\*\* MULTIPLY TABULAF WALUES BY 8.01 TO OBTAIN CORRELATION COEFFICIENTS \* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 18

Words in a commitment of the end of the end

(Cont) Ft. Sherman-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km Table B5.

		9	334	<b>1</b>	4								
		88	429 691	47	G								95
		26	146	26	11							98	95
		24	6.88 -6	2,4	15							<u>გ</u> .	96
		55	875	51	12							999 852	7.8
	ALTITUDE	20	112	\$	12							<b>₩₩₩₩</b>	36
I.S.	AL TI	6 4	4 15 15	46	12						5	<b>0000</b> 0	2
SEA LEVEL IEO WALUES IN OF WALUES IN TIMES 10	E ACH	9	182	20	12					96	78	<b>2000</b> 2000 2000	91
S E SS	AT 6	1	237	39	12					60 60	9	<b>ಅಪ್ಪಾಪ</b> ಆಕ್ಟುಗಳ	35
M	VALUES	5	310	31	12					0007- 040	75	V6V6 V6WW	-57
		9	41.00	53	12					4489 4480	79	2477	-53
OMETERS A90' RAGE OF OBS' NDARO DEVIA PERCENT OF	19 FF	3.6	147	26	12				90	7779 W@WF	20	227 65 727 65	~
KILOMETERS AVERAGE OF STANDARD DE IN PERCENT	NUMBER	36	728	53	12			8	80	4000	56	<b>6000</b> 0 6040	11.
		34	974	21	12			77	85	<b>60/-00</b>	65	\$1100 \$1100	-39
KH HEAN STOV	Z	32	134	29	12			4004	43	<b>6000</b>	7	44W0 0000	-42
		30	100	31	12			4880 4806	19	ਲਜਤਤ ਜਜਜ । ।	97	44	-51
		28	243	<b>€</b>	12	:	7	F004 6844	53	40 I	6	717 717	-73
		26	333	32	12	91	38	044W 6600R	20	2 2 2 2 2 2 2 3	-31	1111 11100 1100	-79
		X	+ MEAN	STOW	z	5.8	30	พพพ ผาสะ พละ	9	4444 0400	20	വസസ കരംഗ	9

\* MULTIPLY NEAM BY INDICATED NEGATIVE POWER OF 10

Table B6. Barking Sands-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

SALL SALL SALL

KILOMETERS ABOVE SEA LEVEL
AVERAGE OF OBSERVED VALUES
STANDARD DEVIATION OF VALUES
IN PERCENT OF WEAN TIMES 10

KH HEAN STOV

	9	30£	20	26								
	29	393	45	38								96
	56	906	4	45							96	92
	2	9-	4	45							0.40 0.40	92
	25	834 -6	Fr.	<b>‡</b>							440	79
TUDE	20	106	<b>8</b> 9	41							40000 40000	9
ALTI TUDE	4	136	5	47						90	<b>インシン</b>	22
E ACH	46	174	35	47					#: #0	28	<b>4000</b>	72
AT E	<b>‡</b>	25.	37	17					40 40	49	ապետ Մետե	202
	<b>5</b>	262	33	14					<b>6</b> 666	25	40%N ないなる	9
WALUES	0	398	27	47					<b>6404</b> 0	28	9448 9668	34
e P	60 100	5.3 5.55	53	47				2	\$200 \$200 \$200 \$200 \$200 \$200 \$200 \$200	31	20044 20044	‡ 3
NUMBER	36	721	30	41			8	99	იჭოო იტდი	56	2000 2000 2000 2000	34
Ź	34	979	53	25			629	61	40%4 40%4	12	440 0440	28
I	32	132	28	47			500 750 750	20	<b>4600</b> 0	4	1000	23
	30	181	25	47			80 K K K	24	ななよら	#	epi-in	16
	2.0	24.0	23	47	:	91	ひまな ひまむ たりまる	21	2024	-16	3300 7777	M
	56	345	20			73	14077 14077	16	2204	6	97777 10111	-15
	¥	• FE AN	STOW	z	28	30	00 tu	04	(130F) 3333	50	របស់ស លង់កំខុង	90
	_	-					,	-	•			

\*\* MULTIPLY TAGULAR VALUES BY 0.01 TO DETAIN CORRELATION COEFFICIENTS

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

(Cont) Table B6. Barking Sands-Correlation of April Density (kg m<sup>-3</sup>) From 26 km to 60 km

KILCMETERS ABOVE SEA LEVEL Average of Observed Values

KM MEAN STOV

		9	331	30	52								
		58	454 -6	28	5								8
		56	541	5,4	7							8	79
		54	688 • 688	2.	45							0.40	4
		52	10	52	42							ውጭ የሳችየህ	35
	ALTITUÑE	50	112	25	42							9000	75
ues 10	ALTI	4	144	25	42						4	6772	15
MES	ACH	9	106	23	45					2	4	## DN	20
AN OF	AT E	<b>3</b>	241	20	t 3					77	4	ಕಾರಿ ಕಾರಿ	4.
ATE	UES	4	316	21	<b>F</b> 3					407	52	<b>იიი</b> ა იიი4	4
PEVI	<b>V</b> AL	0.7	41	20	<b>P</b>					いろろう	58	いひょう ものもの	4
PERCEN	8 9	38	557	17	43				£	でいい 4 44で 4	51	លលស 3 លហសល	45
STAN	NUMBER	36	7 42	10	43			92	51	3003 9004	46	<i>™™™</i>	64
-		4	994	17	43			. 65	49	4774 4446	49	ውው የ	4
STOV	Z	32	134	7	43			011 010	21	40m2	28	8848 8440	36
		30	182	#	4 3			<b>いらさる</b> そのひき	30	222 24690	20	4404 6404	-19
		رب هر.	543	77	m #	:	61	4400 4000	23	254 6440	7	4000	- 20
		56	343	77	7	70	41	4040 8894	11	987 H	7	41	-35
		¥	-HEAN	STOV	z	<b>53</b>	30	സ്വൻ വഷനമ വഷനമ	0,4	4144 0340	20	WWWW WAYOO	99

\* HULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

(Cont) Table B6. Barking Sands-Correlation of July Density (kg m<sup>-3</sup>) From 26 km to 60 km

KM KILOMETERS ABOVE SEA LEVEL
HEAN AVERAGE OF OBSERVED VALUES
STDV STANDARO DEVIATION OF VALUES
IN PERCENT OF HEAN TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

\* HULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TAFULAR VALUES BY 0.01 TO OBTAIN CORRELATION COFFICIENTS Table B6. Barking Sands-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km

KH KILOMETERS ABOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF VALUES
IN PERCENT OF MEAN TIMES 13
N NUMBER OF VALUES AT EACH ALTITUDE

. MULTIPLY MEAN BY INDIGATED NEGATIVE POWER OF 10

Table B7. Cape Kennedy-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

KM KILGMETERS ABOVE SEA LEVEL MEAN AVERAGE OF COSERVED VALUES

		60	7/9 00 1	4	30								
		23	391	42	34								95
		26	\$05 -6	33	37							. 6	5
		3,4	649	35	38							<b>0.0</b>	79
		25	830	37	39							**** ****	73
	Z DE	20	105	35	39							6 \$ 6 0 to	72
S DT	ALTITUDE	•	134	ţ	39						87	<b>もちらず</b>	25
OF VAL	ACH	94	171	39	39					20	19	440M	29
	AT E	4	221	38	39					900	89	<b>₩₩₩</b>	63
A HO		42	291 2	39	39					4000 4000	51	ቁ ቁጥው ተጨጓላው	62
EVIA	VALUES	9	390 2	35	39					SON AGE	54	7000 7000	25
HOARD DEVIA	9	38	127 3	35	39				22	eren eren	39	90-00 90-00	33
-	NUMBER	36	-15°	30	39			0	23	emper emper	20	<b>できたい</b>	23
N.	₹	34	965 7	56	39			60	53	<b>60.00</b>	20	<b>ONAA</b>	56
STOV	z	35	131 9	21	<b>6£</b>			949	52	W404	20	まるさら	*
		30	179	21	39			<b>800</b> 0	3	357	ę	1104 0603	m
		88	246 1	21	3.8	•	<b>*</b>	D0.44	-13	111 111	-17	75.00	-24
		52	250	50	98	93	-	Sep. 4	-19	971010	*	#140 #140	97
		₹	MEAN	STOV	z	26	30	NA-OB	·	กรออ		1111111 0000	•
		•	•				,	-1	4	4447	٠.		•

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 1: \*\* MULTIPLY TAEULAR VALUES BY 0.01 TO DBTAIN CORRELATION COEFFICIENTS

(Cout) Table B7. Cape Kennedy-Correlation of April Density (kg m<sup>-3</sup>) From 26 km to 60 km

MEAN MILOMETERS ABOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED WALUES
STOV IN PERCENT OF WALUES
N NUMBER OF WALUES AT EACH ALTITUDE

- MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10 -- MULTIPLY TAEULAR VALUES BY 8-01 TO OBTAIN CORRELATION CCEFFICIENTS

(Cont.) Table B7. Cape Kennedy-Correlation of July Density (kg m<sup>-3</sup>) From 26 km to 60 km

KILOHETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES STANDARD DEVIATION OF VALUES IN PERCENTE OF MESON OF WELLES

K4 MEAN STDV

69	333	3 3	31								
23	19 19 19	۲ چ	T								42
56	2.1 2.1	3.5	77							6	86
5 2	75	33	‡ \$							<b>6</b> 2	7.2
	74 01 7	28	‡							229 249	9
36 38 40 42 44 46 43 50	116	27	\$ \$							00-00 00-00	8
3	4 1 1 2	5 2	<b>\$</b>						9	<b>とももも</b>	£
4	192	26	\$ \$					4	<b>7</b> 9	4400	4
;	\$1 24 24	23	1					9-9- 0-3-	5.	440° MDQ/	u.
4	327	57	\$					<b>400</b> €	7	75 75 75 75 75 75 75 75 75 75 75 75 75 7	Ş
9	40 40	25	3					アンチョ	61	<i>ტისტ</i> აბ <i>ი</i> ინ	5
38	573	43	1				93	ಸಾಸಾಸ್ಥಾ ಬಳಗಳಾ	<del>ပို</del>	あるよう	5.7
36	77	11	\$			67	38	きょぎゅ でよる	\$	をひかる むももす	. 7
4	105	<b>t</b>	1			20	37	4445 6と64	2	0.000 0.000 0.000	2
32	73 71	#	45			ろうら	** **	247E	8	anes 1	•
30	135	13	4.5			とうちょう	23	2014V	23	toot my	•
2	260	m •4	45	:	62	ಬಿಬ್ಬುಬ ಇದಿನಿ/3	•	170,374 11 odd 11	7	1144	,
26	35.	17	3	7.9	89	3199 UNGO	-21	010777 71 710	-13	1111 4444 60 810	
I	• HEAN	STOV	z	•	2	೧೭೩-೧೮ ೧೯೩೬೪	9	గ్రాత్తం	0	೧೭೨-೧೯	•

MULTIFLY MEAN 3Y INDICATED NEGATIVE POWER OF 10
 MULTIFLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

A SOCIOSE DE SENTIMO DE LA SEN

(Cont) Table B7. Cape Kennedy-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km

The second secon

SAN THE PROPERTY OF THE PARTY O

KH KILCMETERS AGOVE SEA LEVEL
HEAN AVERAGE OF OGSERVED VALUES
STOW IN PERCENT OF WEAN TIMES IN
N NUMBER OF VALUES AT EACH ALTITUDE

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TAEULAF WALUES BY 0.01 TO OBTAIN CORRELATION GOEFFICIENTS Table B8. White Sands-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

KM KILCMETERS ABOWE SEA LEWEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF WALUES
IN PERCENT OF MEAN TIMES 1C
N NUMBER OF VALUES AT EACH ALTITUDE

\* HULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10 \*\* MULTIPLY TABULAS VALUES BY 0.01) TO OBTAIN CORRELATION COEFFICIENTS THE PARTY OF THE P

NUMBER OF VALUES AT EACH ALTITUDE STANDARD DEVIATION OF VALUES IN PERCENT OF HEAN TIMES 18 AVERAGE OF OSSERVEN VALUES KILCHETERS ASOVE SEA LEVEL HEAN STOV

2

\*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION CCEFFICIENTS \* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 18

(Cont) Table B8. White Sands-Correlation of Joly Bensity (kg m<sup>-3</sup>) From 26 km to 60 km

MILOMETERS PROME SEM ESWEL
AVERAGE OF GOTERVEL SAUCES
STANDARD DESCRIPCION OF WARDES
IN PERCENT OF REEN TRACKLES

HEA!

¥

	9	343	51	E M								
	58	43.00 - 6.00	\$	37								56
	56	561	14	4							16	28
	54	719	24	41							92	90
	25	919	<b>6.3</b>	45							99 729 86	90
ALTITUBE	20	117	*	42							0.0000 4000	2
	.7	150	*	2						86	0.000°	90
ڔٙ	) \$	7:	0	45					95	95	<b>80</b> 000	28
1d +- -5	. •	11 110	17	42					9.9 9.0	86	4000 4000	87
VALUES	42	336	34	42					3 <b>~</b> 2	7.8	\$\$00.00 \$\$00.00	92
		438	32	24					<b>999</b> 0	7.0	44M0	73
R OF	<b>60</b>	585	62	42				6.9	7777	7.3	7222	79
NUMBER	36	784	52	45			9	13	727	70	776 778 748 748	7.1
_	34	186	20	42			75	7.3	655 673 673 673	68	4444	<b>6</b> 2
Z	32	145	20	75			800 100 100 100 100 100 100 100 100 100	7.8	<b>ФФГОФ</b> Ф <b>НФ</b> М	49	9000 4400	83
	30	193	21	42			669 699 699	29	<b>ര</b> സസ ഗരപപ	25	444m	45
	28	264	22	4.1	:	87	77 68 68 65	9	W444	4.1	2000 2000 2000	36
	56	361	54	36	68	86	77 82 75 66	57	\$552 \$552	46	444W 4040	*
	¥	*MEAN	STOV	z	<b>8</b> 2	30	WWWW 0400	0,	739°	50	N. 1. 10 E	60

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION CCEFFICLE OF

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

(Cont) Table 138. White Sands-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km

AND STATE AND SHAPE AND AND ASSESSMENT

KM KILOMETERS ABOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STOV STANDARD DEVIATION OF VALUES
IN PERCENT OF MEAN TIMES 10
N NUMBER OF VALUES AT EACH ALTITUDE

\* MULTIFLY MEAN BY INDICATED NEGATIVE POWER OF 18 \*\* MULTIFLY TAGULAR VALUES BY 0.01 TO 09TAIN CCRRELATION CCEFFICIENTS asperiores de la completa del completa del completa de la completa del la completa de la completa del la completa de la completa de la completa del la completa

Table B9. Primrose Lake-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

NUMBER OF WALUES AT EACH ALTITUDE

KILCMETERS AGOVE SEA LEVEL
AVERAGE OF OBSERVED VALUES
STANDARD DEVIATION OF VALUES
IN FERGENT OF HEAN TIMES ID

MEAN

¥

は北京の大

¥	56	28	30	32	34	36	38	9	42	\$ \$	46	4	20	55	ą,	26	28	9	
* ME AN	325	239	175	129	94° 1.50	7007	517	380	282	210	157	117	890 -6	679	525 -6	104 104	30 E	247	
STOV	4	4	9	22	54	54	\$	72	91	95	96	114	116	123	135	140	148	113	
z	23	27	21	21	21	21	21	27	21	21	23	77	21	12	18	11	16	15	
28	96	:																	
0 2	90	46																	
<b>MMM</b> <b>MARR</b>	2443 4643	9889 0700	0000 00144	200 200 200 200 200 200 200 200 200 200	<b>6.6</b> 0	26													
07	27	51	52	99	75	87	96												
0300 0300	MHP H	4404 4404	3888 2404	4004 MEEN	<b>46.70</b>	845°	47000 770000	76.0¢	0,00 0,00 0,00	96 93	86								
53	-1	•	7	23	4	46	<del>1</del> 9	7.	92	96	95	86							
ማው ተ	4440 2440	04P0	1001	44.21	24 I	NW WM CO	ちまなよ よらなき	2450 250 250 250	7.00°C	87.0°	1000 1100	Q,Q,QQQ (U,+4/-4)	<b>ຨ</b>	900 900	90 00 00 00 00	86			
٠0	-20	- 10	m	3	3	-2	17	25	20	90	24	73	7.8	9	90	95	96		

\*\* HULTIPLY TABULAR WALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

\* HULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 18

(Cont) Table B9. Primrose Lake-Correlation of April Density (kg m<sup>-3</sup>) From 26 km to 60 km

			60	306	63	27								
			5	391	25	56								65
			5	497	56	33							96	6
			5	634	53	30							00 80	35
			55	9- 9-	64	30							9000 040	99
		EACP ALTITUDE	36	101	47	31							ውውውው ውውታተ	90
א ה	UES 10	ALTI	4	133	42	31						9.7	<b>QQQQ</b>	8
LEVEL	OF VALUES TIMES 10	ACF	4	171	38	31					96	3	<b>0.60 €</b> 40.40?	9
⋖	AN TO	AT .	4	223	33	32					ତ-ଶ ଅତ	96	8878 5074	77
ABOVE SE OBSERVED	VI AT I	VALUES	47	29 £	32	32					1867	71	250 77 70 70 70 70	61
	OE VI		4.0	394	32	32					きてららてよるで	46	<b>60000</b>	3.8
w	ANDARD DE	ER 0F	36	530	53	32				95	4567	36	# # # # # # # # # # # # # # # # # # #	56
KILCHET Average	STANI	NUMBER	36	718	30	32			96	85	944M	18	0,401,00	თ
		~	46	979	28	32			900	73	4004 5004	N	4262	-15
K4 MEAN	STOV		32	133	28	32			0.20 440	25	29HE	-12	001M N40M 1111	-25
			30	163	23	32			0.00 ru 0.00 ru	3	t gwg3	٩	40M9	-24
			2 6	251	17	32	*	95	ರ್ <b>ಲ್ಲ್</b> ಬ	1,	41	9	1111 4449 7649	-23
			26	343	16	32	87	91	<b>アアピナ</b>	30	41	7	4010	-21
			ĸ	FHEAN	STDV	z	56	30	MMMW N400	0,	4444 04040	20	ການພາກ ຄອນະເທ	09

\* HILTIPLY PEAN 3Y INDICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TABULAR VALUES BY 0.61 TO OBIAIN CORRELATION COEFFICIENTS

beine Pilaton processification of the grift four expression is a partie of the contract of the second of the second of

(Cont) Table B9. Primrose Lake-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km

之一人,是是是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们是一个人,他们们是一个人,他们们们们们们们的,他们是一个人,他们们们们们们们们

大学 こうかいのかない

一個 一個 一個

NUMBER OF VALUES AT EACH ALTITUDE STANDARD DEVLATION OF WALUES IN PERCENT OF MEAN TIMES 10 AVERAGE OF OBSERVED VALUES KILOMETERS ABOVE SEA LEVEL MEAN STOV

60 253 -6

23

91 100 102 110 326 166 56 66 419 -6 31 99 545 162 32 50 32 914 702 32 76 81 32 32 4.14 1.59 158 4 32 38 40 42 44 521 383 285 211 1 32 32 32 3.2 163 134 974 710 5 14 134 974 710 5 21 26 31 36 32 32 32 32 00000 K KN00 24 4 60000 0 \* % \* **8** AMEN O CHUM M ENDY 32 81 58 \*HEAR STOV ው መስተመ ነ ተተተተ ነ የመመር ው መስተመ ነው መስተመ ነ

\*\* MULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS \* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

Table B10. Poker Flats-Correlation of January Density (kg m<sup>-3</sup>) From 26 km to 60 km

KILCMETERS ABOWE SEA LEWEL Average of Observed Values

KH HEAN STOV

		_	99	_									
		9	23.	220	12								
		58	295 - 6	218	16								100
		96	394 =6	193	22							66	80
		54	919	182	27							95 95 95	96
		52	9 <u>-</u> 9	176	88							60 60 60 MOV	*
	ALTITUDE	20	89.6 -6	172	31							ಕಾಲ್ಲಾರು ಕಾಡಿಗುತ್ತು	90
UES	ALTI	4	119	154	31						55	60 20 60 EV 44 60 40	8
VAL	ACH	9	160	134	32					86	96	<i>ಕಾಡುಕಾ</i> 47064	90
AN OF	AT E	<b>†</b>	214	125	32					0.0 60.0	91	748	73
ATIO	ALUES	42	200	120	32					000 040	9 2	7000 7000 600	63
DEVIATION NE	>	40	389	115	32					<u>രയമുട</u> ജപ്പൻ	81	<b>6000</b> 0	29
PERCEN	9. P	38	12 12 12 12	106	32				97	<b>30.00</b>	69	<b>10404</b> 4000	64
STAND	NUMBER	36	711	95	35			96	93	<b>64€6</b> 5460	58	4845 55040	40
		34	963	9	32			<b>6</b> 00	6	3040 2004	49	<b>WOWW</b>	×
STDV	Ź	32	131	69	32			0 0 0 0 0 0	79	<b></b>	36	9400 9400	25
		30	177	57	32			0000 4044	73	<b>4500</b>	30	さま27 でまれる	5
		28	140	4	32	:	96	0.000 P	65	<i><b>0044</b></i> <b>0000</b>	21	2 4000	17
		56	326	4 1	31	95	4	6745 6745	20	4004 4040	M	41.1 41.4	7
		¥	* HE AN	STOV	z	28	30	MARIA MARIA MARIA	70	1111 014.0	20	លក់លក ហុងចិស	53

\* HULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10 \*\* HULTIPLY TAEULAR VALUES BY 3.01 TO OBTAIN CORRELATION CCEFFICIENTS

MENT OF STREET OF THE PROPERTY OF THE PROPERTY

(Cont) Table B10. Poker Flats-Correlation of April Density (kg m<sup>-3</sup>) From 26 km to 60 km

				60	310	70	+ 2								
				58	396	69	20								66
				26	90.0	63	56							66	86
				25	642	13	Į,							0.00 0.00	46
				55	950	79	4.							900 975	95
			rude	20	105	61	35							0000 0000	35
		S S	ALTITUDE	9	52	96	#1 #7						85	0.000 0.000 0.000	28
400	VALUES	VAL UE	ACH A	9 7	175 1	96	35					26	35	2000 0000 0000 0000	80
1		PHI YE	μ Ε	4	35.	22	35					20 10 10 10	69	400t	63
Ų	OBSERVED	HEAN	<b>⋖</b>	٠.	2 51	25	5					P-710	0.8	4025	25
201004	98	VIA	AL UE		P)		10						-		
		35	>	3	407	22	2					00.00V	72	\$2004 1000	7
0021200	0 39 E	NOARD DEY	R 0F	80	54. 150	56	35				86	4400×	99	መታፋክ ውውካው	34
2	AVERAGE	STAND	NUMBER	36	738	55	35			96	95	6756	53	<b>0448</b> 0404	28
			Z	ą.	101	20	35			40 40	88	80.00 40.60	25	SUMUL SUSSISSION	54
3	MEAN	STOV	z	32	137	4	35			644	91	7.604N	44	NUMBE	15
				30	186	45	34			7400	72	2000 2000	9 7	ようでき	11
				8	253	P) 4	46	:	4	4400	61	ttmo tuun	38	TUTH MMMM	σ
				56	771	07	34	86	70	67-05 7-61-0	53	M44W	33	2320	9
					¥	20	z								
				X	· HE	STDV	_	20	30	MALM MALM MALM MALM MALM MALM MALM MALM	6.	4445 4444	50	ດອດເຄ ການຈານ	9

\*\* MULTIPLY TAGULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

\* MULTIPLY MEAN BY INDICATED NEGATIVE POWER OF 10

المالية المحافظة المحافظة المحافظة والمحافظة والمحافظة والمحافظة والمحافظة والمحافظة والمحافظة والمحافظة والمحافظة والمحافظة المحافظة والمحافظة وا

(Cont) Table B10. Poker Flats-Correlation of October Density (kg m<sup>-3</sup>) From 26 km to 60 km

KILOMETERS ABOVE SEA LEVEL AVERAGE OF OBSERVED VALUES

KM HEAN STOV

THE REPORT OF THE PROPERTY OF

	ALTITUDE	50 52 54 56 58 60	129 101 797 626 499 393	42 45 46 53 64 60	29 20 25 20 19 15							
LUES	ALT	3	163	43	52							4
F VALUES	EACH	9	200	45	29					9.	9	•
AN OF	_	3	271	4	59					90	79	
TH		42	354	39	53					9000 1000	79	
DEVI	. >	9	466	30	59					0000 0000	83	
PERCEN	Ö	\$	618 15	28	59				86	0.00 0.00 N 00 0.00	70	
ST AND	-	36	810	, 2	50			95	9.5	0.400 0.400 0.400	79	
	Ž	ě	110	82	5			99 14	26	<b>486</b> 0	29	
STOV	Z	32	147	53	62			000 600	99	4700 6440 7400	79	
		30	199	23	88			7889 7886	72	ՓՓԽԹ ՓԽԽԽ	26	
		28	569	54	28	:	4	2889 2512 2512	7.1	\$90.4 <b>~</b> 00.6	51	
		26	365	25	27	96	92	00km	5	244 244 244	3	
		ĭ	• HEAN	STOV	z	88	30	MAJOR MAJOR	04	000EN	50	

\*\* MULTIPLY TAEULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

\* HULTIPLY HEAN BY INDICATED NEGATIVE POWER OF 10

(Cont) Table B10. Poker Flats-Correlation of July Density (kg m<sup>-3</sup>) From 26 km to 60 km

KM KILOMETERS AGOVE SEA LEVEL
MEAN AVERAGE OF OBSERVED VALUES
STDV STANDARD DEVIATION OF VALUES
IN PERCENT OF MEAN TIMES 16
N NUMBER OF VALUES AT EACH ALTITUDE

\* HULTIFLY HEAN BY INDICATED NEGATIVE POWER OF 18 \*\* HULTIPLY TABULAR VALUES BY 0.01 TO OBTAIN CORRELATION COEFFICIENTS

96

AN THE STATE OF THE PARTY OF TH

## Appendix C

Sample Calculation for Estimating the Effect of Density on a Reentry Vehicle

The computations provided in this appendix illustrate how to estimate the effect that the mean monthly density and its day-to-day variations around the mean have on the trajectory of a reentry vehicle passing through the region between 11 and 5 km at Wallops Island in January.

For the purposes of this simplified example, the following influence coefficients for the vehicle have been assumed, such that a density of 1 kg m $^{-3}$  at a specific altitude will have the indicated retarding effect through a 2-km layer of the atmosphere:

Layer (km)	Influence (m(kg m <sup>-3</sup> ) <sup>-1</sup> )
11 - 9	800
9 - 7	400
7 - 5	200

The average distance short of a vacuum trajectory is the sum of the effects due to the mean monthly density at each level, as determined from Eq. (1) in the introduction to the main text:

Level (km)	Wallops Density (kg/m <sup>3</sup> )		Influence (m (kg m <sup>-3</sup> )	l <sub>)</sub>	Distance (m)
10	0.411	×	800	=	329
8	0.524	×	400	=	210
5	0.658	×	200	=	132
	Average distance s	short o	of trajectory	=	671 m

The integrated standard deviation of the deceleration due to day-to-day variations in the density profile is determined from Eq. (2) using standard deviations of density at levels 10, 8, and 6 km and coefficients of correlation between these levels as indicated in the array for Wallops Island, January, in Appendix B.

Coefficient of Correlation		Standard Deviation		Influence		Standard Deviation		Influence		Distance
		$(1.44 \times 10^{-2})$	×	800) <sup>2</sup>					=	133
		$(7.86 \times 10^{-3})$	×	400)2					=	10
		$(6.58 \times 10^{-3})$	×	200) <sup>2</sup>					=	2
2× 0.86	×	$1.44 \times 10^{-2}$	×	800	×	$7.86 \times 10^{-3}$	×	400	=	62
2×-0.09	×	$1.44 \times 10^{-2}$	×	800	×	$6.58 \times 10^{-3}$	×	200	=	- 3
2× 0.25	×	$7.86 \times 10^{-3}$	×	400	×	$6.58 \times 10^{-3}$	×	200	=	2
								Total	=	206 m <sup>2</sup>

 $\sigma^2 = 206 \text{ m}^2$ ,  $\sigma = 14.4 \text{ m}$ , and  $2\sigma = 29 \text{ m}$ .

Based on an assumption of a normal distribution of atmospheric density, the range of the missile will vary by less than 30 m from the mean monthly impact point 95 percent of the time. If the aim point takes into consideration the mean monthly density profile, the variations in the impact point due to day-to-day variations in the density profile will be within ± 30 m of the target 95 percent of the time.

## Appendix D

Sample Calculation for Estimating an Extreme Vertical Density Gradient

The following is an illustration of how to estimate an extreme vertical density gradient that may be encountered by an aerospace vehicle.

The answer to the question "What is the vertical density gradient that will be equalled or exceeded 2.5 percent of the time between 40 and 42 km near Churchill in January?", may be obtained by using the following expression taken from Eq. (8):

$$\hat{\sigma} = \sqrt{\sigma_1^2 + \sigma_2^2 - 2 R \sigma_1 \sigma_2}, \tag{D1}$$

where  $\sigma_1^2$  is the mean monthly density variance at level 1 (40 km),  $\sigma_2^2$  is the variance at level 2 (42 km), R is the coefficient of correlation of density between values at 40 and 42 km, and  $\sigma$  is the standard deviation around the mean monthly gradient between these levels. From Appendix B for Churchill in January,

$$\sigma_{40}$$
 = 13.8 percent of 3.47 × 10<sup>-3</sup> or 4.79 × 10<sup>-3</sup> kg m<sup>-3</sup>

$$\sigma_{42}$$
 = 14.4 percent of 2.56 × 10<sup>-3</sup> or 3.69 × 10<sup>-3</sup> kg m<sup>-3</sup>

Mean monthly diff = 
$$0.91 \times 10^{-3}$$
 or  $9.10 \times 10^{-4}$  kg m<sup>-3</sup>

R = 0.98.

From Eq. (D1),

$$\hat{\sigma} = 1.39 \times 10^{-4} \text{ kg m}^{-3} \text{ or } 2 \,\hat{\sigma} = 2.78 \times 10^{-4} \text{ kg m}^{-3}$$

Mean diff =  $9.10 \times 10^{-4} \text{ kg m}^{-3}$ 

Here is the second of the seco

Value exceeded 2.5 percent of time =  $11.83 \times 10^{-4} \text{ kg m}^{-3}$ .

Consequently, an ascending vehicle will encounter  $\frac{11.88 \times 10^{-3}}{4.75 \times 10^{-3}}$  percent

decrease in density, while a descending vehicle with the series  $\frac{11.88 \times 10^{-4}}{2.56 \times 10^{-3}}$ ,

a 46 percent increase in density between it at 2 42 km near Churchill in January.

HUS CORRESPONDED OFFICE, 1980—600-039/12